





#### I. ACCOUNT INFORMATION

P.O. # or Quote:		
Dealer Contact Name:		
Email Address:	MEDm&bility 5711- Calgary Trail NW	
Phone Number:		
Bill to (Name):		
Bill to (Location):	Edmonton AB T6H 2K1	
	P:780-437-3300 • F:780-430-9381	
all	AADL Vendor # 0000612578-001	
		S. n.
Province:	Postal Code:	
User Name or Num	ber:	all the second
User Weight:		
User Height:		
Seat Cushion Thickn	less:	
Knee to Heel Length	n: Left: " Right:	



# THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:

- A user name or number, the client's measurements and weight Amylior is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Amylior summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

# \*IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES

### 2. STANDARD OPTIONS FOR HCPCS CODES

Alltrack R3 Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 8" front casters, and standard auto style buckle seat positioning strap, 6.5mph motors, Weight Capacity = 300 lb

#### 3. ALLTRACK R3 POWER WHEELCHAIR

Indigo Blue

Candy Red

Cabernet

ATR3	ALLTRACK R3 Power Wheelchair				\$8,020
3.5 OWNER'	S MANUAL			•	
SOOMATENG	English / Anglais	N/C	SOOMATER	Français / French	N/C
4. USER WE	IGHT PACKAGES				
WCA25	250 lb Maximum user weight capacity				STD
WCA3	300 lb Maximum user weight capacity				STD
5. STANDAI	RD COLORS  Onyx Black Matte	N/C	SCRCAB	Cabernet	N/C
SCROBM	Cobalt Blue	N/C	SCREGM	Bubble Gum Metallic	N/C
SCRIOB	Indigo Blue	N/C	SCRHAB	Habanero Metallic	N/C
SCRCRE	Candy Red	N/C	SCRLIM	SubLime	N/C
<b>▼</b> OPTIONAL	COLORS				
FCHDD	Desert Digital Camo HydroGraphics - (Military Tan base)	\$ <i>7</i> 95	FCHWL	Woodland Camo HydroGraphics - (Military Green base)	\$ <i>7</i> 95
FCHCF	Carbon fiber HydroGraphics - (Matte black base)	\$ <i>7</i> 95			
5.5 WHEEL IN	ISERT COLORS				
SCCTB-WI	Cobalt Blue	N/C	SCHAB-WI	Habanero Metallic	N/C

SCLIM-WI

SCBGM-WI

SubLime

Bubble Gum Metallic

N/C

N/C

N/C

▲ Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)

▲ Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)

SCIOB-WI

SCCRE-WI

SCCAB-WI

▲ Wheel inserts are not available in Onyx Black Matte

N/C

N/C







TTD4	4-Point wheelchair transport brackets		ST
	4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval.		
WC19-ISO	WC-19 and ISO 7176-19 Occupied Transit Package	CLIENT COST	\$59
	▲ To confirm if your overall wheelchair configuration is WC-19 and ISO 7176-19 compliant, please refer to this website:		
	https://docs.google.com/spreadsheets/d/1KtcNIEA5OQJCS5z3OD1adWEIaFLN1XO3ZcTc6DI_kaE/edit#gid=1917752765		
	<ul> <li>Other restrictions may apply, please contact CSR for details.</li> <li>This option is only available on new power wheelchairs as an "on-chair" option. It is not available to install on a delivered wheelchairs are not available to install on a delivered wheelchairs.</li> </ul>	e lchair	
		.cician.	
MP65B	6.5MPH 4-Pole Motor Package / with Brake Release		ST
MP65-OPT	6.5MPH 4-Pole Motor MP65-OPT Package / with COG Release	CLIENT COST	
MP85	8.5MPH 4-Pole High Speed Motor Package / with COG Release	CLIENT COST	- :
	▲ Maximum user weight for this option is 250 lb and requires the R-net 120 Amp Expandable Controller (ECR120).		•
ACCICTIVE D	RIVING PACKAGE		
SMARTT	Smart-Track Assistive Driving Package		\$1,42
ompaci i	Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision.	·	Ψ1, 12
	This is ideal for those with marginal hand function or switch control.		
	▲ Requires the R-net PM 120 Amp Expandable Controller (ECR 120).		
	▲ This option requires either the MP65-OPT or the MP85 motor package.		
	Recommended for non-proportional Drive Controls		
O. BATTERY CH	ARGER		
ВСОВ	8A Offboard Battery Charger		N/
1. BATTERY TRA	AY AND BASE WIDTH		
FS22B	Battery Tray for Group 22NF Batteries – (Total base width = 23 3/8")		ST
	▲ The 23 3/8" compact base is not compatible with most of the Center Mount Front Rigging Options due to Mechanical conflicts		
	▲ The Straight Front Arm option is not available with any of the Center Mount Front Rigging Options due to Mechanical conflicts		
FS24B	Battery Tray for Group 24 Batteries – (Total base width = 25 3/8")		N/
	▲ The Straight Front Arm option is not available with any of the Center Mount Front Rigging Options due to Mechanical conflicts.		
PLEASE SELECT ONE	OPTION FOR FRONT CASTER ARMS: FLARED OUT (STD) STRAIGHT (OPTIONAL)		
2. BATTERIES -	REQUIRES A SELECTION		
BAT22NFGEL	Premium CG Power - GEL Battery – Group 22NF – 50 Amps (Each)		\$33
BAT24GEL	Premium CG Power - GEL Battery – Group 24 – 70 Amps (Each)	AADL CONTRACT	\$46
ВАТО	Omission of the batteries		N/
4. DRIVE WHE			
DW14PT	14" Cast Wheel Pneumatic Tires		ST
DW14PI	14" Cast Wheel Pneumatic with Foam Filled Tires		N/
DW144PT	14" x 4" Extra Wide Cast Wheels, Pneumatic Tires		\$20
DW144PI	14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires		\$59
	▲ Increases the overall width of the base by 2 ¾".		
DW12PT	12 ½" Cast Wheel Pneumatic Tires		N/
DW12PI	12 ½" Cast Wheel Pneumatic with Foam Filled Tires		N/
	▲ 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque.		
5. FRONT CAST	'ERS		
FC8PTR	8" Pneumatic Casters		SI
	8" Pneumatic Casters with Foam Filled Tires		N/
FC8PIR	Oll Description Control		\$15
FC8PIR FC9PT	9" Pneumatic Casters		
	9" Pneumatic Casters  9" Pneumatic Casters with Foam Filled Tires		
FC9PT			\$17







OPTIONS FOR A	REHAB SEAT ONLY - NO POWER SEATING	
STFH1525	15 ¼" - (Possible Seat angle of 0° only)	
	A Requires the 12 ½" Drive wheels (DW12PT and DW12PI)	
CTT117	▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height	
STFH16	16" - (Possible Seat angle of 0° only)	
CTFILIT	▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height	
STFH17	17" - (Possible Seat angle of 0° and 3°)	
CTFILIO	▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height	
STFH18	18" - (Possible Seat angle of 0° and 3°)	
STFH19	19" - (Possible Seat angle of 0°, 3° and 6°)	
STFH20	20" - (Possible Seat angle of 0°, 3°, 6°, 9°)	
	POWER TILT, POWER TILT / RECLINE OR ELEVATE ONLY MODULE	
STFH1575	15 3/4" - (Possible Seat angle of 0° only)	
	▲ Requires the 12 ½" Drive wheels (DW12PT and DW12PI)  ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height	
STFH165		
3111103	16 ½" - (Possible Seat angle of 0° only)  A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height	
CTCU175		
STFH175	17 ½" - (Possible Seat angle of 0° only)  ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height	
CTELLIO		
STFH18	18" - (Possible Seat angle of 0° only)	
STFH185	18 ½" - (Possible Seat angle of 0° only)	
STFH19	19" - (Possible Seat angle of 0° only)	
	COMBO - POWER TILT OR POWER TILT / RECLINE WITH ELEVATE MODULE	
STFH1775	17 3/4" - (Possible Seat angle of 0° only)	
STFH185	A Requires the 12 ½" Drive wheels (DW12PT and DW12PI)  18 ½" - (Possible Seat angle of 0° only)	
SEAT TO FLO	OOR HEIGHT SPECIFICATION (IF NOT STANDARD)  Specific seat to floor height higher than standard. It's not possible to lower the seat to floor height below minimum rar  Required at:	ges. RF0
B. PRE-SET SE	AT FRAME ANGLE	
SFE-O	0° Pre-set seat frame seat angle – (Must be selected when using power options)	ST
SFE-3	3° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/
SFE-6	6° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/
SFE-9	9° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/
). LIGHTING		14/
EOLP	LED Light Package — (Includes front and rear lights with integrated flashers)	CLIENT COST \$1,42
	▲ Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECVJ6KL, ECRJCL, ECRJC35B or EDIB).	<b></b>
	NDABLE ELECTRONICS - PG DRIVES VR2 CONTROLLER AND JOYSTICKS  ics can only accommodate specific power seat functions and combinations such as Tilt / Elevate / Recline / Power Center Mo	ount / Combined Power Le
	r Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs / Tilt + Elev	
ECV902A	VR2 90 Amp Drive Controller – (Requires the selection of VR2 joystick below)	ST
ECVJ4K	VR2 Standard 4-Key Joystick	ST
ECVJ6K	VR2 6-Key Joystick – (Allows for single or select dual power options to operate through this joystick)	N/
ECVJ9KL	VR2 9-Key Joystick with Lighting Operation – (Allows for single or select dual power options to operate through this joystick)	\$15
	BLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS	<b>¥</b> 10
ECEL90	R-net EL 90 Amp Expandable Controller	\$17
	<b>+ +</b>	T

ECR120

R-net PM 120 Amp Expandable Controller

\$275







22. EXPANDAE	BLE ELECTRONICS - PG DRIVES R-N	ET JOYSTICKS				
► Selection of	one joystick option below is required with the exp	oandable controller	ECEL90 or ECR 120			
ECO	Omit Joystick – (For use with an Omni 2 Displa	ay)				N/
ECELJ	R-net - (LED) – Joystick					S
	This joystick is not compatible with the Me	emory Seat Program C	ption (SACMEMORY	and MACMEMORY).		
ECRJC	R-net Joystick with Color screen					\$1.
<ul> <li>JOYSTICKS WITH</li> </ul>	LIGHTING OPERATION					
ECELJL	R-net – (LED) – Joystick with Lighting Ope				CLIENT COST	\$1
	▲ This joystick is not compatible with the Me		Option (SACMEMORY o	and MACMEMORY).		
ECRJCL	R-net Joystick with Color screen and Light	ing Operation				\$1
ADVANCED JOYS				1	CUENT COST	<b>#11</b>
ECRJC35B	R-net Advanced Bluetooth Joystick (3.5" S	creen). Lighting Ope	ration, padale switci	nes, snortcut keys and stereo jacks	CLIENT COST	\$1,1
23. JOYSTICK I	MOUNT					
JSMF	Fixed Joystick Mount					Ν
JSMSA	Swing Away Joystick Mount – Height ad	ustable, Angle adju	stable and Multi-Axi	s		\$2
	Set-up with standard installation to s	wing-away sidewa	ys			
	Set-up at 35° to swing-away sidewa	ys and downwards				
JSMCM	Midline Mounted Swing Away Joystick M	Nount				\$2
4. JOYSTICK I	MOUNT SUPPORT					
JSMFH	Joystick mount support Bracket					5
33MIII	Joyanek mooni sopport blueker					
5. JOYSTICK I	HAND MOUNT	<u> </u>				
HML	Install Joystick on Left hand side		HMR	Install Joystick on Right hand	side	
6. JOYSTICK I	HANDLE					
JSH	Standard Joystick Gimble	STD	JBAT	Stick Handle 3" in Length		\$1
JBH	Ball Handle	\$85	JFBH	Foam Ball Handle		\$
JTH	T-Handle	\$155	JMUSH	Bodypoint Mushroom Handl	е	\$2
JGP	Bodypoint 4" U-shaped Handle	\$210				
9. R-NET OMI	NI 2 - ENHANCED DISPLAY & DIGIT	AL INTERFACE	BOX (REQUIRED	WITH SPECIALTY CONTROLS)		
EDIB	Omni 2 – (Enhanced Display & Digital Interfac				CODE W100	\$1,
	▲ Allows the switch operation of alternative		er controls. Requires the	e R-net fully Expandable Controller (ECR 12		Ψ.,
	▲ The Omni 2 display mount must be select	_			<b>-</b> ,	
O. OMNI 2 EN	IHANCED DISPLAY MOUNT					
EDSAM	User Swing Away Mount				CODE W100	Ν
	EDML – (Install Display on LH side)	EDMR - (Inst	all Display on RH side)			
1 ENVIDONA	MENTAL CONTROL MODULE					
ECU	Environment control module – (Output Mod		FCD100\		CLIENT COST	\$9
	▲ Requires one of the fully expandable R-n	et controllers (ECEL90	or ECR120).			
3. AMYSEAT R	REHAB SEAT / POWER SEATING SY	STEMS AND M	ODULES			
SAABA	Amyseat Rehab Seat — (Seat Frame only)					\$8
SAPTX	CG Power Tilt					\$6,1
	This option includes the Amyseat Rehab S	ieat (SAABA)				
SAPRX	Power Recline with Mechanical Shear Re	duction (MSR)				\$7,8
	This option includes the Amyseat Rehab S	ieat (SAABA)				
SAPTPRX	CG Power Tilt and Power Recline with Me		luction (MSR)			\$11,4
	▲ This option includes the Amyseat Rehab S	eat				<b>A</b> ·
SAPESX	ALTA 11" Power Seat Elevation	/64.22.4				\$4,4
ADDRECY	▲ This option includes the Amyseat Rehab S		TV CADDV C45	TDDV		4.0
ADDRESX	Module – Add ALTA 11" Power Seat Elev			IPKA		\$2,4
ADDMR	Module – Manual Recline with Mechanic	cai Shear Reduction	– (MSK)			\$1,

▲ The maximum user weight capacity with this option is 250 lb.







34. ELECTRONI	CS - SINGLE (1 A	CTUATOR) POWER SE	AT FUNCTION C	ONTROLLER

<b>&gt;</b>	SINGLE SEAT FUNC	CTION USING AN EXTERNAL TOGGLE OR OPTIONAL SWITCH ONLY (FOR BOTH	H EXPANDABLE AND NON	-EXPANDABLE SYSTEMS)	
	SOLO	Single function controller (Includes an external toggle switch)			STD
	▼ OPTIONAL SWI	TCHES			
	SWTOGGLE	Single Toggle Switch		Attendant Activatio	n \$100
	SWPUSH1	Single Push Button Switch – (Single Mode: SAC)	User Activat	on Attendant Activatio	n \$90
	SWPUSH2	Dual Push Button Switch — (Dual Mode: SAC)	User Activat	on Attendant Activatio	n \$180
	SSBS	Buddy Button Switch Black Red Green Yellow	User Activat	on Attendant Activatio	n \$230
	SSES	Egg Switch-Black	User Activat	on Attendant Activatio	n \$116
	SSML	Ultra Light Switch	User Activat	on Attendant Activatio	n \$295
<b>•</b>	SINGLE SEAT FUNC	CTION THROUGH DRIVE CONTROL			
	EPSV	Single Function Through VR2 Non-Expandable Drive Control			N/C
		<ul> <li>Allows for activation of a single power option through VR2 controller</li> <li>Does not allow for control of power option through drive control and separate</li> </ul>	ato switches		
		▲ Control of power elevating seat with tilt is available as a custom. Check app		72 in addition to EPSV.	
		▲ VR2 Electronics can only accommodate specific power seat functions such as	•		Legs / Tilt +
		Elevate (Custom)  A Choose EPSV2 to operate select power combinations			
_					N1/C
	EPSEL  Single Function Through Drive Control with R-net 90-amp controller  Allows for activation of single power option through R-net 90-amp controller				N/C
		Compatible with all R-net joysticks	•1		
		<ul> <li>Does not allow for control of power option through drive control and separa</li> </ul>	ate switches		
		Can not operate more than one power option			
		▲ If selecting memory seating, choose SAC below  ▲ If selecting 120-amp R-net controller, choose SAC below			
_	SAC	Single Function Through Drive Control with R-net 90-amp or 120-amp co	antrollor.		N/C
	JAC	▲ Allows for activation of single power option through R-net drive controls	Jillollei		14/ C
		▲ Compatible with 90-amp or 120-amp controller, all R-net joysticks, Omni 2 of	and specialty controls		
		Capable of operating tilt with power elevating seat			
		▲ Compatible with memory seating			
<u> </u>		CTION OPTIONS (OPTIONS BELOW ARE COMPATIBLE ONLY WHEN CHOOSIN	NG SAC ABOVE)		
	SACMEMORY	Memory Seat Program		CLIENT CO	<b>OST</b> \$1,495
_		▲ This option is not compatible with any VR2 or LED joysticks (ECELJ and ECELJ			
_		ITCH BELOW GIVES ACCES TO POWER OPTIONS THROUGH DRIVE CONTROLS	AND IHROUGH EXTERNA		V100 ¢ 410
_	SACTOGGLE	Single Toggle Switch		Attendant Activation CODE V	
_	SACPUSH1	Single Push Button Switch – (Single Mode: SAC)	User Activation	Attendant Activation CODE V	
_	SACPUSH2	Dual Push Button Switch – (Dual Mode: SAC)	User Activation	Attendant Activation CODE V	
_	SACSSBS	Buddy Button Switch Black Red Green Yellow	User Activation	Attendant Activation CODE V	
	SACSSES	Egg Switch-Black	User Activation	Attendant Activation CODE V	·
_	SACSSML	Ultra Light Switch	User Activation	Attendant Activation CODE V	V100 \$605

# 35. ELECTRONICS - MULTIPLE SEAT FUNCTION CONTROL TYPE

DUAL SEAT FUNCTIONS THROUGH DRIVE CONTROL

EPSV2 Dual Function Through Drive Control with VR2 Non-Expandable Electroni
---

N/C

- A Allows for the activation of 2 power options through the VR2 Controller. Combination of TILT + RECLINE or ELEVATE + RECLINE are not possible with EPSV2
- ▲ Does not allow for control of power options through drive control and separate switches
- ▲ VR2 Electronics can only accommodate specific power seat combinations such as Tilt + Power Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs

MULTIPLE	SEAT	<b>FUNCTIONS</b>	THROUGH	R-NET

	MAC	E-BX Multiple Function through Drive Control with Expandable Electronics	- Powers iQ Actua	itors	\$2,29	₹5
<b>•</b>	MAC OPTIONS					
	MACMEMORY	Memory Seat Program			\$ 17	75
<b>•</b>	SELECTION OF SW	ITCH BELOW GIVES ACCES TO POWER OPTIONS THROUGH DRIVE CONTROLS A	AND THROUGH EXTER	NAL SWITCH		
	MACKEYPAD-P	Keypad w/ 5 Push Button Switches	User Activation	Attendant Activation	CODE W100 \$44	15
	MACKEYPAD-T	Keypad w/ 5 Toggle Switches	User Activation	Attendant Activation	CODE W100 \$44	15
	MACMULTI	4-Way Toggle Switch – (Up to 4 Activations)	User Activation	Attendant Activation	CODE W100 \$18	30
		▲ By selecting this switch, memory recall is only available through the Joystick.				
	MACMULTIT	Triple Toggle Switch – (Up to 5 Activations)	User Activation	Attendant Activation	CODE W100 \$13	35
		By selecting this switch, memory recall is only available through the Joystick.				
	MACPUSH4	4-Way Push Button Switch	User Activation	Attendant Activation	CODE W100 \$22	25
		▲ By selecting this switch, memory recall is only available through the Joystick.				
	MACPUSH5	5-Way Push Button Switch	User Activation	Attendant Activation	CODE W100 \$24	10
		A Propolation this project manager would be anti-projected through the leveliet				

MKT.F92 | OF | P22029 | R06







	ATION HAND MOUN					
Switch Installation:	TSML – (Install Switch on LF	I side) TSMR – (Instal	Switch on RH side)			N/C
37. PRE-SET BACK	ANGLE (FOR NON-RECLIN	ING BACKS)				
SOBAA	Select one: 86°	94° 98°	102° 106° 110°	114° 118°	122°	
	▲ Back angles of 102° or gre	eater are not compatible with th	e OMNI 2.			
38 STANDARD AD	JUSTABLE SEAT WIDT	H PANGE RETWEEN	I 15" AND 20"			
			I IS AIND 20			N/C
	Width adjustment from 15" to 20" wi Width adjustment from 15" to 20" wi	•	he minimum seat denth with this sea	at antion is 18" Deen)		N/C
15" (SOWN15)	16" (SOWN16)	17" (SOWN 17)	18" (SOWN18)	порноп із то вееру		117
19" (SOWN19S)	20" (SOWN20S)					
39. LARGE ADJUST	ABLE SEAT WIDTH RA	NGE BETWEEN 19"	AND 24"			
	Width <mark>adjustm</mark> ent from 19" to 24" an					N/C
19" (SOWN19L)	20" (SOWN20L)	21" (SOWN21)	22" (SOWN22)	23" (SOWN23)	24" (SOWN24)	
40. ADJUSTABLE SI	EAT DEPTH RANGE BE	TWEEN 15" AND 22	п			
15" (SODN15)	16" (SODN16)	17" (SODN17)	18" (SODN18)			N/C
19" (SODN19)	20" (SODN20)	21" (SODN21)	22" (SODN22)			N/C
,			▲ With a 22" long Seat Pan the minimum possible sea		N19-24-22,	,
			the minimum possible sea	r deprin is 10.		
41. BACK CANE HE	IGHT (THE BACK CANE HEI	GHT MEASUREMENT IS TAK	EN FROM THE SEAT PAN TO	THE TOP OF THE PUSH H	IANDLES)	
			▼ 22" is the minimum back	height required with a pow	er or manual recline.	
16" (SOBCH16)	18" (SOBCH18)	20" (SOBCH20)	22" (SOBCH22)	24" (SOBCH24)	26" (SOBCH26)	
	_					
42. BACK SUPPOR	<u> </u>	<u> </u>				
STDSB-WWHH	Contour back support up to				SEATING BENEFIT	\$605
CTDCD MANUAL	-		(± 1") with a fixed back and 6" (±	1") with a reclining back	CEATINIC DENIERIE	<b>Φ7</b> Γ/
STDSB-WWHH	Contour back support up to		(± 1") with a fixed back and 6" (±	1") with a reclining back	SEATING BENEFIT	\$755
STDSB-WWHH	Contour back support for He			. , ,g 240x	SEATING BENEFIT	\$1,075
	• • •		(± 1") with a fixed back and 6" (±	1") with a reclining back		<b>+</b> .,
F2S-WWHH NEW	AAATDV FLITE FOC DACK	1/11. 0011V/11. D. 11.11.1	(II. 00II. 0II.		CEATING DENIERIT	4004
E2S-WWHH	MATRX ELITE E2S BACK – (	•	6" to 20", in 2" increments)  5. The minimum space between the	ne back and seat pan is 4" (	* 1") with a fixed back	\$995
	and 6" (± 1") with a reclini				-	
	▲ Weight capacity up to 300					
E2D-WWHH NEW			Wide - Back height of 6" to 20", in		SEATING BENEFIT	\$1,155
	Back shell height is available and 6" (± 1") with a reclinit		s. The minimum space between t	ne back and seat pan is 4" (	± 1") with a fixed back	
	▲ This product is not compati	ble with Lateral Trunk Supports	;			
	▲ Weight capacity up to 300	lb				
PBE-WWHH-TR NEW	MATRX PB ELITE TR BACK –	· ·			SEATING BENEFIT	\$910
	<ul> <li>Back shell height is available and 6" (± 1") with a reclinit</li> </ul>		inimum space between the back	and seat pan is 4" (± 1") wii	th a tixed back	
	▲ Weight capacity up to 300	-				
PBE-WWHH-HD NEW	MATRX HEAVY DUTY ELITE	BACK - (21" to 24" Wide - Ba	ck height of 16" and 20")		SEATING BENEFIT	\$1,150
	•		space between the back and sea	t pan is 4" (± 1") with a fixe	d back	
	and 6" (± 1") with a reclinii  Weight capacity up to 500	_				
EDB-WWHH-HD NEW	MATRX ELITE DEEP HD BAC		aht of 16", 18" and 20")		SEATING BENEFIT	\$1,195
						+ ./. / 0
	Back shell height is available	ole in 16", 18" or 20". The minin	num space between the back and	l seat pan is 4" (± 1") with a	i fixed back	
	and 6" (± 1") with a reclini	ng back		I seat pan is 4" (± 1") with a	tixed back	
	and 6" (± 1") with a reclini	ng back ble with Lateral Trunk Supports		i seat pan is 4" (± 1") with a	fixed back	







NOACB-WWHH NEW	NXT OPTIMA FH AC CONTOU	R BΔCK _ /15" + 21" \λ/: -1-1			SEATING BENEFIT	\$6
NOACB-WWHH	▲ Weight capacity up to 300 lb	K DACK - (15" to 21" Wide)			SEATING BENEFIT	фС
NOACB-WWHH NEW	NXT OPTIMA FH AC CONTOU	R BACK – (22" to 28" Widel	)		SEATING BENEFIT	\$
	▲ Weight capacity up to 550 lb	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
	▲ Back shell heights only come in		imum space between the bac	k and seat pan is 4" (± 1") wit	h a fixed back	
NOPCB-WWHH NEW	NXT OPTIMA FH PC DEEP CON		Wide)		SEATING BENEFIT	\$
NOI CD-WWIIII	▲ Weight capacity up to 300 lb	110 OK B/ CK = (13 10 21	Wide		SEATING BENEFIT	Ψ
NOPCB-WWHH	NXT OPTIMA FH PC DEEP CON	NTOUR BACK - (22" to 28"	' Wide)		SEATING BENEFIT	\$
	▲ Weight capacity up to 550 lb					
	▲ This product is not compatible v					
	Back shell heights only come in and 6" (± 1") with a reclining be		imum space between the bac	k and seat pan is 4" (± 1") wit	h a fixed back	
OMISSION OF THE BA	CK SUPPORT					
STDSBO	Omission of the Contour Back S	upport ◀ Specify Mod	lel of Back Support:			
. BACK SUPPOR	TOTAL HEIGHT (MEASURE	D FROM THE SEAT PAIN TO	O THE TOP OF THE BACK)			
. DAGR SOIT OR	I TOTAL TILLION (MEASONE	DIROM THE SEATTAIN IN		height required with a powe	r or manual recline.	
16" (SOBH16)	18" (SOBH18)	20" (SOBH20)	22" (SOBH22)	24" (SOBH24)	26" (SOBH26)	
28" (SOBH28)				2. (002.1.2.)	20 (002.1120)	
. SEAT CUSHION						
CG AIR - THERAPEUTIC		4 50 11 5 1 5	<u>,                                      </u>			
Single Valve 15" to 20	'Wide Note: For custom Cushions (Plea Cell Height:	ase use the CG Air Order Form	) <mark>3"</mark>	<b>4</b> "		
CGA1VSCwwdd-h	CG Air Single Valve – (with Stand		J	4	SEATING BENEFIT	9
CGA1V3Dwwdd-h	CG Air Single Valve – (with 3D M				SEATING BENEFIT	\$
CGA1VICwwdd-h	CG Air Single Valve – (with Incon				SEATING BENEFIT	\$
	▲ Cushion sizes only come in eve		th measurements.			
Dual Valve 15" to 20"	<b>Wide</b> Note: For custom Cushions (Pleas	e use the CG Air Order Form)				
	Cell Height:	2"	3"	4"		
CGA2VSCwwdd-h	CG Air Dual Valve – (with Standa	rd 2-way Stretch Cover)			SEATING BENEFIT	\$
CGA2V3Dwwdd-h	CG Air Dual Valve – (with 3D Me	sh Cover)			SEATING BENEFIT	\$
CGA2VICwwdd-h	CG Air Dual Valve – (with Incontin	•			SEATING BENEFIT	9
	▲ Cushion sizes only come in eve	•				
Single Valve 22" to 24	" Wide Note: For custom Cushions (Plea			<b>*</b>		
CGA1VSCwwdd-h	Cell Height: CG Air Single Valve – (with Stand	<b>2"</b>	3"	4"	CEATING DENIEUT	
CGA1V3Dwwdd-h	CG Air Single Valve – (with 3D M				SEATING BENEFIT SEATING BENEFIT	
CGA1VICwwdd-h	CG Air Single Valve – (with Incon				SEATING BENEFIT	- ;
COATTICWWaa-II	▲ Cushion sizes only come in ever		th measurements.		SEATING BENEFIT	
Dual Valve 22" to 24"	Wide Note: For custom Cushions (Pleas	e use the CG Air Order Form)				
	Cell Height:	2"	3"	4"		
CGA2VSCwwdd-h	CG Air Dual Valve – (with Standa	rd 2-way Stretch Cover)			SEATING BENEFIT	5
CGA2V3Dwwdd-h	CG Air Dual Valve – (with 3D Me	sh Cover)			SEATING BENEFIT	
CGA2VICwwdd-h	CG Air Dual Valve – (with Incontin	•			SEATING BENEFIT	
	▲ Cushion sizes only come in ever	n numbers for width and dep	th measurements.			
SCPSC-wwdd	Contour Seat Cushion up to 19"	\\/:da			SEATING BENEFIT	9
SCPSC-wwdd	Contour Seat Cushion for Non-S		1" Wide		SEATING BENEFIT	
- 31 - 4 WWW	23111001 0001 C03111011 101 14011-0		. 11100		OE WING DEIGEN	,
NEW MATRX CUSHIC						
PSP-WWDD NEW	MATRX PSP Seat Cushion – (11"				SEATING BENEFIT	\$
	▲ The maximum user weight cape	•	th management			
PSP-WWDD NEW	▲ Cushion sizes only come in ever	-	nn measurements.		CEATING DENIET	- 1
PSP-WWDD NEW	MATRX PSP Seat Cushion – (22"	•			SEATING BENEFIT	\$
	The maximum user weight cape	acity is 550 lb				







	USHION  IEW NXT BIO FIT Cushion – (15" to 21" Wide)			SEATING BENEFIT	\$59.
IAVIBIOUII -MANDO	The maximum user weight capacity is 300 lb			JEANING DENERII	φυγ
NXTRIOFIT -WWDD	NXT BIO FIT Cushion – (22" to 26" Wide)			SEATING BENEFIT	\$62
TOTAL TOTAL	▲ The maximum user weight capacity is 400 lb			OEXTINCO DELICENT	ΨΟΣ
	▲ Cushion sizes only come in even numbers for width and depth measure	ements.			
5. CANTILEVER	· HEIGHT ADJUSTABLE ARMRESTS - OPENS WITH A		•		
SOAFBDLH	Flip-Back Cantilever – Desk Length Left Side – (Height Adjustable from 7	7" to 15" with 1" incre	ments) – STD Length	12"	N/
SOAFBDRH	Flip-Back Cantilever – Desk Length Right Side – (Height Adjustable from			th 12"	N/
SOAFBFLH	Flip-Back Cantilever – Full Length Left Side – (Height Adjustable from 7"	to 15" with 1" increm	ents) – STD Length	<mark> 6"</mark>	ST
SOAFBFRH	Flip-Back Cantilever – Full Length Right Side – (Height Adjustable from 7	7" to 15" with 1" incre	ments) – STD Length	16"	ST
CUST-112250	Custom Armrest Length – Select Length for the <b>Left</b> side: Custom	tom Length 18"	Custom Length 20"	Custom Length 22"	N/
CUST-112250	Custom Armrest Length – Select Length for the <b>Right</b> side: Custom	tom Length 18"	Custom Length 20"	Custom Length 22"	N/
CUST-SOAFB	Please select this code when using Cantilever armrests with Reclining	g backs			N/
	▲ The maximum user weight capacity is 300 lb				
6 DUAL DOST -	HEIGHT ADJUSTABLE ARMRESTS - INCLUDES TRAN	NEEED COIDS	/FOR NON RECURNING	C DACKE CHOOSE O	
				G BACKS - CHOOSE 2)	<b>A.</b> 1.
SOADPDLH	Dual Post Height Adjustable – Desk Length Left Side – (Height Adjustable				\$16
SOADPDRH	Dual Post Height Adjustable – Desk Length Right Side – (Height Adjust				\$16
SOADPFLH	Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable				\$16
SOADPFRH	Dual Post Height Adjustable – Full Length Right Side – (Height Adjustab	ble from 10 ½" to 15	1/4" with 1/2" increments)		\$16
7 PECLINING E	IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2)				
SOANIDLH	Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1)	•			N/
SOANIDRH	Reclining armrest – Desk Length Right Side – (Height Adjustable from 10			ngth 12"	N/
SOANIFLH	Reclining armrest – Full Length Left Side – (Height Adjustable from 10 1/2	2" to 14" with 1/2" incr	ements) – STD Lengt	th 16"	N/
SOANIFRH	Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2)	/2" to 14" with 1/2" in	crements) – STD Len	gth 16"	N/
CUST-48247	5	tom Length 18"	Custom Length 20"	Custom Length 22"	N/
CUST-48247	Custom Armrest Length – Select Length for the <b>Right</b> side: Custom	tom Length 18"	Custom Length 20"	Custom Length 22"	N/
8. ARMREST HEI	GHT ADJUSTMENT AT FACTORY				
	▶ Set the Armrest Height at: "				
	▲ The Armrest Height is taken from the seat pan to the top of the armpad.				
	▲ Not required for Dual Post.				
9. ARMPADS		<b>Y</b> //>			
9. ARMPADS  FOAM TYPE SELECTION		<del>`</del> //	<u> </u>		
		Select side:	eft Hand Side Rig	ght Hand Side	ST
FOAM TYPE SELECTION	Desk Length Waterfall – (8 ½" x 2 ¾")			ght Hand Side	ST
FOAM TYPE SELECTION	Desk Length Waterfall – (8 ½" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests with	hen combined with I	ateral Trunk supports.		
FOAM TYPE SELECTION SOWAPD	Desk Length Waterfall – (8 ½" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests with	then combined with I Select side:	ateral Trunk supports.	ght Hand Side ght Hand Side	
SOWAPF	Desk Length Waterfall – (8 ½" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests with flipping back the armrest with flipping back	then combined with I Select side:	ateral Trunk supports.		
SOWAPF	Desk Length Waterfall – (8 ½" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests with flipping back the armrest with fli	then combined with I Select side:	ateral Trunk supports.  eft Hand Side Rig ateral Trunk supports.		ST
SOWAPF  HYBRID GEL AND FO	Desk Length Waterfall – (8 ½" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests with flipping back the armrest with fli	then combined with I Select side: I then combined with I select side: Le	ateral Trunk supports.  eft Hand Side Rig ateral Trunk supports.  ft Hand Side Righ	pht Hand Side t Hand Side SEATING BENE	ST
SOWAPF HYBRID GEL AND FO	Desk Length Waterfall – (8 ½" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests with flipping bac	then combined with I Select side:  Letelect si	ateral Trunk supports.  eft Hand Side Rigateral Trunk supports.  ft Hand Side Right Right Right	ght Hand Side	ST FIT \$4
SOWAPD  SOWAPF  HYBRID GEL AND FO SOGELD SOGELF	Desk Length Waterfall – (8 ½" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests with flipping bac	then combined with I Select side: I then combined with I select side: I select side: I be select side:	ateral Trunk supports.  eft Hand Side Rigateral Trunk supports.  ft Hand Side Rightft Hand Side	pht Hand Side t Hand Side SEATING BENE t Hand Side SEATING BENE	ST FIT \$4
SOWAPF  HYBRID GEL AND FO SOGELD SOGELF SOWGELD	Desk Length Waterfall – (8 ½" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests with full Length Waterfall – (13" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests	Select side: Letelect	eft Hand Side Right Hand Side	t Hand Side  t Hand Side SEATING BENE t Hand Side SEATING BENE t Hand Side SEATING BENE	ST FIT \$2 FIT \$2
SOWAPD  SOWAPF  HYBRID GEL AND FO SOGELD SOGELF	Desk Length Waterfall – (8 ½" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests with full Length Waterfall – (13" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests	chen combined with I Select side: Letelect side: Le	eft Hand Side Right	pht Hand Side t Hand Side SEATING BENE t Hand Side SEATING BENE	ST FIT \$4 FIT \$4
SOWAPF  HYBRID GEL AND FO SOGELD SOGELF SOWGELD	Desk Length Waterfall – (8 ½" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests with full Length Waterfall – (13" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall Gel and Foam Flat armpad – (9 ¾" x 2")  Solution of the Waterfall Gel & Foam Waterfall armpad – (8 ½" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall armpads may interfere with flipping back the armrests with the Waterfall	chen combined with I Select side: Letelect side: Le	eft Hand Side Right	t Hand Side  t Hand Side SEATING BENE t Hand Side SEATING BENE t Hand Side SEATING BENE	FIT \$4 FIT \$9
SOWAPF  HYBRID GEL AND FO SOGELD SOGELF SOWGELF	Desk Length Waterfall − (8 ½" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests with Full Length Waterfall − (13" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests with MATYPE SELECTION (THE GEL ALWAYS STAYS SOFT)  Desk Length Hybrid Gel and Foam Flat armpad − (9 ¾" x 2")  Full Length Hybrid Gel and Foam Flat armpad − (13 ½" x 2")  Desk Length Hybrid Gel & Foam Waterfall armpad − (8 ½" x 2 ¾")  A The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back the armrests with The Waterfall armpads may interfere with flipping back	chen combined with I Select side: I chen combined with I	ateral Trunk supports.  eft Hand Side Righ ft Hand Side Righ ft Hand Side Righ ft Hand Side Righ ft Hand Side Righ ateral Trunk supports.  ft Hand Side Righ ateral Trunk supports.	t Hand Side  t Hand Side SEATING BENE t Hand Side SEATING BENE t Hand Side SEATING BENE	ST FIT \$4 FIT \$4







SOSAAF	Swing-Away Footrests.	Set at:	60°	<b>70°</b>	STE
	• ,	elect Footrest Range:	<b>SOFLA10</b> (10 ½" – 15 ½")	SOFLA14 (14 ½" – 19 ½")	
	▲ The 70° footrest angle is not con	•			
COAAF	and may interfere with the caste		·	700	¢ 17
SOAAF	Heavy Duty Swing-Away Footre		60°	70°	<b>\$</b> 1 <i>7</i> .
	▲ The 70° footrest angle is not con	elect Footrest Range: neatible with the 9" front cast	SOFLHD12 (12 ½" – 15 ½") ers (FC9PT and FC9PI)	<b>SOFLHD14</b> (14 ½" – 19 ½")	
	and may interfere with the caste				
ADDML	Manual Elevating & Articulating	Legrests - Pair			\$593
		elect Footrest Range:	<b>SOFLME12</b> (12 ½" - 15 ½")	<b>SOFLME14</b> (14 ½" – 19 ½")	
ADDPL	▲ Does not include calf pads. Plea Power Elevating & Articulating Le	-	oi.		\$2,49
ADDFL	Tower Elevaning & Africulating Le	Select Function:	Individual	Combined	ΨΖ,447
	a s	elect Footrest Range:	SOFLPW12 (12 ½" – 15 ½")	SOFLPW14 (14 ½" – 19 ½")	
		•	power functions. Combined legs count as o		
				•	
1. FOOTPLATES	& ACCESSORIES				
SOSFAF	Flip-up Footplates				STI
SOAFP	Angle Adju <mark>sta</mark> ble & Flip-up Footp	olates – (Each)			\$63
SOAHL	Heel Loops – (Each)				\$20
SOACPFR	Calf Pads for Adult Heavy-Duty S	Swing-Away footrests – <b>(S</b>	OAAF) – with adjustable hardware –	(Each)	\$93
SOAMA	Swing-away Amputee Support	Select :	Left leg Right leg		\$45
		CTORY			
2. FOOTREST LI	ENGTH ADJUSTMENT AT FA				
	Set the Footrest Length at:	"			
	▲ The Footrest Length is taken from	n the top of the seat pan to the	e rop or rne roorplate.		
3. CENTER MOI	JNTS				
SOAAF90	90° Fixed Center Mount Interfac	e Bracket – (Offers Manua	l adjustability from 94° to 70°)		\$200
30704170		oot Platform Range:	SOFBA12 (12 ½" – 16 ½")	<b>SOFBA16</b> (16 ½" – 19 ½")	ΨΣΟ
	▲ When selecting SOFBA16 (16 ½				
	▲ Select the one piece center mo				
	<ul> <li>With the split footplates option</li> </ul>	(SOAFPFB), this bracket of	fers independent height adjustability for	each footplate.	
				• .	
	This option is not compatible wit	h the 9" Caster or the Straigh	t Front Arm option due to mechanical confl	icts	
ADDPF	▲ This option is not compatible wit 90° Power Center Mount Elevatin				\$ 2,495
ADDPF	90° Power Center Mount Elevatin Select F	g & Articulating Foot Platfor	rm SOFBPW12 (10 ½"- 16")	SOFBPW16 (16"- 20")	\$ 2,495
ADDPF	90° Power Center Mount Elevatin Select F  When selecting SOFBPW16 (16	g & Articulating Foot Platfor oot Platform Range: 5"- 20") range, the lowest po	SOFBPW12 (10 ½"- 16") assible seat to floor height is 19"		\$ 2,495
ADDPF	90° Power Center Mount Elevatin Select F  When selecting SOFBPW16 (16 This option includes calf pads.	g & Articulating Foot Platfor Foot Platform Range: 5"- 20") range, the lowest po The power center mount cou	SOFBPW12 (10 ½"- 16") assible seat to floor height is 19" ants as one power function.		\$ 2,495
ADDPF	90° Power Center Mount Elevatin Select F  When selecting SOFBPW16 (16 This option includes calf pads. Select the one piece center mo	g & Articulating Foot Platform Foot Platform Range: 5"-20") range, the lowest po The power center mount count unt foot platform (SOFUFP)	SOFBPW12 (10 ½"- 16") cossible seat to floor height is 19" unts as one power function. or the split footplates (SOAFPFB).	SOFBPW16 (16"- 20")	\$ 2,495
ADDPF	90° Power Center Mount Elevatin Select F  When selecting SOFBPW16 (16 This option includes calf pads. Select the one piece center mo This option is not compatible with	g & Articulating Foot Platform Range: 5"-20") range, the lowest put The power center mount count foot platform (SOFUFP) the 9" Casters or the Straight	SOFBPW12 (10 ½"- 16") assible seat to floor height is 19" ants as one power function. or the split footplates (SOAFPFB). ht Front Arm option due to mechanical conf	<b>SOFBPW16</b> (16"- 20")	\$ 2,495
ADDPF	90° Power Center Mount Elevatin Select F  When selecting SOFBPW16 (16 This option includes calf pads. Select the one piece center mo This option is not compatible wit The 23 3/8" compact frame (FS:	g & Articulating Foot Platform Range: 5"-20") range, the lowest put The power center mount count foot platform (SOFUFP) the 9" Casters or the Straigle 22B) is not compatible with mention to the straight of the 9".	SOFBPW12 (10 ½"- 16")  assible seat to floor height is 19"  unts as one power function.  or the split footplates (SOAFPFB).  ht Front Arm option due to mechanical contoos of the Center Mount Front Rigging options.	<b>SOFBPW16</b> (16"- 20")	
	90° Power Center Mount Elevatin Select F  When selecting SOFBPW16 (16 This option includes calf pads. Select the one piece center mo This option is not compatible wit The 23 3/8" compact frame (FS: For leg lengths between 10 ½" c	g & Articulating Foot Platform Range: 5"-20") range, the lowest put The power center mount count foot platform (SOFUFP) the 9" Casters or the Straigle 22B) is not compatible with mention to the straight of the 9".	SOFBPW12 (10 ½"- 16")  assible seat to floor height is 19"  unts as one power function.  or the split footplates (SOAFPFB).  ht Front Arm option due to mechanical contoos of the Center Mount Front Rigging options.	SOFBPW16 (16"- 20") flicts. ons due to mechanical conflicts	
	90° Power Center Mount Elevatin Select F  When selecting SOFBPW16 (16 This option includes calf pads. Select the one piece center mo This option is not compatible wit The 23 3/8" compact frame (FS:	g & Articulating Foot Platform Range: 5"-20") range, the lowest put The power center mount count foot platform (SOFUFP) the 9" Casters or the Straigle 22B) is not compatible with mentages.	SOFBPW12 (10 ½"- 16")  assible seat to floor height is 19"  unts as one power function.  or the split footplates (SOAFPFB).  ht Front Arm option due to mechanical contoos of the Center Mount Front Rigging options.	SOFBPW16 (16"- 20") flicts. ons due to mechanical conflicts	
	90° Power Center Mount Elevatin Select F  When selecting SOFBPW16 (16 This option includes calf pads. Select the one piece center mo This option is not compatible wit The 23 3/8" compact frame (FS: For leg lengths between 10 ½" c	g & Articulating Foot Platform Range: 5"-20") range, the lowest put The power center mount count foot platform (SOFUFP) the 9" Casters or the Straigle 22B) is not compatible with mentages.	SOFBPW12 (10 ½"- 16")  assible seat to floor height is 19"  unts as one power function.  or the split footplates (SOAFPFB).  ht Front Arm option due to mechanical contoos of the Center Mount Front Rigging options.	SOFBPW16 (16"- 20") flicts. ons due to mechanical conflicts	
4. FOOT PLATE	90° Power Center Mount Elevatin Select F  Men selecting SOFBPW16 (16 This option includes calf pads. Select the one piece center mo This option is not compatible with The 23 3/8" compact frame (FS: For leg lengths between 10 ½" compacts  ORMS & ACCESSORIES	g & Articulating Foot Platform Foot Platform Range: 5"- 20") range, the lowest particle The power center mount cou unt foot platform (SOFUFP) that the 9" Casters or the Straigl 22B) is not compatible with m and 12 ½", there is a partial co	SOFBPW12 (10 ½"- 16") cossible seat to floor height is 19" unts as one power function. or the split footplates (SOAFPFB). ht Front Arm option due to mechanical contoost of the Center Mount Front Rigging optionflict where the calf pads prevent the foot	SOFBPW16 (16"- 20") flicts. ons due to mechanical conflicts	etely. \$140
54. FOOT PLATE	90° Power Center Mount Elevatin Select F  Men selecting SOFBPW16 (16 This option includes calf pads. Select the one piece center mo This option is not compatible wit The 23 3/8" compact frame (FS: For leg lengths between 10 ½" c  ORMS & ACCESSORIES  Flip-up one piece Foot Platform	g & Articulating Foot Platform Toot Platform Range: 5"- 20") range, the lowest po The power center mount cou unt foot platform (SOFUFP) th the 9" Casters or the Straigl 22B) is not compatible with m and 12 ½", there is a partial co	SOFBPW12 (10 ½"- 16") cossible seat to floor height is 19" unts as one power function. or the split footplates (SOAFPFB). ht Front Arm option due to mechanical contoost of the Center Mount Front Rigging optionflict where the calf pads prevent the footplates.	SOFBPW16 (16"- 20") flicts. ons due to mechanical conflicts	\$140 \$65
SOFUFP SOAFPFB SOACPCM	90° Power Center Mount Elevatin Select F  When selecting SOFBPW16 (16 This option includes calf pads. Select the one piece center mo This option is not compatible wit The 23 3/8" compact frame (FS: For leg lengths between 10 ½" c  ORMS & ACCESSORIES  Flip-up one piece Foot Platform Angle Adjustable & Flip-up Split Calf Pads for 90° Fixed Center M	g & Articulating Foot Platform Range: 5"- 20") range, the lowest por The power center mount count foot platform (SOFUFP) the the 9" Casters or the Straigle 22B) is not compatible with mand 12 ½", there is a partial conference of the straigle control of the straigle 22B. The straigle 22B is not compatible with mand 12 ½", there is a partial control of the straigle 22B. The straigle 22B is not compatible with mand 12 ½", there is a partial control of the straigle 22B is not compatible with mand 12 ½", there is a partial control of the straightful and the straigh	SOFBPW12 (10 ½"- 16") cossible seat to floor height is 19" unts as one power function. or the split footplates (SOAFPFB). ht Front Arm option due to mechanical contoost of the Center Mount Front Rigging optionflict where the calf pads prevent the footplates.	SOFBPW16 (16"- 20") flicts. ons due to mechanical conflicts	etely.
SOFUFP SOAFPFB SOACPCM	90° Power Center Mount Elevatin Select F  Men selecting SOFBPW16 (16 This option includes calf pads. Select the one piece center mo This option is not compatible wit The 23 3/8" compact frame (FS: For leg lengths between 10 ½" c  ORMS & ACCESSORIES  Flip-up one piece Foot Platform Angle Adjustable & Flip-up Split Calf Pads for 90° Fixed Center N  ORM HEIGHT ADJUSTMENT	g & Articulating Foot Platform Range: 5°-20") range, the lowest por The power center mount count foot platform (SOFUFP) the the 9" Casters or the Straigle 22B) is not compatible with mand 12 ½", there is a partial conference of the straigle footplates for center mount fount — (SOAAF90) with	SOFBPW12 (10 ½"- 16") cossible seat to floor height is 19" unts as one power function. or the split footplates (SOAFPFB). ht Front Arm option due to mechanical contoost of the Center Mount Front Rigging optionflict where the calf pads prevent the footplates.	SOFBPW16 (16"- 20") flicts. ons due to mechanical conflicts	\$140 \$65
4. FOOT PLATE SOFUEP SOAFPEB SOACPCM	90° Power Center Mount Elevatin Select F  Men selecting SOFBPW16 (16 This option includes calf pads. Select the one piece center mo This option is not compatible wit The 23 3/8" compact frame (FS: For leg lengths between 10 ½" c  ORMS & ACCESSORIES  Flip-up one piece Foot Platform Angle Adjustable & Flip-up Split Calf Pads for 90° Fixed Center M  ORM HEIGHT ADJUSTMENT  Set the Foot Platform Height	g & Articulating Foot Platform Range: 5"- 20") range, the lowest por The power center mount count foot platform (SOFUFP) the the 9" Casters or the Straigle 22B) is not compatible with mand 12 ½", there is a partial conference of the straigle and 12 ½", there is a partial conference of the straigle and 12 ½", there is a partial conference of the straigle and 12 ½", there is a partial conference of the straigle and 12 ½", there is a partial conference of the straigle and 12 ½", there is a partial conference of the straightform of the straight	SOFBPW12 (10 ½"- 16") cossible seat to floor height is 19" unts as one power function. or the split footplates (SOAFPFB). ht Front Arm option due to mechanical contoost of the Center Mount Front Rigging optionflict where the calf pads prevent the footplates.	SOFBPW16 (16"- 20") Ricts. ons due to mechanical conflicts platform or foot plates from folding comple	\$140 \$65
SOFUFP SOAFPFB SOACPCM	90° Power Center Mount Elevatin Select F  Men selecting SOFBPW16 (16 This option includes calf pads. Select the one piece center mo This option is not compatible wit The 23 3/8" compact frame (FS: For leg lengths between 10 ½" c  ORMS & ACCESSORIES  Flip-up one piece Foot Platform Angle Adjustable & Flip-up Split Calf Pads for 90° Fixed Center M  ORM HEIGHT ADJUSTMENT  Set the Foot Platform Height	g & Articulating Foot Platform Range: Foot Platform Range: The power center mount could not platform (SOFUFP) in the 9" Casters or the Straigle 22B) is not compatible with mand 12 ½", there is a partial conformation of the straigle footplates for center mount for center for cen	SOFBPW12 (10 ½"- 16") possible seat to floor height is 19" unts as one power function. or the split footplates (SOAFPFB). In Front Arm option due to mechanical contacts of the Center Mount Front Rigging optionflict where the calf pads prevent the footplates (Fach) adjustable hardware – (Each)	SOFBPW16 (16"- 20") Ricts. ons due to mechanical conflicts platform or foot plates from folding comple	\$140 \$65
4. FOOT PLATE SOFUEP SOAFPEB SOACPCM 5. FOOT PLATE	90° Power Center Mount Elevatin Select F  A When selecting SOFBPW16 (16 A This option includes calf pads. A Select the one piece center mo A This option is not compatible wit A The 23 3/8" compact frame (FS: A For leg lengths between 10 ½" c  ORMS & ACCESSORIES  Flip-up one piece Foot Platform  Angle Adjustable & Flip-up Split Calf Pads for 90° Fixed Center N  ORM HEIGHT ADJUSTMENT  B Set the Foot Platform Height The Foot Platform Height is taken	g & Articulating Foot Platform Range: Foot Platform Range: The power center mount could not platform (SOFUFP) in the 9" Casters or the Straigle 22B) is not compatible with mand 12 ½", there is a partial conformation of the straigle footplates for center mount for center for cen	SOFBPW12 (10 ½"- 16") possible seat to floor height is 19" unts as one power function. or the split footplates (SOAFPFB). In Front Arm option due to mechanical contacts of the Center Mount Front Rigging optionflict where the calf pads prevent the footplates (Fach) adjustable hardware – (Each)	SOFBPW16 (16"- 20") Ricts. ons due to mechanical conflicts platform or foot plates from folding comple	\$140 \$63 \$93
4. FOOT PLATE  SOFUFP  SOAFPFB  SOACPCM  5. FOOT PLATE  6. SEAT POSITION	90° Power Center Mount Elevatin Select F  When selecting SOFBPW16 (16 This option includes calf pads. Select the one piece center mo This option is not compatible wit The 23 3/8" compact frame (FS: For leg lengths between 10 ½" c  ORMS & ACCESSORIES  Flip-up one piece Foot Platform Angle Adjustable & Flip-up Split Calf Pads for 90° Fixed Center M  ORM HEIGHT ADJUSTMENT  Set the Foot Platform Height The Foot Platform Height is take.	g & Articulating Foot Platform Range: 5"- 20") range, the lowest particle power center mount count foot platform (SOFUFP) that he 9" Casters or the Straigle 22B) is not compatible with mand 12 ½", there is a partial conference of the second	SOFBPW12 (10 ½"- 16") possible seat to floor height is 19" unts as one power function. or the split footplates (SOAFPFB). In Front Arm option due to mechanical contacts of the Center Mount Front Rigging optionflict where the calf pads prevent the footplates (Fach) adjustable hardware – (Each)	SOFBPW16 (16"- 20") Ricts. ons due to mechanical conflicts platform or foot plates from folding comple	\$140 \$65 \$93 \$TE
SOFUFP SOAFPFB SOACPCM S.S. FOOT PLATF	90° Power Center Mount Elevatin Select F  Mean selecting SOFBPW16 (16 This option includes calf pads. Select the one piece center mo This option is not compatible wit The 23 3/8" compact frame (FS: For leg lengths between 10 ½" c  ORMS & ACCESSORIES  Flip-up one piece Foot Platform Angle Adjustable & Flip-up Split Calf Pads for 90° Fixed Center M  ORM HEIGHT ADJUSTMENT  Set the Foot Platform Height The Foot Platform Height is take.  ONING (NOT COMPATIBLE WITH T	g & Articulating Foot Platform Range: foot Platform Range: for 20") range, the lowest particular foot platform (SOFUFP) in the 9" Casters or the Straigle (22B) is not compatible with mand 12 ½", there is a partial control of the season of t	SOFBPW12 (10 ½"- 16") possible seat to floor height is 19" unts as one power function. or the split footplates (SOAFPFB). In Front Arm option due to mechanical contacts of the Center Mount Front Rigging optionflict where the calf pads prevent the footplates (Fach) adjustable hardware – (Each)	SOFBPW16 (16"- 20") Ricts. ons due to mechanical conflicts platform or foot plates from folding comple	\$140 \$65
54. FOOT PLATE  SOFUFP  SOAFPFB  SOACPCM  55. FOOT PLATE  56. SEAT POSITION  SOAUTO  SOBPHP2C	90° Power Center Mount Elevatin Select F  A When selecting SOFBPW16 (16 A This option includes calf pads. A Select the one piece center mo A This option is not compatible wit A The 23 3/8" compact frame (FS: A For leg lengths between 10 ½" c  ORMS & ACCESSORIES  Flip-up one piece Foot Platform Angle Adjustable & Flip-up Split Calf Pads for 90° Fixed Center N  ORM HEIGHT ADJUSTMENT B Set the Foot Platform Height A The Foot Platform Height is take.  ONING (NOT COMPATIBLE WITH T  55" Seat Positioning Strap Bodypoint padded Hip Belt – (Tw.)	g & Articulating Foot Platform Range: foot Platform Range: for 20") range, the lowest particular foot platform (SOFUFP) in the 9" Casters or the Straigle (22B) is not compatible with mand 12 ½", there is a partial control of the season of t	SOFBPW12 (10 ½"- 16") possible seat to floor height is 19" unts as one power function. or the split footplates (SOAFPFB). In Front Arm option due to mechanical contacts of the Center Mount Front Rigging optionflict where the calf pads prevent the footplates (Fach) adjustable hardware – (Each)	SOFBPW16 (16"- 20") Ricts. ons due to mechanical conflicts platform or foot plates from folding comple	\$140 \$65 \$93 \$TE \$170







57. HEADREST						
▼ Select one of th	e headrest options with the mounting hardware and specify where	the headrest wil	l be installed.			
SONUAHR	Using headrest mounting hardware other than SOMA	H located bell	ow. ◀ Specify:			N/C
SOFHRS	Small Curved Headrest Pad – 4" x 9"					\$155
SOFHRM	Medium Curved Headrest Pad – 5" x 10"					\$155
SOFHRL	Large Curved Headrest Pad – 6" x 11"					\$155
SOMAH	Multi-axis Removable Mounting Hardware					\$220
SOHRBC	Bracket to Mount on the Contour Back Support – (With	nout Recline)				N/C
SOHRPR	Bracket to Mount on the Seat Frame – (For Reclining Bac	ks)				N/C
58. LATERAL TR	UNK SUPPORTS					
▼ Select one of th	e lateral pads and the adjustable & removable hardware.					
SOSLS3	Adjustable Laterals with Small Curved Pads – (Each) –	3" x 5"			SEATING BENEFIT	\$100
SOSLM4	Adjustable Laterals with Medium Curved Pads – (Each	) – 4" x 6"			SEATING BENEFIT	\$100
SOSLL5	Adjustable Laterals with Large Curved Pads – (Each) –	5" x 7"			SEATING BENEFIT	\$100
SOSLHM	Adjustable Swing-Away Hardware Mounts – (Each)				SEATING BENEFIT	\$220
59. HIP & THIG	H SUPPORTS					
▼ Select one of th	e hip & thigh support pads and the adjustable & removable hardwo	are.				
SOHTSS10	Adjustable Hip & Thigh Support Pads – (Each) – Small	10" x 4"			SEATING BENEFIT	\$130
SOHTSM12	Adjustable Hip & Thigh Support Pads – (Each) – Medi	um 12" x 5"			SEATING BENEFIT	\$130
SOHTSL14	Adjustable Hip & Thigh Support Pads – (Each) – Large	14" x 6"			SEATING BENEFIT	\$130
SOHTSARH	Adjustable and Removable Hip & Thigh Support Hard	ware – (Each)			SEATING BENEFIT	\$136
60. ACCESSORI	ES					
SOCH	Cup Holder – (Self-Leveling)	Install on:	Left Side	Right Side		\$115
SOCPH	Ram Mounts X-Grip Cell Phone Holder	Install on:	Left Side	Right Side		\$190
SOTHS	Ram Mounts X-Grip Small Tablet Holder	Install on:	Left Side	Right Side		\$205
SOTHL	Ram Mounts X-Grip Large Tablet Holder with Swivel  Standard installation is on the opposite side of joystick.  With multiple accessories installed on the same side, a			Right Side side as the joystick may	require a custom upgrade.	\$360
61. REFLECTOR		7/	1			
REFLECT	Red & White Reflector Kit Stickers (They will not be installe	ed – Included in a	bag with the owner	s manual)		N/C
62. BACK PACK	AND ARMREST SIDE POUCHES					
SOBP	Back Pack — (Comes with durable straps that can be hooked o	round the back c	anes)		CLIENT COST	\$90
SOAP	Armrest Side Pouch – (Comes with durable straps that can b  If only choosing one (1) armrest pouch, please show we			Order: Left Side	Right Side CLIENT COST	\$53
63. SWITCHES	AND OPTIONS					
ASCPCP	PGDT R-NET Dongle and PC programmer kit				NOT COVERED BY AADL	\$600
ASCPVR2	PGDT VR2 with PPI Dongle and PC programmer kit				NOT COVERED BY AADL	\$1,450
SSBS	Buddy Button Switch					\$230
SSES	Egg Switch-Black					\$116
SSML	Ultra Light Switch					\$295
ESS-RED	Emergency STOP Switch - Red					\$314







# **SPECIALTY DRIVER CONTROL OPTIONS**

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display &	Digital Interface Box (EDIB)
---	------------------------------

64.	THERAF	IN SIP-N-	PUFF KIT	(CODE W100)
-----	--------	-----------	----------	-------------

S	CSNPK	Therafin Sip-N-Puff Kit			\$1,9 <i>7</i> 5
S	CSNPBTK	Therafin Sip-N-Puff Breath Tube Kit			N/C
		▲ Required with the Therafin Sip-N-Puff kit.			
S	CSRMSNP	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff	SWL (Swings on Left)	SWR (Swings on Right)	\$300
		▲ Required with the Therafin Sip-N-Puff kit.			
S	CSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
S	SES	Egg Switch for Changing Modes – Black	MLH (Mount on Left)	MRH (Mount on Right)	\$116
		▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
		▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section	on.		
E	SS-RED	Emergency STOP Switch - Red	User Activation	Attendant Activation	\$314
		Required with the Therafin Sip-N-Puff kit.			
S	ОМАН	Multi-axis Headrest Removable Mounting Hardware			\$220
		Required with the Therafin Sip-N-Puff kit.			
<b>&gt;</b> (	CHOOSE ONE (1) HEA	DREST PAD			
S	OFHRS	Small Curved Headrest Pad – 4" x 9"			\$155
S	OFHRM	Medium Curved Headrest Pad – 5" x 10"			\$155
S	OFHRL	Large Curved Headrest Pad – 6" x 11"			\$155
65.	PROXIMITY HE	AD ARRAY (CODE W100)			
S	CSIHAA	Adult - Switch-It 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/rev	/erse		\$5,995

	111111111111111111111111111111111111111			
SCSIHAA	Adult - Switch-lt 3 Switch Proximity Head Array with 1/8" Mono Jac	k for mode/reverse		\$5,995
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
SSES	Egg Switch for Changing Modes – Black  Required with the Stealth Rock-n-Lock Swing Away mount.	MLH (Mount on Left)	MRH (Mount on Right)	\$116
	▲ The Mode Switch Type can be changed from this selection in SWITCHES	& OPTIONS section.		
ESS-RED	Emergency STOP Switch - Red	<b>User Activation</b>	Attendant Activation	\$314
	Required with the Proximity Head Array.			
SOMAH	Multi-axis Headrest Removable Mounting Hardware			\$220
	Required with the Proximity Head Array.			

# 66. LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL (CODE W100)

	SCSIMP	Switch-It Light touch mini Proportional Joystick			\$4,495
	SCSRMMP	Stealth Rock-n-Lock Swingaway Arm for Chin MP	SWL (Swings on Left)	SWR (Swings on Right)	\$870
		▲ Required with the Light touch mini Proportional Joystick.			
	SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
	SSES	Egg Switch for Changing Modes – Black	MLH (Mount on Left)	MRH (Mount on Right)	\$116
		▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
		▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTION	S section.		
	JCC	Chin Cup			\$55
	SOMAH	Multi-axis Headrest Removable Mounting Hardware			\$220
		▲ Required with the Light touch mini Proportional Joystick.			
<u></u>	CHOOSE ONE (1) HEA	DREST PAD			
	SOFHRS	Small Curved Headrest Pad – 4" x 9"			\$155
	SOFHRM	Medium Curved Headrest Pad – 5" x 10"			\$155
	SOFHRL	Large Curved Headrest Pad – 6" x 11"			\$155







# SPECIALTY DRIVER CONTROL OPTIONS (CONTINUED)

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

# 67. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR MIDLINE MOUNT (CODE W100)

SCPGMJS	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount			\$2,369
SCGMJSM	Gatlin Midline Swing-away Mount for JC200	MLH (Mount on Left)	MRH (Mount on Right)	\$325
	▲ Must be selected for use with the PG Drives JC200 Mini Joystick.			
SCSIMP	Switch-It Light touch mini Proportional Joystick			\$4,495
SCGMPM	Gatlin Midline Swing-away Mount for Light touch mini proportional Joystick	MLH (Mount on Left)	MRH (Mount on Right)	\$ <i>7</i> 50
	▲ Must be selected for use with the Light touch mini Proportional Joystick.			
SCBTM	Bullet Hand Tray for Light Touch mini Proportional Joystick	MLH (Mount on Left)	MRH (Mount on Right)	\$ <i>7</i> 50
	▲ This option is only compatible with the Light touch Mini Proportional Joystick.			

### 68. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR ARMREST MOUNT (CODE W100)

SCPGMJS-M	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount			\$2,369
SCARMJSM	Swing-away and Multi-Axis armrest mount	MLH (Mount on Left)	MRH (Mount on Right)	\$325
	▲ Must be selected for use with the PG Drives JC200 Mini Joystick.			
SCSIMP	Switch-It Light touch mini Proportional Joystick			\$4,495
SCARMPM	Swing-away and Multi-Axis armrest mount	MLH (Mount on Left)	MRH (Mount on Right)	\$375
	▲ Must be selected for use with the Light touch mini Proportional Joystick.			
SCBTM	Bullet Hand Tray for Light Touch mini Proportional Joystick	MLH (Mount on Left)	MRH (Mount on Right)	\$ <i>7</i> 50
	▲ This option is only compatible with the Light touch Mini Proportional Joystick.			

# 69. PROPORTIONAL RIM HEAD CONTROL PACKAGE (CODE W100)

SCPHC	Proportional RIM Head Control Package			\$2,795
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
SSES	Egg Switch for Changing Modes – Black	MLH (Mount on Left)	MRH (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OI	PTIONS section.		
SOMAH	Multi-axis Headrest Removable Mounting Hardware			\$220
	Required with the Proportional RIM Head Control.			







\$400

#### **CUSTOM SECTION**

Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.

#### 70. O<sup>2</sup> HOLDER

SUPOXY	Custom Non-Articulating Oxygen Tank Holder	MLH (Mount on Left)	MRH (Mount on Right)	\$295
	▲ Not available with a power recline			
SUPOXYA	Custom Articulating Oxygen Tank Holder	MLH (Mount on Left)	MRH (Mount on Right)	\$1,195
	▲ Required with a power recline			
D-Size Oxygen Tank - (* 22" Tall x 4.3" Diameter) - * The height includes the valve				
	E-Size Oxygen Tank — (* 31" Tall x 4.3" Diameter) — * The height includes the valve			

# 71. VENT TRAY (PLEASE COMPLETE IN FULL)

▼ Amylior does not supply the battery, charger or the wiring for the Vent. These items are normally provided by the Vent Manufacturer.

SOVENT Custom Vent Tray

> Articulating Vent Box – (Required with Power Tilt and/or Recline) \$1,360

**Fixed Vent Box** 

SPECIFY MODEL Trilogy 100/200

LTV

LTV with Sprintpack

Other, specify:

SOVTBE **Extended Battery Compartment** 

\$495

▲ The Vent Tray option is not available with the CUSTOM Battery Tray for Group 24 Batteries with a 24" frame width (FS2424B).

The Vent is being powered by 1 U1 Battery and the chair by 2 Group 22NF batteries The Vent is being powered by 1 U1 Battery and the chair by 2 Group 24 batteries

The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 22NF Batteries

The Vent is being powered by 1 Group 24 Battery and the chair Powered by 2 Group 22NF Batteries

The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 24 batteries

OTHER CUST	OM OPTIONS (REQUEST F	OR QUOTE)				
▼ Please specify de	tails and specifications for these op	tions.				
CUSTOM	CUSTOM Lithium ion - 54 Amps (represents one 24V Battery pack, equivalent to two Group 22 Batteries)		CLIENT COST	RFC		
CUSTOM	CUSTOM Lithium ion - 78 Amps (represents one 24V Battery pack, equivalent to two Group 24 Batteries)		oup 24 Batteries)	CLIENT COST	RFC	
CUSTOM	CUSTOM 8A Offboard Battery Charger for Lithium ion batteries  A This option is required when choosing custom Lithium ion batteries			CLIENT COST	N/	
CUSTOM	CUSTOM Lithium ion Battery capacity LCD display gauge  A This option is required when choosing custom Lithium ion batteries		CLIENT COST	N/		
CUSTOM	Rear view Camera with 5" Monitor			CLIENT COST	RFC	
CUSTOM	USB Charger Port ◀ Specif	the location for the installation:			CLIENT COST	RFC
CUSTOM	Folding Backrest for Additional Storage possibilities and Travel accessibility			CLIENT COST	RFC	
CUSTOM	All-Terrain Package with 9" Rear Casters. Other conditions apply, please contact CSR for additional details  CLIENT COST R  Requires 9" front casters, R-net 120-amp controller and 14" drive-wheels			RFC		
CUSTOM	Large Ball Handle		CLIENT COST	RFC		
CUSTOM	Tilt + Elevate Function Through VR2 Non-Expandable Drive Control		CLIENT COST	RFC		
CUSTOM	Power Anterior Tilt		CLIENT COST	RFC		
CUSTOM	Power Lateral Tilt 15°	Raise the Left Side only	Raise the Right Side only	Raise the Left & Right Side	CLIENT COST	RF
CUSTOM	Power Latitude System – (F	eatures 14" of forward travel and	a 5" seat to floor height from the pan to	the ground)	CLIENT COST	RF
CUSTOM	Power Elevating Stretcher – (Please call CSR for availability with configuration and user weight capacity)  A This option is not available with the Straight Front Caster Arms on Hybrid-Wheel Drive configurations.			RF		
CUSTOM	Rearview mirror	Left Side	Right Side		CLIENT COST	RF
CUSTOM	Power Flip-up Foot Platform — (Please call CSR for availability with configuration and user weight capacity)  This option is not available with the Straight Front Caster Arms on Hybrid-Wheel Drive configurations.		CLIENT COST	RFC		
CUSTOM	Power Vertical Lifting Foot Platform – (Please call CSR for availability with configuration and user weight capacity)  A This option is not available with the Straight Front Caster Arms on Hybrid-Wheel Drive configurations.		RFC			
CUSTOM	Independent Depth Adjusto	ability built into the Footrest I	eceiver that is attached to the Sec	it Pan	CLIENT COST	RFC
CUSTOM	Endomorphic Back Canes	– (Pair) 1" per side tov	vards the inside = 2" 2" per	side towards the inside = 4"	CLIENT COST	RFC
CUSTOM	Transfer Handles – (Pair)	Select a height ro	nge: 5" to 8"	6" to 9"	CLIENT COST	RFC
CUSTOM	Foot Box Length:	Width:	Please confirm wit	h CSR on sizing possibilities	CLIENT COST	RF
CUSTOM # 1			RFC			







73. NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS					

MKT.F92 | OF | P22029 | R06