



1. ACCOUNT INFORMATION

| P.O. # or Quote: | : |
|----------------------|---------------------------------------|
| Dealer Contact No | ame: |
| Email Address: | |
| Phone Number: _ | MED mosbility |
| Bill to (Name): | MEDmebility 5711- Calgary Trail NW |
| Bill to (Location):_ | Edmonton AB T6H 2K1 |
| Ship to (Name): _ | P:780-437-3300 • F:780-430-9381 |
| Address: | AADL Vendor # 0000612578-001 |
| | |
| Province: | Postal Code: |
| User Name or N | lumber: |
| User Weight: | |
| User Height: | |
| Seat Cushion Th | ickness: |
| | ngth: Left:" Right:" |
| | |



THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:

- A user name or number, the client's measurements and weight - Amylior is not responsible for configuration or size discrepancies resulting from customer errors on the order form.

- Order confirmations will be provided by Amylior summarizing the items selected. Please review this carefully.

- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

*IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES

2. STANDARD OPTIONS FOR HCPCS CODES

Alltrack R3 (HD) Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 8" front casters, and standard auto style buckle seat positioning strap, 6.5mph motors, Weight Capacity = 400 lb

3. ALLTRACK R3 (HD) POWER WHEELCHAIR

| ATR3-3HD ALLTRACK R3 (HD) Power Wheelchair | | | \$8,545 |
|--|-----|----------------------------|---------|
| 3.5 OWNER'S MANUAL | | | |
| SOOMATENG English / Anglais | N/C | SOOMATFR Français / French | N/C |
| 4. USER WEIGHT PACKAGES | | | |
| WCA4 400 lb Maximum user weight capacity | | | STD |
| 5. STANDARD COLORS | | | |
| SCROBM Onvx Black Matte | N/C | SCRCAB Cabernet | N/C |

| | Only Chack Mano | 17,8 | Jeneris | Cubonnon | 1,7,8 |
|--------|-----------------|------|---------|---------------------|-------|
| SCRCTB | Cobalt Blue | N/C | SCRBGM | Bubble Gum Metallic | N/C |
| SCRIOB | Indigo Blue | N/C | SCRHAB | Habanero Metallic | N/C |
| SCRCRE | Candy Red | N/C | SCRLIM | SubLime | N/C |
| | | | | | |

VOPTIONAL COLORS

| FCHDD | Desert Digital Camo HydroGraphics - (Military Tan base) | \$795 | FCHWL | Woodland Camo HydroGraphics - (Military Green base) | \$795 |
|-----------|---|-------|-------|---|-------|
| FCHCF | Carbon fiber HydroGraphics - (Matte black base) | \$795 | | | |

5.5 WHEEL INSERT COLORS

| SCCTB-WI | Cobalt Blue | N/C | SCHAB-WI | Habanero Metallic | N/C |
|----------|-------------|-----|----------|---------------------|-----|
| SCIOB-WI | Indigo Blue | N/C | SCLIM-WI | SubLime | N/C |
| SCCRE-WI | Candy Red | N/C | SCBGM-WI | Bubble Gum Metallic | N/C |
| SCCAB-WI | Cabernet | N/C | | | |

▲ Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)

▲ Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)

▲ Wheel inserts are not available in Onyx Black Matte





TRANSPORT OPTION

| TTD4 | 4-Point wheelchair transport brackets | | STE |
|---------------|---|-------------|------------------|
| | ▲ 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval. | | |
| WC19-ISO | WC-19 and ISO 7176-19 Occupied Transit Package | CLIENT COST | \$593 |
| | To confirm if your overall wheelchair configuration is WC-19 and ISO 7176-19 compliant, please refer to this website: https://docs.google.com/spreadsheets/d/1KtcNIEA5OQJCS5z3OD1adWEIaFLN1XO3ZcTc6DI_kaE/edit#gid=1917752765 | | |
| | Other restrictions may apply, please contact CSR for details. | | |
| | ▲ This option is only available on new power wheelchairs as an "on-chair" option. It is not available to install on a delivered wheelc | hair. | |
| . MOTOR PAG | KAGE | | |
| MP65B | 6.5 MPH 4-Pole Motor Package / with Brake Release | | ST |
| MPOSB | | | 311 |
| | | | |
| | Not compatible with the Smart-Track Assistive Driving Package option (SMARTT) | | |
| MP65-OPT | Not compatible with the Smart-Track Assistive Driving Package option (SMARTT) 6.5 MPH 4-Pole Motor Package / with COG Release | CLIENT COST | \$39. |
| | | CLIENT COST | \$395 |
| | 6.5 MPH 4-Pole Motor Package / with COG Release | | |
| . ASSISTIVE D | 6.5 MPH 4-Pole Motor Package / with COG Release | | \$395 \$1,420 |
| . ASSISTIVE D | 6.5 MPH 4-Pole Motor Package / with COG Release RIVING PACKAGE Smart-Track Assistive Driving Package Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. | | |
| . ASSISTIVE D | 6.5 MPH 4-Pole Motor Package / with COG Release RIVING PACKAGE Smart-Track Assistive Driving Package Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control. | | |

BCOB 8A Offboard Battery Charger

11. BATTERY TRAY AND BASE WIDTH

| FS24B | Battery Tray for Group 24 Batteries – (Total base width = 25 3/8") ▲ The Straight Front Arm option is not available with any of the Center Mount Front Rigging Options due to Mechanical conflicts. | N/C |
|-------------------|--|-----|
| PLEASE SELECT ONE | E OPTION FOR FRONT CASTER ARMS: FLARED OUT (STD) STRAIGHT (OPTIONAL) | |

12. BATTERIES - REQUIRES A SELECTION

| BAT24GEL | Premium CG Power - GEL Battery – Group 24 – 70 Amps (Each) | AADL CONTRACT \$465 |
|-----------------|--|---------------------|
| BATO | Omission of the batteries | N/C |
| 14. DRIVE WHEEL | | |
| DW14PT | 14" Cast Wheel Pneumatic Tires | STD |
| DW14PI | 14" Cast Wheel Pneumatic with Foam Filled Tires | N/C |
| DW144PT | 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires | \$200 |
| DW144PI | 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires | \$595 |
| | ▲ Increases the overall width of the base by 2 ¾". | |
| DW12PT | 12 ½" Cast Wheel Pneumatic Tires | N/C |
| DW12PI | 12 ½" Cast Wheel Pneumatic with Foam Filled Tires | N/C |
| | ▲ 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torqu | e. |

15. FRONT CASTERS

| FC8PTR | 8" Pneumatic Casters | STD |
|--------|--|--------|
| FC8PIR | 8" Pneumatic Casters with Foam Filled Tires | N/C |
| FC9PT | 9" Pneumatic Casters | \$ 150 |
| FC9PI | 9" Pneumatic Casters with Foam Filled Tires | \$175 |
| | The 9" casters will increase the minimum seat to floor height by 1/2" and are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI). | |
| | The 9" casters are NOT compatible with many front rigging options. Please see details in the front rigging sections #50 and #53 | |

N/C





| OPTIONS FOR HI | D REHAB SEAT ONLY - NO POWER SEATING | |
|----------------|--|----------------|
| STFH1525 | 15 ¼" - (Possible Seat angle of 0° only) | |
| | Requires the 12 ½" Drive wheels (DW12PT and DW12PI) | |
| | The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height | |
| STFH16 | 16" - (Possible Seat angle of 0° only) | |
| | The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height | |
| STFH17 | 17" - (Possible Seat angle of 0° and 3°) | |
| | The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height | |
| STFH18 | 18" - (Possible Seat angle of 0° and 3°) | |
| STFH 19 | 19" - (Possible Seat angle of 0°, 3° and 6°) | |
| STFH20 | 20" - (Possible Seat angle of 0°, 3°, 6°, 9°) | |
| OPTIONS FOR H | D POWER TILT, HD POWER TILT / HD RECLINE OR ELEVATE ONLY MODULE | |
| NOTE: Please | e add 1.5" when ONLY using the HD Power Seat elevate Module | |
| STFH1575 | 15 ¾" - (Possible Seat angle of 0° only) | |
| | Requires the 12 ½" Drive wheels (DW12PT and DW12PI) | |
| | The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height | |
| STFH165 | 16 1/2" - (Possible Seat angle of 0° only) | |
| | The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height | |
| STFH175 | 17 ½" - (Possible Seat angle of 0° only) | |
| | The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height | |
| STFH18 | 18" - (Possible Seat angle of 0° only) | |
| STFH185 | 18 ½" - (Possible Seat angle of 0° only) | |
| STFH19 | 19" - (Possible Seat angle of 0° only) | |
| | COMBO - HD POWER TILT OR HD POWER TILT / HD RECLINE WITH HD ELEVATE MODULE | |
| STFH1875 | 18 ³ / ₄ " - (Possible Seat angle of 0° only) | |
| | Requires the 12 ½" Drive wheels (DW12PT and DW12PI) | |
| STFH 195 | 19 ½" - (Possible Seat angle of 0° only) | |
| . SEAT TO FL | OOR HEIGHT SPECIFICATION (IF NOT STANDARD) | |
| SOMHSS | Specific seat to floor height higher than standard. It's not possible to lower the seat to floor height below minimum ranges. | RF |
| | ▲ Required at:" (± ¼" Range) | |
| | | |
| B. PRE-SET SE | AT FRAME ANGLE | |
| SFE-0 | 0° Pre-set seat frame seat angle – (Must be selected when using power options) | ST |
| SFE-3 | 3° Pre-set seat frame seat angle – (Only available with a seat configuration without power options) | N/ |
| SFE-6 | 6° Pre-set seat frame seat angle – (Only available with a seat configuration without power options) | N/ |
| SFE-9 | 9° Pre-set seat frame seat angle – (Only available with a seat configuration without power options) | N/ |
| 512-7 | | |
| . LIGHTING | PACKAGE | |
| EOLP | LED Light Package — (Includes front and rear lights with integrated flashers) | T COST \$1,42 |
| | Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECVJ6KL, ECELJL, ECRJC1, ECRJC35B or EDIB). | ¢.,. |
| | ، | |
|). NON-EXPA | NDABLE ELECTRONICS - PG DRIVES VR2 CONTROLLER AND JOYSTICKS | |
| | ics can only accommodate specific power seat functions and combinations such as Tilt / Elevate / Recline / Power Center Mount / Coml | hined Power Le |
| | r Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs / Tilt + Elevate (Custom | |
| ECV902A | VR2 90 Amp Drive Controller – (Requires the selection of VR2 joystick below) | S |
| ECVJ4K | VR2 Standard 4-Key Joystick | S |
| ECVJ6K | VR2 6-Key Joystick – (Allows for single or select dual power options to operate through this joystick) | N/ |
| | | |

| ECEL90 | R-net EL 90 Amp Expandable Controller | \$175 |
|---------|--|-------|
| ECR 120 | R-net PM 120 Amp Expandable Controller | \$275 |
| | Must be ordered with the expandable controller ECEL90 or ECR120 to interface with Joysticks or OMNI 2 screen | |





22. EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

| Selection of one | pystick option below is required with the expandable controller ECEL90 or ECR120 | | |
|--------------------|---|--------------------|-----------------------|
| ECO | Omit Joystick — (For use with an Omni 2 Display) | | N/C |
| ECELJ | R-net - (<i>LED</i>) – Joystick | | STD |
| | This joystick is not compatible with the Memory Seat Program option (SACMEMORY and MACMEMORY) | | |
| ECRJC | R-net Joystick with Color screen | | \$155 |
| JOYSTICKS WITH LIC | SHTING OPERATION | | |
| ECELJL | R-net – (LED) – Joystick with Lighting Operation | CLIENT COST | \$125 |
| | This joystick is not compatible with the Memory Seat Program option (SACMEMORY and MACMEMORY) | | |
| ECRJCL | R-net Joystick with Color screen and Lighting Operation | | \$180 |
| ADVANCED JOYSTI | Ж | | |
| ECRJC35B | R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks | CLIENT COST | \$1,105 |
| 3. JOYSTICK M | DUNT Fixed Joystick Mount | | |
| | | | N/C |
| JSMSA | | | N/C \$235 |
| JSMSA | Swing Away Joystick Mount – Height adjustable, Angle adjustable and Multi-Axis Set-up with standard installation to swing-away sideways | | |
| JSMSA JSMCM | Swing Away Joystick Mount – Height adjustable, Angle adjustable and Multi-Axis | | \$235 |
| JSMCM | Swing Away Joystick Mount – Height adjustable, Angle adjustable and Multi-Axis Set-up with standard installation to swing-away sideways Set-up at 35° to swing-away sideways and downwards | | N/C \$235 \$275 |
| JSMCM | Swing Away Joystick Mount – Height adjustable, Angle adjustable and Multi-Axis Set-up with standard installation to swing-away sideways Set-up at 35° to swing-away sideways and downwards Midline Mounted Swing Away Joystick Mount | | \$235 |

25. JOYSTICK HAND MOUNT

| HML | Install Joystick on Left hand side | | HMR | Install Joystick on Right hand side | |
|-------------|------------------------------------|-------|-------|-------------------------------------|-------|
| 26. JOYSTIC | KHANDLE | | | | |
| JSH | Standard Joystick Gimble | STD | JBAT | Stick Handle 3" in Length | \$130 |
| JBH | Ball Handle | \$85 | JFBH | Foam Ball Handle | \$70 |
| JTH | T-Handle | \$155 | JMUSH | Bodypoint Mushroom Handle | \$210 |
| JGP | Bodypoint 4" U-shaped Handle | \$210 | | | |

29. R-NET OMNI 2 - ENHANCED DISPLAY & DIGITAL INTERFACE BOX (REQUIRED WITH SPECIALTY CONTROLS)

| EDIB | Omni 2 – (Enhanced Display & Digital Interface | Box with Infrared) | | CODE W100 | \$1,915 |
|-----------------------|--|--|-----------------------|---------------------|---------|
| | Allows the switch operation of alternative | devices through driver controls. Requires the R- | -net fully Expandable | Controller (ECR120) | |
| | The Omni 2 display mount must be selected | d from the option below. | | | |
| | | | | | |
| | | | | | |
| 30. OMNI 2 E | NHANCED DISPLAY MOUNT | | | | |
| 30. OMNI 2 E EDSAM | User Swing Away Mount | | | CODE W100 | N/C |

31. ENVIRONMENTAL CONTROL MODULE

| ECU | Environment control module – (Output Module) | CLIENT COST | \$995 |
|-----|--|-------------|-------|
| | Requires one of the fully expandable R-net controllers (ECEL90 or ECR120). | | |

33. AMYSEAT REHAB SEAT / POWER SEATING SYSTEMS AND MODULES

| SAABAHD-450 | Amyseat HD Rehab Seat – (Seat Frame only) | \$1,045 |
|-------------|--|-----------|
| SAPTXHD | Heavy-Duty CG Power Tilt | \$6,195 |
| | This option includes the Amyseat Rehab Seat (SAABAHD) | |
| SAPRXHD | Heavy-Duty Power Recline with Mechanical Shear Reduction (MSR) | \$7,845 |
| | This option includes the Amyseat Rehab Seat (SAABAHD) | |
| SAPTPRXHD | Heavy-Duty CG Power Tilt and Power Recline with Mechanical Shear Reduction (MSR) | \$ 12,995 |
| | This option includes the Amyseat Rehab Seat (SAABAHD). | |
| SAPESXHD | Heavy-Duty ALTA 11" Power Seat Elevation | \$5,495 |
| | This option includes the Amyseat Rehab Seat (SAABAHD). | |
| | The maximum user weight with this option is 400 lb | |
| ADDPESXHD | Module – Add ALTA 11" Power Seat Elevation to either SAPTXHD, SAPRXHD or SAPTPRXHD | \$3,995 |
| | The maximum user weight with this option is 400 lb | |





34. ELECTRONICS - SINGLE (1 ACTUATOR) POWER SEAT FUNCTION CONTROLLER

| | SAC) C) Green Idable Drive Co ption through VR: on through drive of s available as a c pecific power sea ombinations th R-net 90-amp ion through R-net | Yellow ntrol 2 controller control and separe ustom. Check app t functions such as | oropriate box in custom sect s Tilt / Elevate / Recline / P | ation Attenda ation Attenda ation Attenda ation Attenda ation Attenda | | STI \$10 \$9 \$18 \$23 \$11 \$29 N/0 / Tilt + |
|--|---|---|---|--|---|---|
| n Switch – (Single Mode: Switch – (Dual Mode: SA itch Black Red C E CONTROL hrough VR2 Non-Expany vation of a single power optive relevating seat with tilt s can only accommodate s m) to operate select power optivation of single power optith all R-net joysticks y for control of power optith all R-net joysticks | C) Green Idable Drive Co ption through VR: on through drive a s available as a c pecific power sea ombinations th R-net 90-amp ion through R-net | ntrol 2 controller control and separc ustom. Check app t functions such as o controller | User Activ User Activ User Activ User Activ User Activ User Activ | ation Attenda ation Attenda ation Attenda ation Attenda ation Attenda | Int Activation Int Activation Int Activation Int Activation | \$9 \$18 \$23 \$11 \$29 N/9 |
| n Switch – (Single Mode: Switch – (Dual Mode: SA itch Black Red C E CONTROL hrough VR2 Non-Expany vation of a single power optive relevating seat with tilt s can only accommodate s m) to operate select power optivation of single power optith all R-net joysticks y for control of power optith all R-net joysticks | C) Green Idable Drive Co ption through VR: on through drive a s available as a c pecific power sea ombinations th R-net 90-amp ion through R-net | ntrol 2 controller control and separc ustom. Check app t functions such as o controller | User Activ User Activ User Activ User Activ User Activ User Activ | ation Attenda ation Attenda ation Attenda ation Attenda ation Attenda | Int Activation Int Activation Int Activation Int Activation | \$9 \$18 \$23 \$11 \$29 N/9 |
| Switch – (Dual Mode: SA itch Black Red ECONTROL hrough VR2 Non-Expany vation of a single power of v for control of power opti ver elevating seat with tilt s can only accommodate s m) to operate select power of hrough Drive Control w vation of single power op tith all R-net joysticks v for control of power opti | C) Green Idable Drive Co ption through VR: on through drive a s available as a c pecific power sea ombinations th R-net 90-amp ion through R-net | ntrol 2 controller control and separc ustom. Check app t functions such as o controller | User Activ User Activ User Activ User Activ User Activ User Activ | ation Attenda ation Attenda ation Attenda ation Attenda | Int Activation Int Activation Int Activation | \$18 \$23 \$11 \$29 N/0 |
| itch Black Red CONTROL Arrough VR2 Non-Expany vation of a single power any vation of a single power opti- ver elevating seat with tilt s can only accommodate si m) to operate select power op- nrough Drive Control with vation of single power op- tith all R-net joysticks v for control of power opti- | Green dable Drive Co ption through VR: on through drive a s available as a c pecific power sea ombinations th R-net 90-amp ion through R-net | ntrol 2 controller control and separc ustom. Check app t functions such as o controller | User Activ User Activ User Activ User Activ ste switches propriate box in custom sect s Tilt / Elevate / Recline / P | ation Attenda ation Attenda ation Attenda | Int Activation Int Activation | \$23 \$11 \$29 N/9 |
| E CONTROL hrough VR2 Non-Expan vation of a single power of vor control of power opti- ver elevating seat with tilt s can only accommodate s m) to operate select power of hrough Drive Control w vation of single power opti- th all R-net joysticks v for control of power opti- | Idable Drive Co ption through VR: on through drive o s available as a c pecific power sea ombinations th R-net 90-amp ion through R-net | ntrol 2 controller control and separc ustom. Check app t functions such as o controller | User Activ User Activ user Activ ate switches propriate box in custom sect s Tilt / Elevate / Recline / P | ation Attenda ation Attenda | Int Activation | \$11 \$29 N/0 |
| E CONTROL nrough VR2 Non-Expan vation of a single power of v for control of power optiver relevating seat with tilt s can only accommodate s m) to operate select power of nrough Drive Control w vation of single power optive ith all R-net joysticks v for control of power optive | ption through VR: on through drive of s available as a c pecific power sea ombinations th R-net 90-amp ion through R-net | 2 controller control and separc ustom. Check app t functions such as o controller | User Activ ate switches propriate box in custom sect s Tilt / Elevate / Recline / P | ation Attenda | Int Activation | \$29 N/ |
| E CONTROL hrough VR2 Non-Expany vation of a single power op i for control of power opting ver elevating seat with tilt s can only accommodate sign m) to operate select power opting hrough Drive Control with vation of single power opting thall R-net joysticks v for control of power opting that an enter the select powe | ption through VR: on through drive of s available as a c pecific power sea ombinations th R-net 90-amp ion through R-net | 2 controller control and separc ustom. Check app t functions such as o controller | ate switches propriate box in custom sect s Tilt / Elevate / Recline / P | ion 72 in addition to EPSV. | | N/0 |
| nrough VR2 Non-Expan vation of a single power opti ver elevating seat with tilt s can only accommodate s m) to operate select power of nrough Drive Control w vation of single power op ith all R-net joysticks v for control of power opti | ption through VR: on through drive of s available as a c pecific power sea ombinations th R-net 90-amp ion through R-net | 2 controller control and separc ustom. Check app t functions such as o controller | oropriate box in custom sect s Tilt / Elevate / Recline / P | | | |
| vation of a single power a v for control of power opti- ver elevating seat with tilt s can only accommodate s m) to operate select power of nrough Drive Control w vation of single power op- ith all R-net joysticks v for control of power opti- | ption through VR: on through drive of s available as a c pecific power sea ombinations th R-net 90-amp ion through R-net | 2 controller control and separc ustom. Check app t functions such as o controller | oropriate box in custom sect s Tilt / Elevate / Recline / P | | | |
| v for control of power opti ver elevating seat with tilt s can only accommodate s m) to operate select power of nrough Drive Control w vation of single power op ith all R-net joysticks v for control of power opti | on through drive a s available as a c pecific power sea ombinations th R-net 90-amp ion through R-net | control and separc ustom. Check app t functions such as o controller | oropriate box in custom sect s Tilt / Elevate / Recline / P | | | ′ Tilt + |
| ver elevating seat with tilt s can only accommodate s m) to operate select power of nrough Drive Control w vation of single power op ith all R-net joysticks v for control of power opti | s available as a c pecific power sea ombinations th R-net 90-amp ion through R-net | ustom. Check app t functions such as o controller | oropriate box in custom sect s Tilt / Elevate / Recline / P | | | ′ Tilt + |
| s can only accommodate : m) to operate select power of nrough Drive Control w vation of single power op ith all R-net joysticks v for control of power opti | pecific power sea ombinations th R-net 90-amp ion through R-net | t functions such as | s Tilt / Elevate / Recline / P | | | / Tilt + |
| m) to operate select power of nrough Drive Control w vation of single power op ith all R-net joysticks v for control of power opti | ombinations th R-net 90-amp ion through R-net | o controller | | ower Center Mount / Cor | nbined Power Legs , | / Tilt + |
| nrough Drive Control w vation of single power op ith all R-net joysticks v for control of power opti | th R-net 90-amp ion through R-net | | | | | |
| vation of single power op ith all R-net joysticks v for control of power opti | ion through R-net | | | | | |
| ith all R-net joysticks v for control of power opti | | 90-amp controlle | | | | N/ |
| v for control of power opti | | | er | | | |
| | | | | | | |
| te more than one power a | on through drive o | control and separe | ate switches | | | |
| | | | | | | |
| mory seating, choose SAC | | | | | | |
| · · · · · · · · · · · · · · · · · · · | | 100 | | | | |
| • | | | ontroller | | | N/ |
| | - | | | | | |
| | | oysticks, Omni 2 c | and specialty controls | | | |
| | vating seat | | _ | | | |
| | | | | | | |
| | ATTALE ONLY V | VHEN CHOOSIN | NG SAC ABOVE) | | | ¢ 1 40 |
| • | | | | | CLIENT COST | \$1,49 |
| | | | | | | |
| | | | | | | |
| | | | | | CODF W100 | \$4 |
| | SACI | | User Activation | | | |
| · · · · · | | | | | | |
| | · | V II | | Allendant Activation | | 041 |
| itch Black Red | | | | | CODEWIL | |
| | Green | Yellow | User Activation | Attendant Activation | | \$54 |
| 5 | <u>Oreen</u> | Yellow | User Activation User Activation User Activation | Attendant Activation Attendant Activation Attendant Activation | CODE W100 | \$54 \$42 |
| | Through Drive Control wi tivation of single power opt with 90-amp or 120-amp co perating tilt with power elec- with memory seating IONS BELOW ARE COMI orgram not compatible with any VR programming is not compe- CCES TO POWER OPTION witch on Switch – (Single Mode: SA | tivation of single power option through R-net with 90-amp or 120-amp controller, all R-net perating tilt with power elevating seat with memory seating IONS BELOW ARE COMPATIBLE ONLY V rogram not compatible with any VR2 or LED joysticks programming is not compatible with the Hea CCES TO POWER OPTIONS THROUGH DI witch on Switch – (Single Mode: SAC) h Switch – (Dual Mode: SAC) | Through Drive Control with R-net 90-amp or 120-amp con- tivation of single power option through R-net drive controls with 90-amp or 120-amp controller, all R-net joysticks, Omni 2 of perating tilt with power elevating seat with memory seating IONS BELOW ARE COMPATIBLE ONLY WHEN CHOOSIN rogram not compatible with any VR2 or LED joysticks (ECELJ and ECEL programming is not compatible with the Heavy Duty Seat Elev CCES TO POWER OPTIONS THROUGH DRIVE CONTROLS witch on Switch – (Single Mode: SAC) in Switch – (Dual Mode: SAC) | Through Drive Control with R-net 90-amp or 120-amp controller tivation of single power option through R-net drive controls with 90-amp or 120-amp controller, all R-net joysticks, Omni 2 and specialty controls perating tilt with power elevating seat with memory seating IONS BELOW ARE COMPATIBLE ONLY WHEN CHOOSING SAC ABOVE) rogram not compatible with any VR2 or LED joysticks (ECELJ and ECELJL) programming is not compatible with the Heavy Duty Seat Elevate option (SAPESXHD and CCES TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERN witch on Switch – (Single Mode: SAC) User Activation | Through Drive Control with R-net 90-amp or 120-amp controller tivation of single power option through R-net drive controls with 90-amp or 120-amp controller, all R-net joysticks, Omni 2 and specialty controls perating tilt with power elevating seat Vith memory seating IONS BELOW ARE COMPATIBLE ONLY WHEN CHOOSING SAC ABOVE) rogram not compatible with any VR2 or LED joysticks (ECELJ and ECELJL) Programming is not compatible with the Heavy Duty Seat Elevate option (SAPESXHD and ADDPESXHD) CCES TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH witch Attendant Activation on Switch – (Single Mode: SAC) User Activation | Through Drive Control with R-net 90-amp or 120-amp controller tivation of single power option through R-net drive controls with 90-amp or 120-amp controller, all R-net joysticks, Omni 2 and specialty controls perating tilt with power elevating seat VONS BELOW ARE COMPATIBLE ONLY WHEN CHOOSING SAC ABOVE) rogram CLIENT COST not compatible with any VR2 or LED joysticks (ECELJ and ECELLL) Programming is not compatible with the Heavy Duty Seat Elevate option (SAPESXHD and ADDPESXHD) CCES TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH witch Attendant Activation cODE W100 on Switch – (Single Mode: SAC) User Activation |





| ► SELECTION OF SWITC | CH BELOW GIVES ACCES TO POWER OPTIONS THROUGH DRIVE CONTROLS A | ND THROUGH EXTER | NAL SWITCH | |
|----------------------|---|------------------|----------------------|-----------------|
| MACKEYPAD-P | Keypad w/ 5 Push Button Switches | User Activation | Attendant Activation | CODE W100 \$445 |
| MACKEYPAD-T | Keypad w/ 5 Toggle Switches | User Activation | Attendant Activation | CODE W100 \$445 |
| MACMULTI | 4-Way Toggle Switch – (Up to 4 Activations) | User Activation | Attendant Activation | CODE W100 \$180 |
| | By selecting this switch, memory recall is only available through the Joystick. | | | |
| MACMULTIT | Triple Toggle Switch – (Up to 5 Activations) | User Activation | Attendant Activation | CODE W100 \$135 |
| | ▲ By selecting this switch, memory recall is only available through the Joystick. | | | |
| MACPUSH4 | 4-Way Push Button Switch | User Activation | Attendant Activation | CODE W100 \$225 |
| | By selecting this switch, memory recall is only available through the Joystick. | | | |
| MACPUSH5 | 5-Way Push Button Switch | User Activation | Attendant Activation | CODE W100 \$240 |
| | ▲ By selecting this switch, memory recall is only available through the Joystick. | | | |
| | ATION HAND MOUNT | | | |
| Switch Installation: | TSML – (Install Switch on LH side) TSMR – (Install Switch on RH side) | | | N/C |
| 37. PRE-SET BACK | ANGLE (FOR NON-RECLINING BACKS) | | | |
| SOBAA | For SOWN 19-24-22 sent range select one: | | | |

| SOBAA | For SOW | N 19-24-2 | 22 seat ra | nge, selec | t one: | | | | | | |
|-------|------------|--------------|-------------|-------------|------------|--------------|-------|------|------|------|-----|
| | 86° | 90° | 94° | 98° | 102° | 106° | 110° | 114° | 118° | 122° | N/C |
| | For SOW | N24-26-2 | 22 seat ra | nge, selec | t one: | | | | | | |
| | 82° | 90° | 98° | 106° | | | | | | | N/C |
| | Back c | ingles of 10 |)2° or grea | ter are not | compatible | with the OMN | VI 2. | | | | |

39. LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 26"

| SOWN24-26-22 - (Width adjustment from 24" to 26" and a Depth range of 18" to 22") \$475 19" (SOWN19L) 20" (SOWN20L) 21" (SOWN21) 22" (SOWN22) 23" (SOWN23) 24" (SOWN24) 24" (SOWN24HDL) 25" (SOWN25HDL) 26" (SOWN26HDL) | SOWN19-24-22 - | (Width adjustment from 19" to 24" and | a Depth range of 18" to 22") | | N/C |
|---|-----------------|---------------------------------------|---------------------------------|--|-------|
| 22" (SOWN22) 23" (SOWN23) 24" (SOWN24) | SOWN24-26-22 - | (Width adjustment from 24" to 26" an | d a Depth range of 18" to 22") | | \$475 |
| | 19" (SOWN19L) | 20" (SOWN20L) | 21" (SOWN21) | | |
| 24" (SOWN24HDL) 25" (SOWN25HDL) 26" (SOWN26HDL) | 22" (SOWN22) | 23" (SOWN23) | 24" (SOWN24) | | |
| | 24" (SOWN24HDL) | 25" (SOWN25HDL) | 26" (SOWN26HDL) | | |

40. ADJUSTABLE SEAT DEPTH RANGE BETWEEN 18" AND 22"

| 18" (SODN 18) | 19" (SODN19) | 20" (SODN20) | 21" (SODN21) | 22" (SODN22) | N/C |
|---------------|--------------|--------------|--------------|--------------|-----|
| | | | | | |

41. BACK CANE HEIGHT (THE BACK CANE HEIGHT MEASUREMENT IS TAKEN FROM THE SEAT PAN TO THE TOP OF THE PUSH HANDLES)

| | | | ▼ 22" is the minimum back | height required with a power | recline. | |
|-----------------|---|---|------------------------------------|-----------------------------------|-----------------|---------|
| 16" (SOBCH16) | 18" (SOBCH18) | 20" (SOBCH20) | 22" (SOBCH22) | 24" (SOBCH24) | 26" (SOBCH26) | |
| 2. BACK SUPPOI | RT | | 4 | | | |
| STDSB-WWHH | Contour back support up t | o 21" wide, with a maximum s | shell height of 22". | | SEATING BENEFIT | \$605 |
| | The minimum space betw | veen the back and seat pan is 4" | (± 1") with a fixed back and 6" (± | ± 1") with a reclining back | | |
| STDSB-WWHH | Contour back support up t | o 21" wide for non-standard s | sizes with shell height ≥ 23". | | SEATING BENEFIT | \$755 |
| | The minimum space betw | veen the back and seat pan is 4" | (± 1") with a fixed back and 6" (± | ± 1") with a reclining back | | |
| STDSB-WWHH | Contour back support for | Heavy-Duty from 22" wide ar | nd higher, with any height. | | SEATING BENEFIT | \$1,075 |
| | The minimum space betw | veen the back and seat pan is 4" | (± 1") with a fixed back and 6" (± | ± 1") with a reclining back | | |
| NEW MATRX BACKS | | E BACK - (21" to 24" Wide - Ba | ck height of 16" and 20") | | SEATING BENEFIT | \$1,150 |
| | Back shell height is avail and 6" (± 1") with a recli | able in 16" or 20". The minimum ning back | space between the back and sec | at pan is 4" (± 1") with a fixed | back | |
| | Weight capacity up to 50 | 00 lb | | | | |
| EDB-WWHH-HD | MATRX ELITE DEEP HD BA | ACK – (21" to 24" Wide - Back hei | ght of 16", 18" and 20") | | SEATING BENEFIT | \$1,195 |
| | Back shell height is avail and 6" (± 1") with a recli | able in 16", 18" or 20". The minin ning back | num space between the back and | d seat pan is 4" (± 1") with a fi | xed back | |
| | This product is not composite | atible with Lateral Trunk Supports | i | | | |
| | Weight capacity up to 50 | 00 lb | | | | |





| NEW NXT BACKS | ; | | | |
|----------------|-------|--|--------------------------|-------|
| NOACB-WWHH | NEW | NXT OPTIMA FH AC CONTOUR BACK - (15" to 21" Wide) | SEATING BENEFIT | \$690 |
| | | Weight capacity up to 300 lb | | |
| NOACB-WWHH | NEW | NXT OPTIMA FH AC CONTOUR BACK - (22" to 28" Wide) | SEATING BENEFIT | \$720 |
| | | ▲ Weight capacity up to 550 lb | | |
| | | Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" and 6" (± 1") with a reclining back | (± 1") with a fixed back | |
| NOPCB-WWHH | NEW | NXT OPTIMA FH PC DEEP CONTOUR BACK - (15" to 21" Wide) | SEATING BENEFIT | \$790 |
| | | Weight capacity up to 300 lb | | |
| NOPCB-WWHH | NEW | NXT OPTIMA FH PC DEEP CONTOUR BACK - (22" to 28" Wide) | SEATING BENEFIT | \$820 |
| | | Weight capacity up to 550 lb | | |
| | | This product is not compatible with Lateral Trunk Supports | | |
| | | Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (and 6" (± 1") with a reclining back | (± 1") with a fixed back | |
| OMISSION OF TH | E BAC | | | |
| STDSBO | | Omission of the Contour Back Support Specify Model of Back Support: | | N/C |

43. BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

| 16" (SOBH16) 28" (SOBH28) | 18" (SOBH18) | 20" (SOBH20) | 22" (SOBH22) | 24" (SOBH24) | 26" (SOBH26) | |
|------------------------------|--|-------------------------------------|---------------------|--------------|-----------------|-----|
| . SEAT CUSHION | NS (SEATING BENEFIT) | | | | | |
| CG AIR - THERAPEUTI | C AIR CUSHION | | | | | |
| Single Valve 19" to 20 | 0" Wide Note: For custom Cushi | ons (Please use the CG Air Order F | orm) | | | |
| | Cell Height: | 2" | 3" | 4" | | |
| CGA1VSCwwdd-h | CG Air Single Valve – (w | ith Standard 2-way Stretch Cover) | | | SEATING BENEFIT | \$ |
| CGA1V3Dwwdd-h | CG Air Single Valve – (w | ith 3D Mesh Cover) | | | SEATING BENEFIT | \$ |
| CGA1VICwwdd-h | CG Air Single Valve – (w | ith Incontinence Cover) | | | SEATING BENEFIT | \$ |
| | Cushion sizes only com | e in even numbers for width and | depth measurements. | | | |
| Dual Valve 19" to 20" | Wide Note: For custom Cushior | as (Please use the CG Air Order For | m) | | | |
| | Cell Height: | 2" | 3" | 4 " | | |
| CGA2VSCwwdd-h | CG Air Dual Valve – (with | standard 2-way Stretch Cover) | | | SEATING BENEFIT | \$ |
| CGA2V3Dwwdd-h | CG Air Dual Valve – (with | a 3D Mesh Cover) | | | SEATING BENEFIT | \$ |
| CGA2VICwwdd-h | CG Air Dual Valve – (with | Incontinence Cover) | | | SEATING BENEFIT | \$ |
| | Cushion sizes only com | e in even numbers for width and | depth measurements. | | | |
| Single Valve 22" to 2 | 4" Wide Note: For custom Cushi | ons (Please use the CG Air Order F | orm) | | | |
| • | Cell Height: | 2" | 3" | 4" | | |
| CGA1VSCwwdd-h | CG Air Single Valve – (w | ith Standard 2-way Stretch Cover) | | | SEATING BENEFIT | \$ |
| CGA1V3Dwwdd-h | CG Air Single Valve – (w | | | | SEATING BENEFIT | |
| CGA1VICwwdd-h | CG Air Single Valve – (w | ith Incontinence Cover) | | | SEATING BENEFIT | 5 |
| | Cushion sizes only com | e in even numbers for width and | depth measurements. | | | |
| Dual Valve 22" to 24' | 'Wide Note: For custom Cushior | ns (Please use the CG Air Order For | m) | | | |
| | Cell Height: | 2" | 3" | 4" | | |
| CGA2VSCwwdd-h | CG Air Dual Valve – (with | Standard 2-way Stretch Cover) | | | SEATING BENEFIT | \$ |
| CGA2V3Dwwdd-h | CG Air Dual Valve – (with | 3D Mesh Cover) | | | SEATING BENEFIT | |
| CGA2VICwwdd-h | CG Air Dual Valve – (with | Incontinence Cover) | | | SEATING BENEFIT | Ś |
| | Cushion sizes only com | e in even numbers for width and | depth measurements. | | | |
| Single Valve 26"+ Wi | de Note: For custom Cushions (Pl | ease use the CG Air Order Form) | | | | |
| Ū | Cell Height: | 2" | 3" | 4" | | |
| CGA1VSCwwdd-h | CG Air Sinale Valve – (w | ith Standard 2-way Stretch Cover) | | | SEATING BENEFIT | \$ |
| CGA1V3Dwwdd-h | CG Air Single Valve – (w | | | | SEATING BENEFIT | \$1 |
| CGA1VICwwdd-h | CG Air Single Valve – (w | | | | SEATING BENEFIT | \$1 |
| | 0 | e in even numbers for width and | depth measurements. | | | |
| Dual Valve 26"+ Wid | e Note: For custom Cushions (Plea | ase use the CG Air Order Form) | | | | |
| | Cell Height: | 2" | 3" | 4" | | |
| CGA2VSCwwdd-h | V | Standard 2-way Stretch Cover) | | | SEATING BENEFIT | \$ |
| CGA2V3Dwwdd-h | CG Air Dual Valve – (with | | | | SEATING BENEFIT | \$1 |
| CGA2VICwwdd-h | CG Air Dual Valve – (with | | | | SEATING BENEFIT | \$1 |
| CONSTRUCTION WORK | • | e in even numbers for width and | | | SERVICE DENERIT | ΨI |







| SCPSC-wwdd | Contour Seat Cushion up to 19" Wide | SEATING BENEFIT | \$62 |
|---|--|---|--|
| SCPSC-wwdd | Contour Seat Cushion for Non-Standard Sizes of 20" to 24" Wide | SEATING BENEFIT | \$73 |
| SCPSC-wwdd | Contour Seat Cushion for Heavy-Duty of ≥ 25" Wide ∢ Specify: Width: " Depth:" | SEATING BENEFIT | \$80 |
| | | | |
| NEW MATRX CUSHI | | | . |
| PSP-WWDD NE | MATRX PSP Seat Cushion – (11" to 20" Wide) | SEATING BENEFIT | \$6 |
| | The maximum user weight capacity is 300 lb | | |
| | Cushion sizes only come in even numbers for width and depth measurements. | | |
| PSP-WWDD NE | MARKI SI Sedi Coshon - (22 10 20 Wide) | SEATING BENEFIT | \$9 |
| | ▲ The maximum user weight capacity is 550 lb | | |
| | Cushion sizes only come in even numbers for width and depth measurements. | | |
| NEW NXT BIO-FIT C | USHION | | |
| NXTBIOFIT -WWDD | NXT BIO FIT Cushion - (15" to 21" Wide) | SEATING BENEFIT | \$5 |
| | The maximum user weight capacity is 300 lb | | |
| NXTBIOFIT -WWDD | NXT BIO FIT Cushion - (22" to 26" Wide) | SEATING BENEFIT | \$6 |
| | ▲ The maximum user weight capacity is 400 lb | | |
| | Cushion sizes only come in even numbers for width and depth measurements. | | |
| | | | |
| | - HEIGHT ADJUSTABLE ARMRESTS - OPENS WITH A 5° ANGLE (CHOOSE 2) | - | |
| SOAFBDLH | Flip-Back Cantilever – Desk Length Left Side – (Height Adjustable from 7" to 15" with 1" increments) – STD Length 12" | | N |
| SOAFBDRH | Flip-Back Cantilever – Desk Length Right Side – (Height Adjustable from 7" to 15" with 1" increments) – STD Length 12 | 2" | N |
| SOAFBFLH | Flip-Back Cantilever – Full Length Left Side – (Height Adjustable from 7" to 15" with 1" increments) – STD Length 16" | | |
| SOAFBFRH | Flip-Back Cantilever – Full Length Right Side – (Height Adjustable from 7" to 15" with 1" increments) – STD Length 16' | " | |
| | HEIGHT ADJUSTABLE ARMRESTS - INCLUDES TRANSFER GRIPS (FOR NON-RECLINING B. | | |
| | | ACKS - CHOOSE 2) | |
| SOADPDLH | Dual Post Height Adjustable – Desk Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) | | \$ |
| COADDDU | | | |
| SOADPDRH | Dual Post Height Adjustable – Desk Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) | | \$ |
| SOADPFLH | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) | | \$1 |
| | | | \$ |
| SOADPFLH SOADPFRH | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) | | \$ |
| SOADPFLH SOADPFRH | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) | | \$ |
| SOADPFLH SOADPFRH | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) | 12" | \$ \$ |
| SOADPFLH SOADPFRH | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) | | \$1 \$1 N |
| SOADPFLH SOADPFRH RECLINING FL SOANIDLH | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length | h 12" | \$ \$ N |
| SOADPFLH SOADPFRH RECLINING FL SOANIDLH SOANIDRH | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length | h 12" 6" | \$1 \$1 N N |
| SOADPFLH SOADPFRH SOANIDLH SOANIDLH SOANIDRH SOANIFLH SOANIFRH | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 | h 12" 6" 16" | \$ \$ N N N N |
| SOADPFLH SOADPFRH SOANIDLH SOANIDLH SOANIFLH SOANIFLH SOANIFRH CUST-48247 | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Custom Armrest Length – Select Length for the Left side: Custom Length 18" | h 12" 6" 16" Custom Length 22" | \$ \$ ~ ~ ~ ~ |
| SOADPFLH SOADPFRH SOANIDLH SOANIDLH SOANIDRH SOANIFLH SOANIFRH | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 | h 12" 6" 16" | \$ \$ ~ ~ ~ ~ |
| SOADPFLH SOADPFRH RECLINING FL SOANIDLH SOANIDRH SOANIFLH SOANIFRH CUST-48247 CUST-48247 | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Custom Armrest Length – Select Length for the Left side: Custom Length 18" | h 12" 6" 16" Custom Length 22" | \$ \$ ~ ~ ~ ~ |
| SOADPFLH SOADPFRH RECLINING FL SOANIDLH SOANIDRH SOANIFLH SOANIFRH CUST-48247 CUST-48247 | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Custom Armrest Length – Select Length for the Left side: Custom Length 18" Custom Armrest Length – Select Length for the Right side: Custom Length 18" Custom Armrest Length – Select Length for the Right side: Custom Length 18" | h 12" 6" 16" Custom Length 22" | \$ \$ ~ ~ ~ ~ |
| SOADPFLH SOADPFRH RECLINING FL SOANIDLH SOANIDRH SOANIFLH SOANIFRH CUST-48247 CUST-48247 | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Custom Armrest Length - Select Length for the Left side: Custom Length 18" Custom Armrest Length - Select Length for the Right side: Custom Length 18" Custom Length 18" Custom Length 20" GHT ADJUSTMENT AT FACTORY | h 12" 6" 16" Custom Length 22" | \$ \$ |
| SOADPFLH SOADPFRH RECLINING FL SOANIDLH SOANIDRH SOANIFLH SOANIFRH CUST-48247 CUST-48247 | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Custom Armrest Length - Select Length for the Left side: Custom Length 18" Custom Armrest Length - Select Length for the Right side: Custom Length 18" Custom Length 18" Custom Length 20" GHT ADJUSTMENT AT FACTORY " | h 12" 6" 16" Custom Length 22" | \$ \$ |
| SOADPFLH SOADPFRH RECLINING FL SOANIDLH SOANIDRH SOANIFLH SOANIFRH CUST-48247 CUST-48247 | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Custom Armrest Length - Select Length for the Left side: Custom Length 18" Custom Armrest Length - Select Length for the Right side: Custom Length 18" Custom Armrest Length - Select Length for the Right side: Custom Length 18" Custom Length 18" Custom Length 20" GHT ADJUSTMENT AT FACTORY * Set the Armrest Height at: " | h 12" 6" 16" Custom Length 22" | \$ \$ N N N N N N N |
| SOADPFLH SOADPFRH SOANDFRH SOANIDLH SOANIDLH SOANIFLH SOANIFRH CUST-48247 CUST-48247 CUST-48247 S. ARMREST HEIM | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Reclining armrest – Full Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Custom Armrest Length - Select Length for the Left side: Custom Length 18" Custom Armrest Length - Select Length for the Right side: Custom Length 18" Custom Length 18" Custom Length 20" He Armrest Height at: | h 12" 6" 16" Custom Length 22" | \$ \$ N N N N N N N |
| SOADPFLH SOADPFRH SOADPFRH SOANIDLH SOANIDLH SOANIGH SOANIFLH SOANIFRH CUST-48247 CUST-4827 CUST-4827 CUST-4827 CUST-4877 CUST-4877 CUST-4877 CUST-48777 CUST-48777 CUST-487777 | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Reclining armrest – Full Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Custom Armrest Length – Select Length for the Left side: Custom Length 18" Custom Armrest Length – Select Length for the Right side: Custom Length 18" Custom Armrest Height at: * Set the Armrest Height at: * Not required for Dual Post. Not required for Dual Post. | h 12" 6" 16" Custom Length 22" Custom Length 22" | \$1 \$1 N N N N N N |
| SOADPFLH SOADPFRH SOANDFRH SOANIDLH SOANIDLH SOANIFLH SOANIFRH CUST-48247 CUST-48247 CUST-48247 S. ARMREST HEIM | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Custom Armrest Length - Select Length for the Left side: Custom Length 18" Custom Armrest Length - Select Length for the Right side: Custom Length 18" Custom Length 18 Custom Length 20" GHT ADJUSTMENT AT FACTORY * > Set the Armrest Height at: " Mot required for Dual Post. * ON < | h 12" 6" 16" Custom Length 22" | \$ \$ N N N N N |
| SOADPFLH SOADPFRH . RECLINING FL SOANIDLH SOANIDLH SOANIFLH SOANIFRH CUST-48247 CUST-482 | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ½" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ½" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Custom Armrest Length – Select Length for the Left side: Custom Length 18" Custom Armrest Length – Select Length for the Right side: Custom Length 18" Custom Armrest Height at: * Set the Armrest Height at: * Not required for Dual Post. Select side: Left Hand Side Mathematical armpads may interfere with fli | h 12" 6" 16" Custom Length 22" Custom Length 22" | \$ \$ N N N N N N N |
| SOADPFLH SOADPFRH SOADPFRH SOANIDLH SOANIDLH SOANIGH SOANIFLH SOANIFRH CUST-48247 CUST-4827 CUST-4827 CUST-4827 CUST-4877 CUST-4877 CUST-4877 CUST-48777 CUST-48777 CUST-487777 | Dual Post Height Adjustable – Full Length Leff Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Custom Armrest Length – Select Length for the Left side: Custom Length 18" Custom Armrest Length – Select Length for the Right side: Custom Length 18" Custom Armrest Height at: | h 12" 6" 16" Custom Length 22" Custom Length 22" | \$1 \$1 N N N N N N |
| SOADPFLH SOADPFRH . RECLINING FL SOANIDLH SOANIDRH SOANIFLH SOANIFRH CUST-48247 CUST-482 | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Custom Armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 10 Custom Armrest Length – Select Length for the Left side: Custom Length 18" Custom Armrest Length – Select Length for the Right side: Custom Length 18" Custom Armrest Height at: | h 12" 6" 16" Custom Length 22" Custom Length 22" | \$1 \$1 \$1 N N N N N N N N N N N N N N N N |
| SOADPFLH SOADPFRH SOADPFRH SOANIDLH SOANIDRH SOANIFLH SOANIFRH CUST-48247 CUST-48247 CUST-48247 SOANIFRH CUST-48247 CUST- | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) .IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Custom Armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Custom Armrest Length – Select Length for the Left side: Custom Length 18" Custom Armrest Length – Select Length for the Right side: Custom Length 18" Custom Armrest Height at: | h 12" 6" 16" Custom Length 22" Custom Length 22" Right Hand Side | |
| SOADPFLH SOADPFRH SOADPFRH SOANIDLH SOANIDLH SOANIFLH SOANIFRH CUST-48247 CUST-48247 CUST-48247 SOANIFRH CUST-48247 CUST- | Dual Post Height Adjustable – Full Length Leff Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) .IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 10 Custom Armrest Length – Select Length for the Left side: Custom Length 18" Custom Armrest Length – Select Length for the Right side: Custom Length 18" Custom Armrest Height at: | h 12" 6" 16" Custom Length 22" Custom Length 22" Right Hand Side | \$ \$ N N N N N N N S S S S S S S S S S S |
| SOADPFLH SOADPFRH SOADPFRH SOANIDLH SOANIDRH SOANIFLH SOANIFRH CUST-48247 CUS | Dual Post Height Adjustable – Full Length Leff Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IIP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 12 Reclining armrest – Full Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 12 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 12 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 12 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 12 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 12 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 12 Reclining armrest Length – Select Length for the Left side: Custom Length 18" Custom Length 20" Custom Armrest Length – Select Length for the Right side: Custom Length 18" Custom Length 20" GHT ADJUSTMENT AT FACTORY > Set the Armrest Height at: " A The Armrest Height at taken from the seat pan to the top of the armpad. > Not required for Dual Post. Desk Length Waterfall – (8 ½" x 2 ¾") Select side: Left Hand Side R A The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports. Full Length Waterfall – (13" x 2 ¾") Select side: Left Hand Side Right Ha Full Length Hybrid Gel and Foam Flat armpad – (9 ¾" x 2") Select side: Left Hand Side Right Ha Full Length Hybrid Gel and Foam Flat armpad – (13 ½" x 2") Select si | h 12" 6" 16" Custom Length 22" Custom Length 22" Custom Length 22" Right Hand Side Right Hand Side | \$ \$ N N N N N N N N S S S S S S S S S S |
| SOADPFLH SOADPFRH SOADPFRH SOANIDLH SOANIDLH SOANIFLH SOANIFRH CUST-48247 CUST-48247 CUST-48247 SOANIFRH CUST-48247 CUST- | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼* to 15 ¼* with ½* increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼* to 15 ¼* with ½* increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2* to 14* with 1/2* increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2* to 14* with 1/2* increments) – STD Length Reclining armrest – Full Length Left Side – (Height Adjustable from 10 1/2* to 14* with 1/2* increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2* to 14* with 1/2* increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2* to 14* with 1/2* increments) – STD Length 10* Custom Armrest Length – Select Length for the Left side: Custom Length 18* Custom Armrest Length – Select Length for the Right side: Custom Length 18* Custom Armrest Height at: * * * Metarrest Height is taken from the seat pan to the top of the armpad. * Not required for Dual Post. ON Select side: Left Hand Side Full Length Waterfall – (8 ½* x 2 ¾*) Select side: Left Hand Side A The Waterfall armpads may interfere with flipping back the armrests when combin | h 12" 6" 16" Custom Length 22" Custom Length 22" Right Hand Side | \$ \$ N N N N N N S S S S S S S S S S S S |
| SOADPFLH SOADPFRH SOADPFRH SOANIDLH SOANIDLH SOANIFLH SOANIFRH CUST-48247 CUS | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length Reclining armrest – Full Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16 Custom Armrest Length – Select Length for the Left side: Custom Length 18" Custom Length 20" Custom Armrest Length – Select Length for the Right side: Custom Length 18" Custom Length 20" GHT ADJUSTMENT AT FACTORY > Set the Armrest Height is taken from the seat pan to the top of the armpad. > Not required for Dual Post. Not required for Dual Post. Not required for Dual Post. Not required for Dual Post. NAT TYPE SELECTION (THE GEL ALWAYS STAYS SOFT) Desk Length Hybrid Gel and Foam Flat armpad – (13 ½" x 2") Select side: Left Hand Side Right Had Full Length Hybrid Gel and Foam Flat armpad – (13 ½" x 2") Select side: Left Hand Side Right Had Full Length Hybrid Gel and Foam Flat armpad – (13 ½" x 2") Select side: Left Hand Side Right Had Full Length Hybrid Gel & Foam Waterfall armpad – (13 ½" x 2") Select side: Left Hand Side Right Had Full Length Hybrid Gel & Foam Waterfall armpad – (13 ½ | h 12" 6" 16" Custom Length 22" Custom Length 22" Custom Length 22" Right Hand Side Right Hand Side and Side SEATING BENH and Side SEATING BENH | \$ \$ N N N N N N N S S S S S S S S S S S |
| SOADPFLH SOADPFRH SOADPFRH SOANIDLH SOANIDRH SOANIFLH SOANIFRH CUST-48247 CUS | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IIP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length Reclining armrest – Full Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16 Custom Armrest Length – Select Length for the Left side: Custom Length 18" Custom Length 20" Custom Armrest Length – Select Length for the Right side: Custom Length 18" Custom Length 20" GHT ADJUSTMENT AT FACTORY > Set the Armrest Height at: " A The Armrest Height is taken from the seat pan to the top of the armpad. A Not required for Dual Post. Not required for Dual Post. Not required for Dual Post. NAT TYPE SELECTION (THE GEL ALWAYS STAYS SOFT) Desk Length Hybrid Gel and Foam Flat armpad – (9 ¼" x 2") Select side: Left Hand Side Right Had Full Length Hybrid Gel and Foam Flat armpad – (13 ½" x 2") Select side: Left Hand Side Right Had Full Length Hybrid Gel & Foam Waterfall armpad – (13 ½" x 2") Select side: Left Hand Side Right Had Full Length Hybrid Gel & Foam Waterfall armpad – (13 ½" x 2") Select side: Left Hand Side Right Had Full Length Hybrid Gel and Foam Flat armpad – (13 ½" x 2") Select side: Left Hand Side Right Had Full Length Hybrid Gel & Foam Waterfall armpad – (13 ½" x 2") Select si | h 12" 6" 16" Custom Length 22" Custom Length 22" Custom Length 22" Right Hand Side Right Hand Side | \$ \$ N N N N N N N N N N S S S S S S S S |
| SOADPFLH SOADPFRH SOADPFRH SOANIDLH SOANIDRH SOANIFLH SOANIFRH CUST-48247 CUST-48247 CUST-48247 SOANIFRH CUST-48247 CUST- | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length Reclining armrest – Full Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16 Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16 Custom Armrest Length – Select Length for the Left side: Custom Length 18" Custom Length 20" Custom Armrest Length – Select Length for the Right side: Custom Length 18" Custom Length 20" GHT ADJUSTMENT AT FACTORY > Set the Armrest Height is taken from the seat pan to the top of the armpad. > Not required for Dual Post. Not required for Dual Post. Not required for Dual Post. Not required for Dual Post. NAT TYPE SELECTION (THE GEL ALWAYS STAYS SOFT) Desk Length Hybrid Gel and Foam Flat armpad – (13 ½" x 2") Select side: Left Hand Side Right Had Full Length Hybrid Gel and Foam Flat armpad – (13 ½" x 2") Select side: Left Hand Side Right Had Full Length Hybrid Gel and Foam Flat armpad – (13 ½" x 2") Select side: Left Hand Side Right Had Full Length Hybrid Gel & Foam Waterfall armpad – (13 ½" x 2") Select side: Left Hand Side Right Had Full Length Hybrid Gel & Foam Waterfall armpad – (13 ½ | h 12" 6" 16" Custom Length 22" Custom Length 22" Custom Length 22" Right Hand Side Right Hand Side and Side SEATING BENH and Side SEATING BENH | \$ \$ N N N N N N N S S S S S S S S S S S |
| SOADPFLH SOADPFRH SOADPFRH SOANIDLH SOANIDRH SOANIFLH SOANIFRH CUST-48247 CUST-48247 CUST-48247 SOANIFRH CUST-48247 CUST- | Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments) IP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2) Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length Custom Armrest Length - Select Length for the Left side: Custom Length 18" Custom Armrest Length - Select Length for the Right side: Custom Length 18" Custom Length 20" Celt ADJUSTMENT AT FACTORY > Set the Armrest Height at: | h 12" 6" 16" Custom Length 22" Custom Length 22" Custom Length 22" Right Hand Side Right Hand Side and Side SEATING BENH and Side SEATING BENH | \$ \$ N N N N N N S S S S S S S S S S S S |





| 0. FOOTRESTS | | | | | |
|--------------|---|---------------------------------------|---------------------------------|---------------------------------|---------|
| SOAAF | Heavy Duty Swing-Away Footrests | Set at: | 60° | 70° | \$175 |
| | Select Fo | ootrest Range: | SOFLHD12 (12 ½" - 15 ½") | SOFLHD14 (14 ½" - 19 ½") | |
| | The 70° footrest angle is not compatible with and may interfere with the casters when sele | | | | |
| ADDML | Manual Elevating & Articulating Legrests - P | air | | | \$595 |
| | Select For A select and the select calf Does not include calf pads. Please select calf | ootrest Range: pads in section 51. | SOFLME12 (12 ½" - 15 ½") | SOFLME14 (14 ½" – 19 ½") | |
| ADDPLHD | Heavy Duty Power Elevating & Articulating | g Legrests | | | \$2,745 |
| | S | elect Function: | Individual | Combined | |
| | Select Fo | ootrest Range: | SOFLPW12 (12 ½" - 15 ½") | SOFLPW14 (14 ½" - 19 ½") | |

This option includes calf pads. Individual legs count as two power functions. Combined legs count as one power function.

51. FOOTPLATES & ACCESSORIES

| SOSFAF | Flip-up Footplates | STD |
|---------|---|-------|
| SOAFP | Angle Adjustable & Flip-up Footplates – (Each) | \$65 |
| SOAHL | Heel Loops – (Each) | \$20 |
| SOACPFR | Calf Pads for Adult Heavy-Duty Swing-Away footrests – (SOAAF) – with adjustable hardware – (Each) | \$93 |
| SOAMA | Swing-away Amputee Support Select : Left leg Right leg | \$455 |

52. FOOTREST LENGTH ADJUSTMENT AT FACTORY

Set the Footrest Length at: _____

▲ The Footrest Length is taken from the top of the seat pan to the top of the footplate.

53. CENTER MOUNTS

| SOAAF90 | 90° Fixed Center Mount Interface Bracket – (Offers Manual o | adjustability from 94° to 70°) | | \$200 |
|---------|---|---|---|----------|
| | Select Foot Platform Range: | SOFBA12 (12 ½" - 16 ½") | SOFBA16 (16 ½" - 19 ½") | |
| | ▲ When selecting SOFBA16 (16 ½" - 19 ½") range, the lowest possible seat to floor height is 19" | | | |
| | Select the one piece center mount foot platform (SOFUFP) or th | e split footplates (SOAFPFB). | | |
| | With the split footplates option (SOAFPFB), this bracket offers in | ndependent height adjustability for each fo | otplate. | |
| | This option is not compatible with the 9" Caster or the Straight F | ront Arm option due to Mechanical conflict | s | |
| ADDPFHD | 90° Heavy-Duty Power Center Mount Elevating & Articulating | Foot Platform | | \$ 2,745 |
| | Select Foot Platform Range: | SOFBPW12 (10 ½"- 16") | SOFBPW16 (16"- 20") | |
| | When selecting SOFBPW16 (16"- 20") range, the lowest pos | sible seat to floor height is 19" | | |
| | This option includes calf pads. The power center mount counts as one power function. | | | |
| | Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB). | | | |
| | This option is not compatible with the 9" Casters or the Straight | Front Arm option due to Mechanical conflic | ts. | |
| | ▲ For leg lengths between 10 ½" and 12 ½", there is a partial con | flict where the calf pads prevent the foot pl | atform or foot plates from folding comple | etely. |

54. FOOT PLATFORMS & ACCESSORIES

| SOFUFP | Flip-up one piece Foot Platform | \$140 |
|---------|--|-------|
| SOAFPFB | Angle Adjustable & Flip-up Split Footplates for center mount – (Each) | \$65 |
| SOACPCM | Calf Pads for 90° Fixed Center Mount - (SOAAF90) with adjustable hardware - (Each) | \$93 |

....

55. FOOT PLATFORM HEIGHT ADJUSTMENT AT FACTORY

Set the Foot Platform Height at: _____

▲ The Foot Platform Height is taken from the top of the seat pan to the top of the foot platform or split foot plates.

56. SEAT POSITIONING (NOT COMPATIBLE WITH THE WC19-ISO OPTION)

| SOAUTO | 55" Seat Positioning Strap | STD |
|--------------|--|--------|
| SOAUTO80 | 80" Seat Positioning Strap | \$75 |
| SOBPHP2C | Bodypoint padded Hip Belt – (Two Point – Center Pull) | \$ 170 |
| SOBPHP2C-L82 | XL 82" Bodypoint padded Hip Belt – (Two Point – Center Pull) | \$ 190 |
| SOPHB | Padded Hip Belt, 2-PT Magnetic Center Pull | \$ 194 |
| SOBPCS | Bodypoint padded Chest Strap | \$250 |
| SOPCS | Padded Chest Strap, 2-PT Magnetic Center Pull | \$262 |





57. HEADREST

| Select one of the headrest options with the mounting hardware and specify where the headrest will be installed. | | |
|---|---|-------|
| SONUAHR | Using headrest mounting hardware other than SOMAH located bellow. Specify: | N/C |
| SOFHRS | Small Curved Headrest Pad – 4" x 9" | \$155 |
| SOFHRM | Medium Curved Headrest Pad – 5" x 10" | \$155 |
| SOFHRL | Large Curved Headrest Pad – 6" x 11" | \$155 |
| SOMAH | Multi-axis Removable Mounting Hardware | \$220 |
| SOHRBC | Bracket to Mount on the Contour Back Support – (Without Recline) | N/C |
| SOHRPR | Bracket to Mount on the Seat Frame – (For Reclining Backs) | N/C |

58. LATERAL TRUNK SUPPORTS

| Select one of the lateral pads and the adjustable & removable hardware. | | |
|---|--|-----------------------|
| SOSLS3 | Adjustable Laterals with Small Curved Pads – (Each) – 3" x 5" | SEATING BENEFIT \$100 |
| SOSLM4 | Adjustable Laterals with Medium Curved Pads – (Each) – 4" x 6" | SEATING BENEFIT \$100 |
| SOSLL5 | Adjustable Laterals with Large Curved Pads – (Each) – 5" x 7" | SEATING BENEFIT \$100 |
| SOSLHM | Adjustable Swing-Away Hardware Mounts – (Each) | SEATING BENEFIT \$220 |

59. HIP & THIGH SUPPORTS

| Select one of the | e hip & thigh support pads and the adjustable & removable hardware. | |
|---------------------------------------|---|-----------------------|
| SOHTSS10 | Adjustable Hip & Thigh Support Pads – (Each) – Small 10" x 4" | SEATING BENEFIT \$130 |
| SOHTSM12 | Adjustable Hip & Thigh Support Pads – (Each) – Medium 12" x 5" | SEATING BENEFIT \$130 |
| SOHTSL14 | Adjustable Hip & Thigh Support Pads – (Each) – Large 14" x 6" | SEATING BENEFIT \$130 |
| SOHTSARH | Adjustable and Removable Hip & Thigh Support Hardware – (Each) | SEATING BENEFIT \$136 |

60. ACCESSORIES

| SOCH | Cup Holder – (Self-Leveling) | Install on: | Left Side | Right Side | \$ 115 |
|--|---|----------------|-------------------|------------|--------|
| SOCPH | Ram Mounts X-Grip Cell Phone Holder | Install on: | Left Side | Right Side | \$ 190 |
| SOTHS | Ram Mounts X-Grip Small Tablet Holder | Install on: | Left Side | Right Side | \$205 |
| SOTHL | Ram Mounts X-Grip Large Tablet Holder with Swivel | Install on: | Left Side | Right Side | \$360 |
| Standard installation is on the opposite side of joystick. Installing accessories on the same side as the joystick may require a custom upgrade. | | | | | |
| | With multiple accessories installed on the same side, a | custom upgrade | will be required. | | |

61. REFLECTOR KIT

| REFLECT | Red & White Reflector Kit Stickers (They will not be installed – Included in a bag with the owner's manual) | N/C |
|---------------|---|-----------------------------|
| | | |
| 62. BACK PACK | CAND ARMREST SIDE POUCHES | |
| SOBP | Back Pack — (Comes with durable straps that can be hooked around the back canes) | CLIENT COST \$90 |
| SOAP | Armrest Side Pouch – (Comes with durable straps that can be hooked around the armrest tubes) Order: Left Side | Right Side CLIENT COST \$53 |
| | If only choosing one (1) armrest pouch, please show what side it should be installed | |

63. SWITCHES AND OPTIONS

| ASCPCP | PGDT R-NET Dongle and PC programmer kit | NOT COVERED BY AADL \$600 |
|---------|--|-----------------------------|
| ASCPVR2 | PGDT VR2 with PPI Dongle and PC programmer kit | NOT COVERED BY AADL \$1,450 |
| SSBS | Buddy Button Switch | \$230 |
| SSES | Egg Switch-Black | \$116 |
| SSML | Ultra Light Switch | \$295 |
| ESS-RED | Emergency STOP Switch - Red | \$314 |





SPECIALTY DRIVER CONTROL OPTIONS

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

64. THERAFIN SIP-N-PUFF KIT (CODE W100)

| CSNPK | Therafin Sip-N-Puff Kit | | | \$1,975 |
|----------------|---|----------------------|-----------------------|---------|
| CSNPBTK | Therafin Sip-N-Puff Breath Tube Kit | | | N/C |
| | Required with the Therafin Sip-N-Puff kit. | | | |
| SCSRMSNP | Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff | SWL (Swings on Left) | SWR (Swings on Right) | \$300 |
| | Required with the Therafin Sip-N-Puff kit. | | | |
| SCSRM | Stealth Rock-n-Lock Swingaway Mount for Mode Switch | SWL (Swings on Left) | SWR (Swings on Right) | \$510 |
| SES | Egg Switch for Changing Modes – Black | MLH (Mount on Left) | MRH (Mount on Right) | \$116 |
| | Required with the Stealth Rock-n-Lock Swing Away mount. | | | |
| | The Mode Switch Type can be changed from this selection in SWITCHES & | OPTIONS section. | | |
| SS-RED | Emergency STOP Switch - Red | User Activation | Attendant Activation | \$314 |
| | Required with the Therafin Sip-N-Puff kit. | | | |
| ОМАН | Multi-axis Headrest Removable Mounting Hardware | | | \$220 |
| | Required with the Therafin Sip-N-Puff kit. | | | |
| CHOOSE ONE (1) | HEADREST PAD | | | |
| OFHRS | Small Curved Headrest Pad – 4" x 9" | | | \$155 |
| OFHRM | Medium Curved Headrest Pad – 5" x 10" | | | \$155 |
| | | | | |

65. PROXIMITY HEAD ARRAY (CODE W100)

| SCSIHAA | Adult - Switch-It 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse | | | |
|---------|--|----------------------|-----------------------|-------|
| SCSRM | Stealth Rock-n-Lock Swingaway Mount for Mode Switch | SWL (Swings on Left) | SWR (Swings on Right) | \$510 |
| SSES | Egg Switch for Changing Modes – Black | MLH (Mount on Left) | MRH (Mount on Right) | \$116 |
| | Required with the Stealth Rock-n-Lock Swing Away mount. | | | |
| | The Mode Switch Type can be changed from this selection in SWITCHES & O | PTIONS section. | | |
| ESS-RED | Emergency STOP Switch - Red | User Activation | Attendant Activation | \$314 |
| | Required with the Proximity Head Array. | | | |
| SOMAH | Multi-axis Headrest Removable Mounting Hardware | | | \$220 |
| | Required with the Proximity Head Array. | | | |

66. LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL (CODE W100)

| SCSIMP | Switch-It Light touch mini Proportional Joystick | | | \$4,495 |
|----------------|---|----------------------|-----------------------|---------|
| SCSRMMP | Stealth Rock-n-Lock Swingaway Arm for Chin MP | SWL (Swings on Left) | SWR (Swings on Right) | \$870 |
| | Required with the Light touch mini Proportional Joystick. | | | |
| SCSRM | Stealth Rock-n-Lock Swingaway Mount for Mode Switch | SWL (Swings on Left) | SWR (Swings on Right) | \$510 |
| SSES | Egg Switch for Changing Modes – Black | MLH (Mount on Left) | MRH (Mount on Right) | \$116 |
| | Required with the Stealth Rock-n-Lock Swing Away mount. | | | |
| | The Mode Switch Type can be changed from this selection in SWITCHES & C | PTIONS section. | | |
| JCC | Chin Cup | | | \$55 |
| SOMAH | Multi-axis Headrest Removable Mounting Hardware | | | \$220 |
| | Required with the Light touch mini Proportional Joystick. | | | |
| CHOOSE ONE (1) | HEADREST PAD | | | |
| SOFHRS | Small Curved Headrest Pad – 4" x 9" | | | \$155 |
| SOFHRM | Medium Curved Headrest Pad – 5" x 10" | | | \$155 |
| SOFHRL | Large Curved Headrest Pad – 6" x 11" | | | \$155 |





SPECIALTY DRIVER CONTROL OPTIONS (CONTINUED)

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

67. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR MIDLINE MOUNT (CODE W100)

| SCPGMJS | PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount | | | \$2,369 |
|---------|--|---------------------|----------------------|---------|
| SCGMJSM | Gatlin Midline Swing-away Mount for JC200 MLH (Mount on Left) MRH (Mount on Right) | | \$325 | |
| | Must be selected for use with the PG Drives JC200 Mini Joystick. | | | |
| SCSIMP | Switch-It Light touch mini Proportional Joystick | | | \$4,495 |
| SCGMPM | Gatlin Midline Swing-away Mount for Light touch mini proportional Joystick | MLH (Mount on Left) | MRH (Mount on Right) | \$750 |
| | Must be selected for use with the Light touch mini Proportional Joystick. | | | |
| SCBTM | Bullet Hand Tray for Light Touch mini Proportional Joystick | MLH (Mount on Left) | MRH (Mount on Right) | \$750 |
| | This option is only compatible with the Light touch Mini Proportional Joystick. | | | |

68. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR ARMREST MOUNT (CODE W100)

| SCPGMJS-M | PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount | | | \$2,369 |
|-----------|---|---------------------|----------------------|---------|
| SCARMJSM | Swing-away and Multi-Axis armrest mount | MLH (Mount on Left) | MRH (Mount on Right) | \$325 |
| | Must be selected for use with the PG Drives JC200 Mini Joystick. | | | |
| SCSIMP | Switch-It Light touch mini Proportional Joystick | | | \$4,495 |
| SCARMPM | Swing-away and Multi-Axis armrest mount | MLH (Mount on Left) | MRH (Mount on Right) | \$375 |
| | Must be selected for use with the Light touch mini Proportional Joystick. | | | |
| SCBTM | Bullet Hand Tray for Light Touch mini Proportional Joystick | MLH (Mount on Left) | MRH (Mount on Right) | \$750 |
| | This option is only compatible with the Light touch Mini Proportional Joystick. | | | |

69. PROPORTIONAL RIM HEAD CONTROL PACKAGE (CODE W100)

| SCPHC | Proportional RIM Head Control Package | | | \$2,795 |
|-------|---|----------------------|-----------------------|---------|
| SCSRM | Stealth Rock-n-Lock Swingaway Mount for Mode Switch | SWL (Swings on Left) | SWR (Swings on Right) | \$510 |
| SSES | Egg Switch for Changing Modes – Black | MLH (Mount on Left) | MRH (Mount on Right) | \$116 |
| | Required with the Stealth Rock-n-Lock Swing Away mount. | | | |
| | The Mode Switch Type can be changed from this selection in SWITCHES & | & OPTIONS section. | | |
| SOMAH | Multi-axis Headrest Removable Mounting Hardware | | | \$220 |
| | Required with the Proportional RIM Head Control. | | | |
| | | | • | |





CUSTOM SECTION

▶ Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.

70. O² HOLDER

| SUPOXY | Custom Non-Articulating Oxygen Tank Holder | MLH (Mount on Left) | MRH (Mount on Right) | \$295 |
|---------|--|---------------------|----------------------|---------|
| | Not available with a power recline | | | |
| SUPOXYA | Custom Articulating Oxygen Tank Holder | MLH (Mount on Left) | MRH (Mount on Right) | \$1,195 |
| | Required with a power recline | | | |
| | D-Size Oxygen Tank - (* 22" Tall x 4.3" Diameter) - * The height includes the valve | | | |
| | E-Size Oxygen Tank – (* 31" Tall x 4.3" Diameter) – * The height includes the valve | | | |

71. VENT TRAY (PLEASE COMPLETE IN FULL)

| Amylior does | not supply the battery, charger or the wiring for the Vent. These items are normally provided by the Vent Manufacturer. | |
|----------------------------------|---|---------|
| SOVENT | Custom Vent Tray | |
| | Articulating Vent Box – (Required with Power Tilt and/or Recline) | \$1,360 |
| | Fixed Vent Box | \$400 |
| | SPECIFY MODEL | |
| | Trilogy 100/200 | |
| | LTV | |
| | LTV with Sprintpack | |
| | Other, specify: | |
| SOVTBE | Extended Battery Compartment | \$495 |
| | The Vent is being powered by 1 U1 Battery and the chair by 2 Group 24 batteries | |
| | The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 24 batteries | |

72. OTHER CUSTOM OPTIONS (REQUEST FOR QUOTE)

| Please specify de | etails and specifications for these options. | | | | | |
|---------------------------------------|--|---|------------------------------|----------------------------|--------------------|-----|
| CUSTOM | Rear view Camera with 5" Monitor | or 💦 | | | CLIENT COST | RFQ |
| CUSTOM | USB Charger Port < Specify the loc | ation for the installation: | | | CLIENT COST | RFQ |
| CUSTOM | Folding Backrest for Additional St | orage possibilities and Travel acce | sibility | | CLIENT COST | RFQ |
| CUSTOM | | Casters. Other conditions apply, pl 20-amp controller and 14" drive-whee | | dditional details | CLIENT COST | RFQ |
| CUSTOM | Large Ball Handle | | | | CLIENT COST | RFQ |
| CUSTOM | Tilt + Elevate Function Through VR | 2 Non-Expandable Drive Control | | | CLIENT COST | RFQ |
| CUSTOM | Power Anterior Tilt | | | | CLIENT COST | RFQ |
| CUSTOM | Rearview mirror Left | Side Right Si | le 🖉 | | CLIENT COST | RFQ |
| CUSTOM | Power Flip-up Foot Platform – (Ple | ase call CSR for availability with configur | ation and user weight capaci | 'ty) | CLIENT COST | RFQ |
| | This option is not available with | he Straight Front Caster Arms on Hybri | d-Wheel Drive configuration | ons. | | |
| CUSTOM | Power Vertical Lifting Foot Platfor | m — (Please call CSR for availability with | configuration and user weigl | nt capacity) | CLIENT COST | RFQ |
| | This option is not available with | he Straight Front Caster Arms on Hybri | d-Wheel Drive configuration | ons. | | |
| CUSTOM | Independent Depth Adjustability l | ouilt into the Footrest Receiver that i | attached to the Seat Pa | n | CLIENT COST | RFQ |
| CUSTOM | Endomorphic Back Canes – (Pair) | 1" per side towards the insid | e = 2" 2" per sid | e towards the inside = 4" | CLIENT COST | RFQ |
| CUSTOM | Transfer Handles – (Pair) | Select a height range: | 5" to 8" | 6" to 9" | CLIENT COST | RFQ |
| CUSTOM | Foot Box Length: | Width: | _ Please confirm with C | SR on sizing possibilities | CLIENT COST | RFQ |
| CUSTOM # 1 | Other custom options. Specify in | notes section below | | | CLIENT COST | RFQ |
| CUSTOM # 2 | Other custom options. Specify in | notes section below | | | CLIENT COST | RFQ |
| | | | | | | |





73. NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS