



**1. ACCOUNT INFORMATION**

P.O. # or Quote: \_\_\_\_\_

Dealer Contact Name: \_\_\_\_\_

Email Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Bill to (Name): \_\_\_\_\_

Bill to (Location): \_\_\_\_\_

Ship to (Name): \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ **Discount is 4%** \_\_\_\_\_

Province: \_\_\_\_\_ Postal Code: \_\_\_\_\_

User Name or Number: \_\_\_\_\_

User Weight: \_\_\_\_\_

User Height: \_\_\_\_\_

Seat Cushion Thickness: \_\_\_\_\_

Knee to Heel Length: Left: \_\_\_\_\_ " Right: \_\_\_\_\_ "



**THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:**

- A user name or number, the client's measurements and weight - Amysystems is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Amysystems summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

**\* IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES**

**2. STANDARD OPTIONS**

Alltrack P3 Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 6" front casters on MWD or 8" on HWD, and standard auto style buckle seat positioning strap, 6.5mph motors, **Weight Capacity = 300 lb**

**3. ALLTRACK P3 POWER WHEELCHAIR**

<b>MID-WHEEL DRIVE CONFIGURATION</b>	
<b>ATPM3</b>	ALLTRACK P3 Power Wheelchair (MWD) \$8,020
<b>HYBRID-WHEEL DRIVE CONFIGURATION</b>	
<b>ATPR3</b>	ALLTRACK P3 Power Wheelchair (HWD) \$8,020

**3.5 OWNER'S MANUAL**

<b>SOOMATENG</b>	English / Anglais	N/C	<b>SOOMATFR</b>	Français / French	N/C
------------------	-------------------	-----	-----------------	-------------------	-----

**4. USER WEIGHT PACKAGES**

<b>WCA25</b>	250 lb Maximum user weight capacity	STD
<b>WCA3</b>	300 lb Maximum user weight capacity	STD

**5. STANDARD COLORS**

<b>SCMOBM / SCROBM</b>	Onyx Black Matte	N/C	<b>SCMCAB / SCRCAB</b>	Cabernet	N/C
<b>SCMCTB / SCRCTB</b>	Cobalt Blue	N/C	<b>SCMBGM / SCRBMG</b>	Bubble Gum Metallic	N/C
<b>SCMIOB / SCRIOB</b>	Indigo Blue	N/C	<b>SCMHAB / SCRHAB</b>	Habanero Metallic	N/C
<b>SCMCRE / SCRCRE</b>	Candy Red	N/C	<b>SCMLIM / SCRLIM</b>	SubLime	N/C

**OPTIONAL COLORS**

<b>FCHDD</b>	Desert Digital Camo HydroGraphics - (Military Tan base)	\$795	<b>FCHWL</b>	Woodland Camo HydroGraphics - (Military Green base)	\$795
<b>FCHCF</b>	Carbon fiber HydroGraphics - (Matte black base)	\$795			



## 5.5 WHEEL INSERT COLORS

<b>SCCTB-WI</b>	Cobalt Blue	N/C	<b>SCHAB-WI</b>	Habanero Metallic	N/C
<b>SCIOB-WI</b>	Indigo Blue	N/C	<b>SCLIM-WI</b>	SubLime	N/C
<b>SCCRE-WI</b>	Candy Red	N/C	<b>SCBGM-WI</b>	Bubble Gum Metallic	N/C
<b>SCCAB-WI</b>	Cabernet	N/C			

▲ Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)

▲ Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)

▲ Wheel inserts are not available in Onyx Black Matte

## 7. TRANSPORT OPTION

<b>TTD4</b>	4-Point wheelchair transport brackets	STD
	▲ 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval.	
<b>WC19-ISO</b>	WC-19 and ISO 7176-19 Occupied Transit Package	\$595
	▲ To confirm if your overall wheelchair configuration is WC-19 and ISO 7176-19 compliant, please refer to this website: <a href="https://docs.google.com/spreadsheets/d/1KtNIEA5OQJCS5z3OD1adWEIaFLN1XO3ZcTc6DI_kaE/edit#gid=1917752765">https://docs.google.com/spreadsheets/d/1KtNIEA5OQJCS5z3OD1adWEIaFLN1XO3ZcTc6DI_kaE/edit#gid=1917752765</a>	
	▲ Other restrictions may apply, please contact CSR for details.	
	▲ This option is only available on new power wheelchairs as an "on-chair" option. It is not available to install on a delivered wheelchair	
	▲ Not compatible with the narrow base configurations (FS2424B and FS2221B)	

## 8. MOTOR PACKAGE

<b>MP65B</b>	6.5MPH 4-Pole Motor Package / with Brake Release	STD
<b>MP65-OPT</b>	6.5MPH 4-Pole Motor Package / with COG Release	CLIENT COST \$395
	▲ Not compatible with the narrow base configuration (FS2221B)	
<b>MP85</b>	8.5MPH 4-Pole High Speed Motor Package / with COG Release	CLIENT COST \$395
	▲ Maximum user weight for this option is 250 lb and requires the R-net 120 Amp Expandable Controller (ECR120).	
	▲ This motor package is only available with the HWD configuration (ATPR3)	

## 9. ASSISTIVE DRIVING PACKAGE

<b>SMARTT</b>	Smart-Track Assistive Driving Package	\$1,420
	▲ Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control.	
	▲ Requires the R-net PM 120 Amp Expandable Controller (ECR120).	
	▲ This option requires either the MP65-OPT or MP85 motor package.	
	▲ Not compatible with the narrow base configuration (FS2221B)	
	▲ Recommended for non-proportional Drive Controls.	

## 10. BATTERY CHARGER

<b>BCOB</b>	8A Offboard Battery Charger	N/C
-------------	-----------------------------	-----

## 11. BATTERY TRAY AND BASE WIDTH

<b>FS2221B</b>	<b>N2221</b> - Battery Tray for Group 22 Batteries with a Narrow 21" base width (Total base width = 21")	N/C
	▶ This option is only available with the MWD configuration (ATPM3).	
	▶ NOT AVAILABLE WITH THE FOLLOWING OPTIONS:	
	▲ WC-19 and ISO 7176-19 Occupied Transit Package (WC19-ISO)	
	▲ 6.5MPH 4-Pole Motor Package / with COG Release option (MP65-OPT)	
	▲ Smart-Track option (SMARTT)	
	▲ 8" front casters (FC8PTM and FC8PIM)	
	▲ 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires (DW144PT and DW144PI)	
<b>FS22B</b>	Battery Tray for Group 22NF Batteries – (Total base width = 23 3/8")	STD
	▲ For the HWD configuration, the 23 3/8" compact base is not compatible with most of the Center Mount Front Rigging Options due to mechanical conflicts	
	▲ The Straight Front Arm option is not available with any of the Center Mount Front Rigging Options due to mechanical conflicts	
<b>FS2424B</b>	<b>N2424</b> - Battery Tray for Group 24 Batteries with a Narrow 24" base width (Total base width = 24")	N/C
	▲ The starting angle is reduced from 90° to 85° for some seat configurations when used with the narrow base configuration (FS2424B)	
	▲ This option is only available with the MWD configuration (ATPM3).	

▶ SELECT ONE FRONT CASTER ARM OPTION FOR THE HWD CONFIGURATION: **FLARED OUT (STD)** **STRAIGHT (OPTIONAL)**



## 12. BATTERIES - REQUIRES A SELECTION

<b>BAT22NFGEL</b>	Premium CG Power - GEL Battery – Group 22NF – 50 Amps (Each)	\$335
<b>BAT24GEL</b>	Premium CG Power - GEL Battery – Group 24 – 70 Amps (Each)	<b>AADL CONTRACT</b> \$465
<b>BATO</b>	Omission of the batteries	N/C

## 14. DRIVE WHEEL

<b>DW14PT</b>	14" Cast Wheel Pneumatic Tires	STD
<b>DW14PI</b>	14" Cast Wheel Pneumatic with Foam Filled Tires	N/C
<b>DW144PT</b>	14" x 4" Extra Wide Cast Wheels, Pneumatic Tires	\$200
<b>DW144PI</b>	14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires	\$595
	▲ Increases the overall width of the base by 2 ¾"	
	▲ Not compatible with the narrow base configuration (FS2221B)	
<b>DW12PT</b>	12 ½" Cast Wheel Pneumatic Tires	N/C
<b>DW12PI</b>	12 ½" Cast Wheel Pneumatic with Foam Filled Tires	N/C
	▲ 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque.	

## 15. FRONT CASTERS

### ▶ MWD CONFIGURATION

<b>FC6S</b>	6" Solid Casters – (Not available with the 14" x 4" Extra Wide Cast Wheel options <b>DW144PT</b> or <b>DW144PI</b> )	STD
<b>FC8PTM</b>	8" Pneumatic Casters	N/C
<b>FC8PIM</b>	8" Pneumatic Casters with Foam Filled Tires	N/C
	▲ The 8" casters are NOT compatible with the 12 ½" Drive wheel configuration ( <b>DW12PT</b> and <b>DW12PI</b> ).	
	▲ Not compatible with the narrow base configuration (FS2221B)	

### ▶ HWD CONFIGURATION

<b>FC8PTR</b>	8" Pneumatic Casters	STD
<b>FC8PIR</b>	8" Pneumatic Casters with Foam Filled Tires	N/C
<b>FC9PT</b>	9" Pneumatic Casters	\$150
<b>FC9PI</b>	9" Pneumatic Casters with Foam Filled Tires	\$175
	▲ The 9" casters will increase the minimum seat to floor height by ½" and are NOT compatible with the 12 ½" Drive wheel configuration ( <b>DW12PT</b> and <b>DW12PI</b> )	
	▲ The 9" casters are NOT compatible with many front rigging options. Please see details in the Front Rigging sections.	

## 16. SEAT TO FLOOR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ¼")

### ▶ OPTIONS FOR A REHAB SEAT ONLY - NO POWER SEATING

▼ Seat-to-Floor heights, for seat only, are for MWD. Remove ¼" height for HWD.

<b>STFH155</b>	15 ½" – (Possible Seat angle of 0° only)		
	▲ Requires the 12 ½" Drive wheels ( <b>DW12PT</b> and <b>DW12PI</b> )		
<b>STFH1625</b>	16 ¼" – (Possible Seat angle of 0° only)	<b>STFH1925</b>	19 ¼" – (Possible Seat angle of 0°, 3° and 6°)
<b>STFH1725</b>	17 ¼" – (Possible Seat angle of 0° and 3°)	<b>STFH2025</b>	20 ¼" – (Possible Seat angle of 0°, 3°, 6°, 9°)
<b>STFH1825</b>	18 ¼" – (Possible Seat angle of 0° and 3°)		

### ▶ OPTIONS FOR A POWER TILT OR A STD POWER ELEVATE MODULE

▼ Seat-to-Floor heights, for seat only, are for MWD. Add ¼" height for HWD.

<b>STFH155</b>	15 ½" – (Possible Seat angle of 0° only)		
	▲ Requires the 12 ½" Drive wheels ( <b>DW12PT</b> and <b>DW12PI</b> )		
<b>STFH1625</b>	16 ¼" – (Possible Seat angle of 0° only)	<b>STFH1825</b>	18 ¼" – (Possible Seat angle of 0° only)
<b>STFH1725</b>	17 ¼" – (Possible Seat angle of 0° only)	<b>STFH1875</b>	18 ¾" – (Possible Seat angle of 0° only)
<b>STFH1775</b>	17 ¾" – (Possible Seat angle of 0° only)		

### ▶ OPTIONS FOR A COMBO – POWER TILT WITH A STD POWER ELEVATE MODULE

▼ Seat-to-Floor heights, for seat only, are for MWD. Add ¼" height for HWD.

<b>STFH175</b>	17 ½" – (Possible Seat angle of 0° only)		
	▲ Requires the 12 ½" Drive wheels ( <b>DW12PT</b> and <b>DW12PI</b> )		
<b>STFH1825</b>	18 ¼" – (Possible Seat angle of 0° only)		

## 17. SEAT TO FLOOR HEIGHT SPECIFICATION (IF NOT STANDARD)

<b>SOMHSS</b>	Specific seat to floor height higher than standard. It's not possible to lower the seat to floor height below minimum ranges.	RFQ
	▲ Required at: _____" (± ¼" Range)	



## 18. PRE-SET SEAT FRAME ANGLE

<b>SFE-0</b>	0° Pre-set seat frame seat angle – (Must be selected when using power options)	STD
<b>SFE-3</b>	3° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/C
<b>SFE-6</b>	6° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/C
<b>SFE-9</b>	9° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/C

## 19. LIGHTING PACKAGE

<b>EOLP</b>	LED Light Package – (Includes front and rear lights with integrated flashers) ▲ Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECVJ6KL, ECELJL, ECRJCL, ECRJC35B or EDIB).	<b>CLIENT COST</b> \$1,425
-------------	---	----------------------------

## 20. NON-EXPANDABLE ELECTRONICS - PG DRIVES VR2 CONTROLLER AND JOYSTICKS

► VR2 Electronics can only accommodate specific power seat functions and combinations such as Tilt / Elevate / Recline / Power Center Mount / Combined Power Legs / Tilt + Power Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs / Tilt + Elevate (Custom)

<b>ECV902A</b>	VR2 90 Amp Drive Controller – (Requires the selection of VR2 joystick below)	STD
<b>ECVJ4K</b>	VR2 Standard 4-Key Joystick	STD
<b>ECVJ6K</b>	VR2 6-Key Joystick – (Allows for single or select dual power options to operate through this joystick)	N/C
<b>ECVJ9KL</b>	VR2 9-Key Joystick with Lighting Operation – (Allows for single or select dual power options to operate through this joystick)	\$150

## 21. EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS

<b>ECEL90</b>	R-net EL 90 Amp Expandable Controller	\$175
<b>ECR120</b>	R-net PM 120 Amp Expandable Controller	\$275

## 22. EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

► Selection of one joystick option below is required with the expandable controller ECEL90 or ECR120

<b>ECO</b>	Omit Joystick – (For use with an Omni 2 Display)	N/C
<b>ECELJ</b>	R-net - (LED) – Joystick ▲ This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY).	STD
<b>ECRJC</b>	R-net Joystick with Color screen	\$155
► JOYSTICKS WITH LIGHTING OPERATION		
<b>ECELJL</b>	R-net - (LED) – Joystick with Lighting Operation ▲ This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY).	<b>CLIENT COST</b> \$125
<b>ECRJCL</b>	R-net Joystick with Color screen and Lighting Operation	\$180
► ADVANCED JOYSTICK		
<b>ECRJC35B</b>	R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	<b>CLIENT COST</b> \$1,105

## 23. JOYSTICK MOUNT

<b>JSMF</b>	Fixed Joystick Mount	N/C
<b>JMSA</b>	Swing Away Joystick Mount – Height adjustable, Angle adjustable and Multi-Axis Set-up with standard installation to swing-away sideways Set-up at 35° to swing-away sideways and downwards	\$235
<b>JSMCM</b>	Midline Mounted Swing Away Joystick Mount	\$275

## 24. JOYSTICK MOUNT SUPPORT

<b>JSMFH</b>	Joystick mount support Bracket	STD
--------------	--------------------------------	-----

## 25. JOYSTICK HAND MOUNT

<b>HML</b>	Install Joystick on Left hand side	<b>HMR</b>	Install Joystick on Right hand side
------------	------------------------------------	------------	-------------------------------------

## 26. JOYSTICK HANDLE

<b>JSH</b>	Standard Joystick Gimble	STD	<b>JBAT</b>	Stick Handle 3" in Length	\$130
<b>JBH</b>	Ball Handle	\$85	<b>JFBH</b>	Foam Ball Handle	\$70
<b>JTH</b>	T-Handle	\$155	<b>JMUSH</b>	Bodypoint Mushroom Handle	\$210
<b>JGP</b>	Bodypoint 4" U-shaped Handle	\$210			



## 29. R-NET OMNI 2 - ENHANCED DISPLAY & DIGITAL INTERFACE BOX (REQUIRED WITH SPECIALTY CONTROLS)

<b>EDIB</b>	Omni 2 – (Enhanced Display & Digital Interface Box with Infrared) ▲ Allows the switch operation of alternative devices through driver controls. Requires the R-net fully Expandable Controller (ECR120) ▲ The Omni 2 display mount must be selected from the option below.	<b>CODE W100</b>	\$1,915
-------------	--	------------------	---------

## 30. OMNI 2 ENHANCED DISPLAY MOUNT

<b>EDSAM</b>	User Swing Away Mount <b>EDML</b> – (Install Display on LH side) <b>EDMR</b> – (Install Display on RH side)	<b>CODE W100</b>	N/C
--------------	--	------------------	-----

## 31. ENVIRONMENTAL CONTROL MODULE

<b>ECU</b>	Environment control module – (Output Module) ▲ Requires one of the fully expandable R-net controllers (ECEL90 or ECR120).	<b>CLIENT COST</b>	\$995
------------	--	--------------------	-------

## 33. AMYSEAT REHAB SEAT / POWER SEATING SYSTEMS AND MODULES

<b>SAABA</b>	Amyseat Rehab Seat – (Seat Frame only)		\$880
<b>SAPT</b>	CG Power Tilt ▲ This option includes the Amyseat Rehab Seat – (SAABA)	<b>CLIENT COST</b>	\$6,195
<b>SAPRX</b>	Power Recline with Mechanical Shear Reduction (MSR) ▲ This option includes the Amyseat Rehab Seat – (SAABA) ▲ This option is not available with the pediatric seat frame SOWN11-16	<b>CLIENT COST</b>	\$7,845
<b>SAPTRX</b>	CG Power Tilt and Power Recline with Mechanical Shear Reduction (MSR) ▲ This option includes the Amyseat Rehab Seat – (SAABA) ▲ This option is not available with the pediatric seat frame SOWN11-16	<b>CLIENT COST</b>	\$11,495
<b>SAPESX</b>	ALTA 11" Power Seat Elevation ▲ This option includes the Amyseat Rehab Seat – (SAABA)	<b>CLIENT COST</b>	\$4,495
<b>ADDPESX</b>	Module – Add ALTA 11" Power Seat Elevation to either SAPTX, SAPRX or SAPTRX	<b>CLIENT COST</b>	\$2,495
<b>ADDMR</b>	Module – Manual Recline with Mechanical Shear Reduction – (MSR) ▲ The maximum user weight capacity with this option is 250 lb. ▲ This option is not available with the pediatric seat frame SOWN11-16		\$1,125

## 34. ELECTRONICS - SINGLE (1 ACTUATOR) POWER SEAT FUNCTION CONTROLLERS

### ► SINGLE SEAT FUNCTION USING AN EXTERNAL TOGGLE OR OPTIONAL SWITCH ONLY (FOR BOTH EXPANDABLE AND NON-EXPANDABLE SYSTEMS)

<b>SOLO</b>	Single function controller (Includes an external toggle switch)		STD
▼ OPTIONAL SWITCHES			
<b>SWTOGGLE</b>	Single Toggle Switch	<b>Attendant Activation</b>	\$100
<b>SWPUSH1</b>	Single Push Button Switch – (Single Mode: SAC)	<b>User Activation</b> <b>Attendant Activation</b>	\$90
<b>SWPUSH2</b>	Dual Push Button Switch – (Dual Mode: SAC)	<b>User Activation</b> <b>Attendant Activation</b>	\$180
<b>SSBS</b>	Buddy Button Switch <b>Black</b> <b>Red</b> <b>Green</b> <b>Yellow</b>	<b>User Activation</b> <b>Attendant Activation</b>	\$230
<b>SSES</b>	Egg Switch-Black	<b>User Activation</b> <b>Attendant Activation</b>	\$116
<b>SSML</b>	Ultra Light Switch	<b>User Activation</b> <b>Attendant Activation</b>	\$295

### ► SINGLE SEAT FUNCTION THROUGH DRIVE CONTROL

<b>EPSV</b>	Single Function Through VR2 Non-Expandable Drive Control ▲ Allows for activation of a single power option through VR2 controller ▲ Does not allow for control of power option through drive control and separate switches ▲ Control of power elevating seat with tilt is available as a custom. Check appropriate box in custom section 72 in addition to EPSV. ▲ VR2 Electronics can only accommodate specific power seat functions such as Tilt / Elevate / Recline / Power Center Mount / Combined Power Legs / Tilt + Elevate (Custom) ▲ Choose EPSV2 to operate select power combinations		N/C
<b>EPSEL</b>	Single Function Through Drive Control with R-net 90-amp controller ▲ Allows for activation of single power option through R-net 90-amp controller ▲ Compatible with all R-net joysticks ▲ Does not allow for control of power option through drive control and separate switches ▲ Can not operate more than one power option ▲ If selecting memory seating, choose SAC below ▲ If selecting 120-amp R-net controller, choose SAC below		N/C
<b>SAC</b>	Single Function Through Drive Control with R-net 90-amp or 120-amp controller ▲ Allows for activation of single power option through R-net drive controls ▲ Compatible with 90-amp or 120-amp controller, all R-net joysticks, Omni 2 and specialty controls ▲ Capable of operating tilt with power elevating seat ▲ Compatible with memory seating		N/C





► SINGLE SEAT FUNCTION OPTIONS (OPTIONS BELOW ARE COMPATIBLE ONLY WHEN CHOOSING SAC ABOVE)

<b>SACMEMORY</b>	Memory Seat Program ▲ This option is not compatible with any VR2 or LED joysticks (ECEUJ and ECEULJ)									<b>CLIENT COST</b> \$1,495
------------------	---	--	--	--	--	--	--	--	--	----------------------------

► SELECTION OF SWITCH BELOW GIVES ACCES TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH

<b>SACTOGGLE</b>	Single Toggle Switch					<b>Attendant Activation</b>	<b>CODE W100</b>	\$410
<b>SACPUSH1</b>	Single Push Button Switch – (Single Mode: SAC)				<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$400
<b>SACPUSH2</b>	Dual Push Button Switch – (Dual Mode: SAC)				<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$490
<b>SACSSBS</b>	Buddy Button Switch <b>Black Red Green Yellow</b>				<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$540
<b>SACSSBS</b>	Egg Switch-Black				<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$426
<b>SACSSML</b>	Ultra Light Switch				<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$605

**35. ELECTRONICS - MULTIPLE POWER SEAT FUNCTION CONTROLLER**

► DUAL SEAT FUNCTIONS THROUGH DRIVE CONTROL

<b>EPSV2</b>	Dual Function Through Drive Control with VR2 Non-Expandable Electronics ▲ Allows for the activation of 2 power options through the VR2 Controller. Combination of TILT + RECLINE or ELEVATE + RECLINE are not possible with EPSV2 ▲ Does not allow for control of power options through drive control and separate switches ▲ VR2 Electronics can only accommodate specific power seat combinations such as Tilt + Power Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs							N/C
--------------	--	--	--	--	--	--	--	-----

► MULTIPLE SEAT FUNCTIONS THROUGH R-NET

<b>MAC</b>	E-BX Multiple Function through Drive Control with Expandable Electronics – Powers iQ Actuators ▲ Required with the combined selection of the 90° Power Center Mount Elevating & Articulating Foot Platform (ADDPF) and the narrow base configuration (FS2221B)							\$2,295
------------	---	--	--	--	--	--	--	---------

► MAC OPTIONS

<b>MACMEMORY</b>	Memory Seat Program							\$175
------------------	---------------------	--	--	--	--	--	--	-------

► SELECTION OF SWITCH BELOW GIVES ACCES TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH

<b>MACKEYPAD-P</b>	Keypad w/ 5 Push Button Switches				<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$445
<b>MACKEYPAD-T</b>	Keypad w/ 5 Toggle Switches				<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$445
<b>MACMULTI</b>	4-Way Toggle Switch – (Up to 4 Activations) ▲ By selecting this switch, memory recall is only available through the Joystick.				<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$180
<b>MACMULTIT</b>	Triple Toggle Switch – (Up to 5 Activations) ▲ By selecting this switch, memory recall is only available through the Joystick.				<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$135
<b>MACPUSH4</b>	4-Way Push Button Switch ▲ By selecting this switch, memory recall is only available through the Joystick.				<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$225
<b>MACPUSH5</b>	5-Way Push Button Switch ▲ By selecting this switch, memory recall is only available through the Joystick.				<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$240

**36. SWITCH ACTIVATION HAND MOUNT**

<b>Switch Installation:</b>	<b>TSML</b> – (Install Switch on LH side)	<b>TSMR</b> – (Install Switch on RH side)						N/C
-----------------------------	---	---	--	--	--	--	--	-----

**37. PRE-SET BACK ANGLE (FOR NON-RECLINING BACKS)**

<b>SOBAA</b>	Select one: <b>86° 90° 94° 98° 102° 106° 110° 114° 118° 122°</b> ▲ Back angles of 102° or greater are not compatible with the OMNI 2.							
--------------	--	--	--	--	--	--	--	--

**37.5 PEDIATRIC ADJUSTABLE SEAT WIDTH RANGE BETWEEN 11" AND 16"**

<b>SOWN11-16</b>	– Width adjustment from 11" to 16" and Depth range of 11" to 16". Seat to Floor Height increases by 1 ¼".							N/C
<b>11" (SOWN11)</b>	<b>12" (SOWN12)</b>	<b>13" (SOWN13)</b>	<b>14" (SOWN14)</b>	<b>15" (SOWN15)</b>	<b>16" (SOWN16)</b>			

**38. STANDARD ADJUSTABLE SEAT WIDTH RANGE BETWEEN 15" AND 20"**

<b>SOWN15-20-19</b>	– Width adjustment from 15" to 20" with a maximum Depth of 19"							N/C
<b>15" (SOWN15)</b>	<b>16" (SOWN16)</b>	<b>17" (SOWN17)</b>	<b>18" (SOWN18)</b>	<b>19" (SOWN19S)</b>	<b>20" (SOWN20S)</b>			

**40. ADJUSTABLE SEAT DEPTH RANGE BETWEEN 11" AND 19"**

► PEDIATRIC ADJUSTABLE SEAT DEPTH RANGE BETWEEN 11" AND 16"

<b>11" (SODN11)</b>	<b>12" (SODN12)</b>	<b>13" (SODN13)</b>	<b>14" (SODN14)</b>	<b>15" (SODN15)</b>	<b>16" (SODN16)</b>			N/C
---------------------	---------------------	---------------------	---------------------	---------------------	---------------------	--	--	-----

► ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15" AND 19"

<b>15" (SODN15)</b>	<b>16" (SODN16)</b>	<b>17" (SODN17)</b>	<b>18" (SODN18)</b>	<b>19" (SODN19)</b>				N/C
---------------------	---------------------	---------------------	---------------------	---------------------	--	--	--	-----



#### 41. BACK CANE HEIGHT (THE BACK CANE HEIGHT MEASUREMENT IS TAKEN FROM THE SEAT PAN TO THE TOP OF THE PUSH HANDLES)

16" (SOBCH16)      18" (SOBCH18)      20" (SOBCH20)      22" (SOBCH22)      24" (SOBCH24)      26" (SOBCH26)

#### 42. BACK SUPPORT

<b>STDSB-WWHH</b>	Contour back support up to 21" wide, with a maximum shell height of 22". ▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back	<b>SEATING BENEFIT</b>	\$605
<b>▶ NEW MATRX BACKS</b>			
<b>E2S-WWHH</b> <small>NEW</small>	MATRX ELITE E2S BACK – (14" to 20" Wide - Back height of 6" to 20", in 2" increments) ▲ Back shell height is available in 6" to 20", in 2" increments. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back ▲ Weight capacity up to 300 lb	<b>SEATING BENEFIT</b>	\$995
<b>E2D-WWHH</b> <small>NEW</small>	MATRX DEEP CONTOUR ELITE E2D BACK – (14" to 20" Wide - Back height of 6" to 20", in 2" increments) ▲ Back shell height is available in 6" to 20", in 2" increments. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back ▲ This product is not compatible with Lateral Trunk Supports ▲ Weight capacity up to 300 lb	<b>SEATING BENEFIT</b>	\$1,155
<b>PBE-WWHH-TR</b> <small>NEW</small>	MATRX PB ELITE TR BACK – (15" to 20" Wide - Back height of 14", 16", 18" and 20") ▲ Back shell height is available in 14", 16", 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back ▲ Weight capacity up to 300 lb	<b>SEATING BENEFIT</b>	\$910
<b>▶ NEW NXT BACKS</b>			
<b>NOACB-WWHH</b> <small>NEW</small>	NXT OPTIMA FH AC CONTOUR BACK – (15" to 21" Wide) ▲ Weight capacity up to 300 lb	<b>SEATING BENEFIT</b>	\$690
<b>NOPCB-WWHH</b> <small>NEW</small>	NXT OPTIMA FH PC DEEP CONTOUR BACK – (15" to 21" Wide) ▲ Weight capacity up to 300 lb ▲ This product is not compatible with Lateral Trunk Supports ▲ Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back	<b>SEATING BENEFIT</b>	\$790
<b>▶ OMISSION OF THE BACK SUPPORT</b>			
<b>STDSBO</b>	Omission of the Contour Back Support      ◀ Specify Model of Back Support: _____		N/C

#### 43. BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

▼ 22" is the minimum back height required with a power or manual recline.

16" (SOBH16)      18" (SOBH18)      20" (SOBH20)      22" (SOBH22)      24" (SOBH24)      26" (SOBH26)

#### 44. SEAT CUSHIONS

##### ▶ CG AIR - THERAPEUTIC AIR CUSHION

<b>Single Valve 15" to 20" Wide</b> Note: For custom Cushions (Please use the CG Air Order Form)			
	<b>Cell Height:</b>	2"      3"      4"	
<b>CGA1VSCwwdd-h</b>	CG Air Single Valve – (with Standard 2-way Stretch Cover)		<b>SEATING BENEFIT</b> \$600
<b>CGA1V3Dwwdd-h</b>	CG Air Single Valve – (with 3D Mesh Cover)		<b>SEATING BENEFIT</b> \$690
<b>CGA1VICwwdd-h</b>	CG Air Single Valve – (with Incontinence Cover) ▲ Cushion sizes only come in even numbers for width and depth measurements.		<b>SEATING BENEFIT</b> \$690
<b>Dual Valve 15" to 20" Wide</b> Note: For custom Cushions (Please use the CG Air Order Form)			
	<b>Cell Height:</b>	2"      3"      4"	
<b>CGA2VSCwwdd-h</b>	CG Air Dual Valve – (with Standard 2-way Stretch Cover)		<b>SEATING BENEFIT</b> \$600
<b>CGA2V3Dwwdd-h</b>	CG Air Dual Valve – (with 3D Mesh Cover)		<b>SEATING BENEFIT</b> \$690
<b>CGA2VICwwdd-h</b>	CG Air Dual Valve – (with Incontinence Cover) ▲ Cushion sizes only come in even numbers for width and depth measurements.		<b>SEATING BENEFIT</b> \$690
<b>▶ CONTOUR SEAT CUSHION</b>			
<b>SCPSC-wwdd</b>	Contour Seat Cushion up to 19" Wide		<b>SEATING BENEFIT</b> \$620
<b>SCPSC-wwdd</b>	Contour Seat Cushion for Non-Standard Sizes of 20" to 24" Wide		<b>SEATING BENEFIT</b> \$735



▶ **NEW MATRX CUSHION**

<b>PSP-WWDD</b>	<b>NEW</b> MATRX PSP Seat Cushion – (11" to 20" Wide)	<b>SEATING BENEFIT</b>	<b>\$645</b>
	▲ The maximum user weight capacity is 300 lb		
	▲ Cushion sizes only come in even numbers for width and depth measurements.		

▶ **NEW NXT BIO-FIT CUSHION**

<b>NXTBIOFIT-WWDD</b>	<b>NEW</b> NXT BIO FIT Cushion – (15" to 21" Wide)	<b>SEATING BENEFIT</b>	<b>\$595</b>
	▲ The maximum user weight capacity is 300 lb		
	▲ Cushion sizes only come in even numbers for width and depth measurements.		

**45. CANTILEVER – HEIGHT ADJUSTABLE ARMRESTS – OPENS WITH A 5° ANGLE (CHOOSE 2)**

<b>SOAFBDLH</b>	Flip-Back Cantilever – Desk Length Left Side – (Height Adjustable from 7" to 15" with 1" increments) –	<b>STD Length 12"</b>	N/C		
<b>SOAFBDRH</b>	Flip-Back Cantilever – Desk Length Right Side – (Height Adjustable from 7" to 15" with 1" increments) –	<b>STD Length 12"</b>	N/C		
<b>SOAFBFLH</b>	Flip-Back Cantilever – Full Length Left Side – (Height Adjustable from 7" to 15" with 1" increments) –	<b>STD Length 16"</b>	STD		
<b>SOAFBFRH</b>	Flip-Back Cantilever – Full Length Right Side – (Height Adjustable from 7" to 15" with 1" increments) –	<b>STD Length 16"</b>	STD		
<b>CUST-112250</b>	Custom Armrest Length – Select Length for the <b>Left</b> side:	<b>Custom Length 18"</b>	<b>Custom Length 20"</b>	<b>Custom Length 22"</b>	N/C
<b>CUST-112250</b>	Custom Armrest Length – Select Length for the <b>Right</b> side:	<b>Custom Length 18"</b>	<b>Custom Length 20"</b>	<b>Custom Length 22"</b>	N/C
<b>CUST-SOAFB</b>	Select this code when using Cantilever armrests with Reclining backs				N/C
	▲ The maximum user weight capacity is 300 lb				

**46. DUAL POST – HEIGHT ADJUSTABLE ARMRESTS – INCLUDES TRANSFER GRIPS (FOR NON-RECLINING BACKS – CHOOSE 2)**

<b>SOADPPLH</b>	Pediatric Dual Post Height Adjustable – Left Side – (Height Adjustable from 7 1/4" to 10 1/4" with 1/2" increments)	\$168
<b>SOADPPRH</b>	Pediatric Dual Post Height Adjustable – Right Side – (Height Adjustable from 7 1/4" to 10 1/4" with 1/2" increments)	\$168
<b>SOADPDLH</b>	Dual Post Height Adjustable – Desk Length Left Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168
<b>SOADPDRH</b>	Dual Post Height Adjustable – Desk Length Right Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168
<b>SOADPFLH</b>	Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168
<b>SOADPFRH</b>	Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168

**47. RECLINING FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2)**

<b>SOANIDLH</b>	Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	<b>STD Length 12"</b>	N/C		
<b>SOANIDRH</b>	Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	<b>STD Length 12"</b>	N/C		
<b>SOANIFLH</b>	Reclining armrest – Full Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	<b>STD Length 16"</b>	N/C		
<b>SOANIFRH</b>	Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	<b>STD Length 16"</b>	N/C		
<b>CUST-48247</b>	Custom Armrest Length – Select Length for the <b>Left</b> side:	<b>Custom Length 18"</b>	<b>Custom Length 20"</b>	<b>Custom Length 22"</b>	N/C
<b>CUST-48247</b>	Custom Armrest Length – Select Length for the <b>Right</b> side:	<b>Custom Length 18"</b>	<b>Custom Length 20"</b>	<b>Custom Length 22"</b>	N/C

**48. ARMREST HEIGHT ADJUSTMENT AT FACTORY**

- ▶ Set the Armrest Height at: \_\_\_\_\_ "
- ▲ The Armrest Height is taken from the seat pan to the top of the armpad.
- ▲ Not required for Dual Post.

**49. ARMPADS**

▶ **FOAM TYPE SELECTION**

<b>SOWAPD</b>	Desk Length Waterfall – (8 1/2" x 2 3/4")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	STD
	▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.				
<b>SOWAPF</b>	Full Length Waterfall – (13" x 2 3/4")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	STD
	▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.				

▶ **HYBRID GEL AND FOAM TYPE SELECTION (THE GEL ALWAYS STAYS SOFT)**

<b>SOGELD</b>	Desk Length Hybrid Gel and Foam Flat armpad – (9 3/4" x 2")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	<b>SEATING BENEFIT \$40</b>
<b>SOGELF</b>	Full Length Hybrid Gel and Foam Flat armpad – (13 1/2" x 2")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	<b>SEATING BENEFIT \$40</b>
<b>SOWGELD</b>	Desk Length Hybrid Gel & Foam Waterfall armpad – (8 1/2" x 2 3/4")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	<b>SEATING BENEFIT \$95</b>
	▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.				
<b>SOWGELF</b>	Full Length Hybrid Gel and Foam Waterfall armpad – (13" x 2 3/4")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	<b>SEATING BENEFIT \$95</b>
	▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.				

▶ **SPECIALTY TYPE SELECTION**

<b>SOCAR</b>	Arm Trough with Hand Support (18" x 4 1/2")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	<b>\$170</b>
	▲ Arm Trough Armpads may interfere with Armrests Flipping back.				





## 50. FOOTRESTS

<b>SOPA AF</b>	Pediatric Swing-Away Footrests	Set at:	<b>60°</b>	<b>70°</b>	<b>80°</b>	<b>90°</b>	STD
		Select Footrest Range:	<b>SOFLP5</b> (5 ½" - 7 ½")		<b>SOFLP8</b> (8 ½" - 10 ½")		
			▲ Depending on the seat configuration for both MWD and HWD configurations, the 80° and 90° angles may not be available.				
			▲ On the HWD version, 70°, 80° and 90° angles are not compatible with the 9" front casters (FC9PT and FC9PI).				
			▲ 70°, 80° and 90° footrest angles may interfere with the casters when selecting the straight front caster arms option.				
<b>SOSA AF</b>	Swing-Away Footrests	Set at:	<b>60°</b>	<b>70°</b>			STD
		Select Footrest Range:	<b>SOFLA10</b> (10 ½" - 15 ½")		<b>SOFLA14</b> (14 ½" - 19 ½")		
			▲ This option is not available with the pediatric seat frame (SOWN11-16).				
			▲ On the HWD version, the 70° footrest angle is not compatible with the 9" front casters (FC9PT and FC9PI).				
			▲ The 70° footrest angle may interfere with the casters when selecting the straight front caster arms option.				
<b>SOAAF</b>	Heavy Duty Swing-Away Footrests	Set at:	<b>60°</b>	<b>70°</b>			\$175
		Select Footrest Range:	<b>SOFLHD12</b> (12 ½" - 15 ½")		<b>SOFLHD14</b> (14 ½" - 19 ½")		
			▲ This option is not available with the pediatric seat frame (SOWN11-16).				
			▲ On the HWD version, the 70° footrest angle is not compatible with the 9" front casters (FC9PT and FC9PI).				
			▲ The 70° footrest angle may interfere with the casters when selecting the straight front caster arms option.				
<b>ADDML</b>	Manual Elevating & Articulating Legrests - Pair						\$595
		Select Footrest Range:	<b>SOFLME12</b> (12 ½" - 15 ½")		<b>SOFLME14</b> (14 ½" - 19 ½")		
			▲ Does not include calf pads. Please select calf pads in section 51.				
<b>ADDPL</b>	Power Elevating & Articulating Legrests						\$2,495
		Select Function:	<b>Individual</b>		<b>Combined</b>		
		Select Footrest Range:	<b>SOFLPW12</b> (12 ½" - 15 ½")		<b>SOFLPW14</b> (14 ½" - 19 ½")		
			▲ This option includes calf pads. Individual legs count as two power functions. Combined legs count as one power function.				
			▲ This option is not available with the pediatric seat frame (SOWN11-16)				

## 51. FOOTPLATES & ACCESSORIES

<b>SOSFAF</b>	Flip-up Footplates						STD
<b>SOAFP</b>	Angle Adjustable & Flip-up Footplates – (Each)						\$65
<b>SOAHL</b>	Heel Loops – (Each)						\$20
<b>SOACPFR</b>	Calf Pads for Adult Heavy-Duty Swing-Away footrests – (SOAAF) – with adjustable hardware – (Each)						\$185
<b>SOAMA</b>	Swing-away Amputee Support	Select :	<b>Left leg</b>	<b>Right leg</b>			\$455

## 52. FOOTREST LENGTH ADJUSTMENT AT FACTORY

- ▶ Set the Footrest Length at: \_\_\_\_\_ "
- ▶ The Footrest Length is taken from the top of the seat pan to the top of the footplate.

## 53. CENTER MOUNTS

<b>SOAAF90</b>	90° Fixed Center Mount Interface Bracket – (Offers Manual adjustability from 94° to 70°)						\$200
		Select Foot Platform Range:	<b>SOFBP7</b> (8 ½" - 12 ½")		<b>SOFBA12</b> (12 ½" - 16 ½")		
			▲ When selecting SOFBA16 (16 ½" - 19 ½") range, the lowest possible seat to floor height is 18.75" (MWD)				
			▲ When selecting SOFBA16 (16 ½" - 19 ½") range, the lowest possible seat to floor height is 19" (HWD)				
			▲ Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).				
			▲ With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate.				
			▲ This option is not compatible with the 9" Caster option on HWD Configuration				
<b>ADDPF</b>	90° Power Center Mount Elevating & Articulating Foot Platform						\$2,495
		Select Foot Platform Range:	<b>SOFBPW12</b> (10 ½" - 16")		<b>SOFBPW16</b> (16" - 20")		
			▲ When selecting SOFBPW16 (16" - 20") range, the lowest possible seat to floor height is 18.75" (MWD)				
			▲ When selecting SOFBPW16 (16" - 20") range, the lowest possible seat to floor height is 19" (HWD)				
			▲ This option includes calf pads. The power center mount counts as one power function.				
			▲ Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB)				
			▲ This option is not available with the pediatric seat frame (SOWN11-16).				
			▲ The power center mount option is not available with the straight front caster arms (HWD)				
			▲ This option is not compatible with the 9" Caster option on HWD				
			▲ For the HWD configuration, the 23 3/8" compact frame (FS22B) is not compatible with most of the Center Mount Front Rigging options due to mechanical conflicts				
			▲ For leg lengths between 10 ½" and 12 ½", there is a partial conflict where the calf pads prevent the foot platform or foot plates from folding completely.				
			▲ The starting angle is reduced from 90° to 85° for some seat configurations when used with the narrow base configuration (FS2424B)				
			▲ The E-BX (MAC) option is required with the combined selection of the 90° Power Center Mount Elevating & Articulating Foot Platform (ADDPF) and the narrow base configuration (FS2424B) on the MWD configuration.				



## 54. FOOT PLATFORMS & ACCESSORIES

<b>SOFUFP</b>	Flip-up one piece Foot Platform	\$140
<b>SOAFPFB</b>	Angle Adjustable & Flip-up Split Footplates for center mount – (Each)	\$65
<b>SOACPCM</b>	Calf Pads for 90° Fixed Center Mount – <b>(SOAAF90)</b> with adjustable hardware – (Each)	\$93

## 55. FOOT PLATFORM HEIGHT ADJUSTMENT AT FACTORY

- ▶ Set the Foot Platform Height at: \_\_\_\_\_ "
- ▲ The Foot Platform Height is taken from the top of the seat pan to the top of the foot platform or split foot plates.

## 56. SEAT POSITIONING (NOT COMPATIBLE WITH THE WC19-ISO OPTION)

<b>SOAUTO</b>	55" Seat Positioning Strap	STD
<b>SOBPHP2C</b>	Bodypoint padded Hip Belt (Two Point – Center Pull)	\$170
<b>SOPHB</b>	Padded Hip Belt, 2-PT Magnetic Center Pull	\$194
<b>SOBPCS</b>	Bodypoint padded Chest Strap	\$250
<b>SOPCS</b>	Padded Chest Strap, 2-PT Magnetic Center Pull	\$262

## 57. HEADREST

- ▼ Select one of the headrest options with the mounting hardware and specify where the headrest will be installed.

<b>SONUAHR</b>	Using headrest mounting hardware other than SOMAH located bellow. ◀ Specify: _____	N/C
<b>SOFHRS</b>	Small Curved Headrest Pad – 4" x 9"	\$155
<b>SOFHRM</b>	Medium Curved Headrest Pad – 5" x 10"	\$155
<b>SOFHRL</b>	Large Curved Headrest Pad – 6" x 11"	\$155
<b>SOMAH</b>	Multi-axis Removable Mounting Hardware	\$220
<b>SOHRBC</b>	Bracket to Mount on the Contour Back Support (Without Recline)	N/C
<b>SOHRPR</b>	Bracket to Mount on the Seat Frame (For Reclining Backs)	N/C

## 58. LATERAL TRUNK SUPPORTS

- ▼ Select one of the lateral pads and the adjustable & removable hardware.

<b>SOSLS3</b>	Adjustable Laterals with Small Curved Pads – (Each) – 3" x 5"	<b>SEATING BENEFIT</b>	\$100
<b>SOSLM4</b>	Adjustable Laterals with Medium Curved Pads – (Each) – 4" x 6"	<b>SEATING BENEFIT</b>	\$100
<b>SOSLL5</b>	Adjustable Laterals with Large Curved Pads – (Each) – 5" x 7"	<b>SEATING BENEFIT</b>	\$100
<b>SOSLHM</b>	Adjustable Swing-Away Hardware Mounts – (Each)	<b>SEATING BENEFIT</b>	\$220

## 59. HIP & THIGH SUPPORTS

- ▼ Select one of the hip & thigh support pads and the adjustable & removable hardware.

<b>SOHTSS10</b>	Adjustable Hip & Thigh Support Pads – (Each) – Small 10" x 4"	<b>SEATING BENEFIT</b>	\$130
<b>SOHTSM12</b>	Adjustable Hip & Thigh Support Pads – (Each) – Medium 12" x 5"	<b>SEATING BENEFIT</b>	\$130
<b>SOHTSL14</b>	Adjustable Hip & Thigh Support Pads – (Each) – Large 14" x 6"	<b>SEATING BENEFIT</b>	\$130
<b>SOHTSARH</b>	Adjustable and Removable Hip & Thigh Support Hardware – (Each)	<b>SEATING BENEFIT</b>	\$136

## 60. ACCESSORIES

<b>SOCH</b>	Cup Holder – (Self-Leveling)	Install on:	<b>Left Side</b>	<b>Right Side</b>	\$115
<b>SOCPH</b>	Ram Mounts X-Grip Cell Phone Holder	Install on:	<b>Left Side</b>	<b>Right Side</b>	\$190
<b>SOTHS</b>	Ram Mounts X-Grip Small Tablet Holder	Install on:	<b>Left Side</b>	<b>Right Side</b>	\$205
<b>SOTHL</b>	Ram Mounts X-Grip Large Tablet Holder with Swivel	Install on:	<b>Left Side</b>	<b>Right Side</b>	\$360
▲ Standard installation is on the opposite side of joystick. Installing accessories on the same side as the joystick may require a custom upgrade.					
▲ With multiple accessories installed on the same side, a custom upgrade will be required.					

## 61. REFLECTOR KIT

<b>REFLECT</b>	Red & White Reflector Kit Stickers (They will not be installed – Included in a bag with the Owner's Manual)	N/C
----------------	---	-----

## 62. BACK PACK AND ARMREST SIDE POUCHES

<b>SOBP</b>	Back Pack – (Comes with durable straps that can be hooked around the back canes)	<b>CLIENT COST</b>	\$90		
<b>SOAP</b>	Armrest Side Pouch – (Comes with durable straps that can be hooked around the armrest tubes) Order:	<b>Left Side</b>	<b>Right Side</b>	<b>CLIENT COST</b>	\$53
▲ If only choosing one (1) armrest pouch, please show what side it should be installed					

## 63. SWITCHES AND OPTIONS

<b>ASCPKP</b>	PGDT R-NET Dongle and PC programmer kit	<b>NOT COVERED BY AADL</b>	\$600
<b>ASCPVR2</b>	PGDT VR2 with PPI Dongle and PC programmer kit	<b>NOT COVERED BY AADL</b>	\$1,450
<b>SSBS</b>	Buddy Button Switch		\$230
<b>SSES</b>	Egg Switch-Black		\$116
<b>SSML</b>	Ultra Light Switch		\$295
<b>ESS-RED</b>	Emergency STOP Switch - Red		\$314



## SPECIALTY DRIVER CONTROL OPTIONS

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

### 64. THERAFIN SIP-N-PUFF KIT (CODE W100)

<b>SCSNPK</b>	Therafin Sip-N-Puff Kit			\$1,975
<b>SCSNPBTk</b>	Therafin Sip-N-Puff Breath Tube Kit			N/C
	▲ Required with the Therafin Sip-N-Puff kit.			
<b>SCSRMSNP</b>	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$300
	▲ Required with the Therafin Sip-N-Puff kit.			
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$510
<b>SSES</b>	Egg Switch for Changing Modes – Black	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.			
<b>ESS-RED</b>	Emergency STOP Switch - Red	<b>User Activation</b>	<b>Attendant Activation</b>	\$314
	▲ Required with the Therafin Sip-N-Puff kit.			
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Therafin Sip-N-Puff kit.			
▶ CHOOSE ONE (1) HEADREST PAD				
<b>SOFHRS</b>	Small Curved Headrest Pad – 4" x 9"			\$155
<b>SOFHRM</b>	Medium Curved Headrest Pad – 5" x 10"			\$155
<b>SOFHRL</b>	Large Curved Headrest Pad – 6" x 11"			\$155

### 65. PROXIMITY HEAD ARRAY (CODE W100)

<b>SCSIHAP</b>	Pediatric - Switch-It 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse			\$5,995
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$510
<b>SSES</b>	Egg Switch for Changing Modes – Black	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.			
<b>ESS-RED</b>	Emergency STOP Switch - Red	<b>User Activation</b>	<b>Attendant Activation</b>	\$314
	▲ Required with the Proximity Head Array.			
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Proximity Head Array.			

### 66. LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL (CODE W100)

<b>SCSIMP</b>	Switch-It Light touch mini Proportional Joystick			\$4,495
<b>SCSRMMP</b>	Stealth Rock-n-Lock Swingaway Arm for Chin MP	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$870
	▲ Required with the Light touch mini Proportional Joystick.			
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$510
<b>SSES</b>	Egg Switch for Changing Modes – Black	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.			
<b>JCC</b>	Chin Cup			\$55
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Light touch mini Proportional Joystick.			
▶ CHOOSE ONE (1) HEADREST PAD				
<b>SOFHRS</b>	Small Curved Headrest Pad – 4" x 9"			\$155
<b>SOFHRM</b>	Medium Curved Headrest Pad – 5" x 10"			\$155
<b>SOFHRL</b>	Large Curved Headrest Pad – 6" x 11"			\$155



## SPECIALTY DRIVER CONTROL OPTIONS (CONTINUED)

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

### 67. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR MIDLINE MOUNT (CODE W100)

<b>SCPGMJS</b>	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount			\$2,369
<b>SCGMJSM</b>	Gatlin Midline Swing-away Mount for JC200	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$325
	▲ Must be selected for use with the PG Drives JC200 Mini Joystick.			
<b>SCSIMP</b>	Switch-It Light touch mini Proportional Joystick			\$4,495
<b>SCGMMPM</b>	Gatlin Midline Swing-away Mount for Light touch mini proportional Joystick	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$750
	▲ Must be selected for use with the Light touch mini Proportional Joystick.			
<b>SCBTM</b>	Bullet Hand Tray for Light Touch mini Proportional Joystick	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$750
	▲ This option is only compatible with the Light touch Mini Proportional Joystick.			

### 68. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR ARMREST MOUNT (CODE W100)

<b>SCPGMJS-M</b>	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount			\$2,369
<b>SCARMJSM</b>	Swing-away and Multi-Axis armrest mount	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$325
	▲ Must be selected for use with the PG Drives JC200 Mini Joystick.			
<b>SCSIMP</b>	Switch-It Light touch mini Proportional Joystick			\$4,495
<b>SCARMPM</b>	Swing-away and Multi-Axis armrest mount	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$375
	▲ Must be selected for use with the Light touch mini Proportional Joystick.			
<b>SCBTM</b>	Bullet Hand Tray for Light Touch mini Proportional Joystick	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$750
	▲ This option is only compatible with the Light touch Mini Proportional Joystick.			

### 69. PROPORTIONAL RIM HEAD CONTROL PACKAGE (CODE W100)

<b>SCPHC</b>	Proportional RIM Head Control Package			\$2,795
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$510
<b>SSES</b>	Egg Switch for Changing Modes – Black	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.			
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Proportional RIM Head Control.			



## CUSTOM SECTION

▶ Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.

### 70. O<sup>2</sup> HOLDER

<b>SUPOXY</b>	Custom Non-Articulating Oxygen Tank Holder ▲ Not available with a power recline	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$295
<b>SUPOXYA</b>	Custom Articulating Oxygen Tank Holder ▲ Required with a power recline	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$1,195
	<b>D-Size</b> Oxygen Tank – (* 22" Tall x 4.3" Diameter) – * The height includes the valve			
	<b>E-Size</b> Oxygen Tank – (* 31" Tall x 4.3" Diameter) – * The height includes the valve			

### 71. VENT TRAY (PLEASE COMPLETE IN FULL)

▼ Amylor does not supply the battery, charger or the wiring for the Vent. These items are normally provided by the Vent Manufacturer.

<b>SOVENT</b>	Custom Vent Tray <b>Articulating Vent Box</b> – (Required with Power Tilt and/or Recline) <b>Fixed Vent Box</b>			\$1,360 \$400
	<b>SPECIFY MODEL</b>			
	<b>Trilogy 100/200</b>			
	<b>LTV</b>			
	<b>LTV with Sprintpack</b>			
	<b>Other, specify:</b>			
<b>SOVTBE</b>	Extended Battery Compartment ▲ The Vent Tray option is not available on narrow options N2424 & N2221 (FS2424B & FS2221B) <b>The Vent is being powered by 1 U1 Battery and the chair by 2 Group 22NF batteries</b> <b>The Vent is being powered by 1 U1 Battery and the chair by 2 Group 24 batteries</b> <b>The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 22NF Batteries</b> <b>The Vent is being powered by 1 Group 24 Battery and the chair Powered by 2 Group 22NF Batteries</b> <b>The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 24 batteries</b>			\$495

### 72. OTHER CUSTOM OPTIONS (REQUEST FOR QUOTE)

▼ Please specify details and specifications for these options.

<b>CUSTOM</b>	CUSTOM Lithium ion - 54 Amps (represents one 24V Battery pack, equivalent to two Group 22 Batteries)			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	CUSTOM 8A Offboard Battery Charger for Lithium ion batteries ▲ This option is required when choosing custom Lithium ion batteries			<b>CLIENT COST</b>	N/C
<b>CUSTOM</b>	CUSTOM Lithium ion Battery capacity LCD display gauge ▲ This option is required when choosing custom Lithium ion batteries			<b>CLIENT COST</b>	N/C
<b>CUSTOM</b>	Rear view Camera with 5" Monitor			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	USB Charger Port ◀ Specify the location for the installation: _____			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Folding Backrest for Additional Storage possibilities and Travel accessibility			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Large Ball Handle			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Tilt + Elevate Function Through VR2 Non-Expandable Drive Control			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Manual Wheel Locks ( <b>MWD ONLY</b> )			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Power Anterior Tilt			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Power Lateral Tilt 15°	<b>Raise the Left Side only</b>	<b>Raise the Right Side only</b>	<b>Raise the Left &amp; Right Side</b>	<b>CLIENT COST</b> RFQ
<b>CUSTOM</b>	Power Latitude System – (Features 14" of forward travel and a 5" seat to floor height from the pan to the ground) ▲ This option is only available with the MWD			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Power Elevating Stretcher – (Please call CSR for availability with configuration and user weight capacity) ▲ This option is not available with the Straight Front Caster Arms on HWD			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Rearview mirror	<b>Left Side</b>	<b>Right Side</b>	<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Power Flip-up Foot Platform – (Please call CSR for availability with configuration and user weight capacity) ▲ This option is not available with the Straight Front Caster Arms on HWD			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Power Vertical Lifting Foot Platform – (Please call CSR for availability with configuration and user weight capacity) ▲ This option is not available with the Straight Front Caster Arms on HWD			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Independent Depth Adjustability built into the Footrest Receiver that is attached to the Seat Pan			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Endomorphic Back Canes – (Pair)	<b>1" per side towards the inside = 2"</b>	<b>2" per side towards the inside = 4"</b>	<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Transfer Handles – (Pair)	Select a height range:	<b>5" to 8"</b>	<b>6" to 9"</b>	<b>CLIENT COST</b> RFQ
<b>CUSTOM</b>	Foot Box Length: _____ Width: _____ Please confirm with CSR on sizing possibilities			<b>CLIENT COST</b>	RFQ
<b>CUSTOM # 1</b>	Other custom options. Specify in notes section below			<b>CLIENT COST</b>	RFQ
<b>CUSTOM # 2</b>	Other custom options. Specify in notes section below			<b>CLIENT COST</b>	RFQ

MKT.F94 | OF | P22029 | R07





**73. NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS**

A large, empty rectangular box with a thin orange border, intended for notes, special requests, or custom specifications.