



Pride Mobility Products Co.

5096 South Service Rd, Beamsville, ON, L0R 1B3

Phone: 888-570-1113 | Fax: 866-514-1303 | Email: productorders@pridemobility.com

Discount is 4%

AADL Q6 Edge® 3 Stretto Order Form TRU-Balance® 3 Positioning (AADL W779)

Account Number: _____ Date: _____

Provider Name: _____

Contact: _____

Phone: _____

Email: _____

PO Number: _____

Marked for: _____

Ship to Address: _____

City: _____ Prov: _____ PC: _____

MEDmobility
 5711- Calgary Trail NW
 Edmonton AB T6H 2K1
 P: 780-437-3300 • F: 780-430-9381
AADL Vendor # 0000612578-001



INTRODUCTION

This form is interactive when viewed with [Adobe Acrobat Reader](#). Complete the form by placing checks in the desired boxes and provide information in the interactive fields. Buttons shown at the bottom of the form may be utilized to print or submit the order form through a desktop email application. To email via a web-based application, please 'Save As' and attach the PDF to your email.

This order form contains a large variety of options to fulfill various patient needs. Descriptions and section notes, such as optional or required, are included to help you complete your order. Other part numbers can be found on the quote acknowledgment after this order form is submitted. Please contact Quantum® Sales at 888-570-1113 if assistance is needed. Send the completed order form by fax (866-514-1303) or email (productorders@pridemobility.com). Incomplete forms may delay the quote or order. Customer service will contact you if the order is incomplete or if there are compatibility issues. If special order requests are needed, be sure that the Patient Information section is completed

All prices are MSRP. Prices, specifications, part numbers, and availability are subject to change without notice. Prices and part numbers as shown are only available when configured as a complete power chair. Please contact technical service for accurate parts ordering.


Thank you for choosing Quantum!

PATIENT INFORMATION

Weight: _____ Height: _____ A. Shoulder Width: _____ D. Max Sitting Height: _____ G. Thigh Depth: _____

B. Chest Width: _____ E. Shoulder Height: _____ H. Lower Leg Length: _____

C. Hip Width: _____ F. Axilla Height: _____ I. Elbow Height: _____



1. BASE MODEL

REQUIRED. Select a group 3 power base. 300 lb. weight capacity with standard 6mph programmable motors and off board charger. XLR USB charger is included. Dimensions of base without legrests: 20.5"Wx35.5"L

Quantum Q6 Edge 3 Stretto 3S-SS.....\$8,450
Part: Q6 EDGE 3 STRETTO

2. DRIVE MOTORS

Optional. Requires Q-Logic 3 electronics. The standard 6 mph motor can be upgraded to Accu-Trac motors that delivers enhanced traction and tracking, especially with switched drive controls.

- Accu-Trac Motor Technology\$995
Part: MOT147881.
- Standard Motor Package..... Standard

3. BASE COLOR

REQUIRED. Select one shroud color. Colors shown here may differ from actual product depending on monitor/printer calibration used.

-  Back in Black
Part: DGN1610108-PBK1
-  Midnight Blue
Part: DGN1610108-PBU10

4. BASE MOUNTED LIGHTS

Optional. Select one option.

- Switch Fender Lights..... No Charge
Part: DGN1810041
Fender lights operate by pressing included single switch button. Fender lighting is not available with Single Actuator Control through Toggle Box.
- Base Mounted, LED, Full Light Package \$770
Part: ELE1905403
Requires NE+ 8 Key, Q-Logic 3 EX Joystick for Full Lights, or Q-Logic 3e Joystick. **NOT COVERED BY AADL**

5. QUANTUM BACKUP CAMERA

Optional. The backup camera may interfere with armrest mounted accessories such as media device holder.

- Quantum Backup Camera \$475
Part: MEC1910365 **NOT COVERED BY AADL**

1. Optional Mounting Bracket

- Backup Camera Headrest Bracket..... \$30
Part: MEC1910373 **NOT COVERED BY AADL**
Works with .5" x .5" vertical supports only.



6. DRIVE WHEELS

REQUIRED. Select a type of drive wheel. Accent colors are available for 14" tires.

6.1. Drive Wheels

- 3"x14" Pneumatic Tires..... No Charge
Part: WHL1713925
- 3"x14" Flat Free Tires No Charge
Part: WHL1704058
- 2"x12.5" Pneumatic Tires No Charge
Part: WHL1810666
- 2"x12.5" Flat Free Tires No Charge
Part: WHL1810665

6.2. Drive Wheel Accent Color for 14" Tires

Not available with 12.5" tires.

- | | | |
|---|--|---|
| Back in Black..... No Charge
Part: DGN164245-PBK1 x2 | Pretty in Pink No Charge
Part: DGN164245-PPK3 x2 | Green Machine No Charge
Part: DGN164245-PGN11 x2 |
| Red Corvette..... No Charge
Part: DGN164245-PRD1 x2 | Evolution Orange..... No Charge
Part: DGN164245-POR7 x2 | Military Green No Charge
Part: DGN164245-PGN8 x2 |
| Night Train..... No Charge
Part: DGN164245-PBK3 x2 | Midnight Blue No Charge
Part: DGN164245-PBU10 x2 | |
| Grey Street No Charge
Part: DGN164245-PSL3 x2 | Electric Blue No Charge
Part: DGN164245-PBU9 x2 | |
| Deep Purple No Charge
Part: DGN164245-PPR5 x2 | Blue Jean No Charge
Part: DGN164245-PBU11 x2 | |
| Raspberry Beret..... No Charge
Part: DGN164245-PPK4 x2 | Lemon Crush No Charge
Part: DGN164245-PYL4 x2 | |

7. BATTERIES

Optional. The powerchair requires 2 batteries and will be installed if ordered.

- NF-22, Gel, 55AH, Interceptor Battery..... \$300 ea.
Part: BAT1704613. Uses 8 AMP charger **NOT COVERED BY AADL**
- Gel, 40AH Interceptor Battery..... \$200 ea.
Part: BAT1704612. **NOT COVERED BY AADL**
Uses 5 AMP charger.

8. ELECTRONICS

REQUIRED. Select a type of drive control from the following sections. The No Joystick option is used to omit the joystick and utilize another control, such as a specialty control at the end of this form or found on the [Alternative Controls and Electronics Order Form](#).

8.1a. Non-Expandable Controls

Select a joystick below or omit selection if another controller type is desired. Non-expandable does not allow supplementary drive controllers.

NE 4-Key Joystick Standard

Part: CTLDC1554

Available with Tilt Only through Toggle.

NE+ 6-Key Joystick No Charge

Part: XRF000001

Control up to 2 actuators through joystick.

NE+ 8-Key Joystick (2 Actuators) No Charge

Part: CTLDC1561

Control up to 2 actuators through joystick and full light

package.

No Joystick, Setup for NE+ Joystick No Charge

Part: XRF000009



NE+ 6 Key Joystick

8.1b. Expandable Controls - Quantum Intelligent Systems™

Select expandable controls or omit selection if another controller type is desired. Expandable controls allow multiple or specialized controllers.

2. Q-Logic 3 Joystick

Q-Logic 3 EX Joystick \$900

Part: CTL167724

Q-Logic 3e Joystick \$620

Part: CTL1910600

Can operate full light package. Not available with alternative or specialty controls.

Q-Logic 3 EX Joystick for Full Lights \$900

Part: CTL167725 **NOT COVERED BY AADL**

No Joystick, Setup for Q-Logic 3

Part: XRF000010



Q-Logic 3 EX Joystick

8.2. Q-Logic 3 Joystick Armor

REQUIRED with Q-Logic 3 EX Joystick selections above. Not available with Q-Logic 3e Joystick. Reference colors shown on page 2. *Night train joystick armor will be the black, soft touch.

Black, Soft Touch No Charge

Part: DGN124307

Also matches Night Train shrouds.

Non-matching Armor No Charge

Part: PTOINDV3422

Select color below.

Match Armor to Base Color Standard

Part: PTOINDV3421

Red Corvette

Part: DGN124336-PRD1

Deep Purple

Part: DGN124336-PPR5

Midnight Blue

Part: DGN124336-PBU10

Green Machine

Part: DGN124336-PGN11

Back in Black

Part: DGN124336-PBK1

Raspberry Beret

Part: DGN124336-PPK4

Electric Blue

Part: DGN124336-PBU9

Military Green

Part: DGN124336-PGN8

--- Night Train*

--- See Black, Soft Touch

Pretty in Pink

Part: DGN124336-PPK3

Blue Jean

Part: DGN124336-PBU11

Grey Street

Part: DGN124336-PSL3

Evolution Orange

Part: DGN124336-POR7

Lemon Crush

Part: DGN124336-PYL4

9. JOYSTICK HANDLES

Optional. The NE/NE Plus Joysticks are standard with a carrot handle (See A in image). The optional handle will be mounted to the joystick and the standard handle will be shipped with the unit.

Mushroom Handle (B) \$120

Part: ACCASMB1860.

Chin Cup (C) \$85

Part: ACCASMB186190

T-Bar (D) \$160

Part: ACCASMB1858.

Medium Ball Handle (E) \$70

Part: ACCASMB1859.

Soft Ball Handle (F) \$120

Part: ACCASMB1856.

Extended I-Handle (G) \$140

Part: ACCASMB1857.

Bodypoint 3" Goal Post Handle \$180

Part: PLSKNCP1057.

Bodypoint 4" Goal Post Handle \$180

Part: PLSKNCP1058.



Joystick Handles

10. JOYSTICK MOUNTING BRACKETS

Optional. Select a mount to be used with a joystick selected in previous section.

10.1a. Fixed, In-line Joystick Bracket

Fixed, In-line, Bracket for Q-Logic 3 Standard

Part: FRMASMB10617

10. JOYSTICK MOUNTING BRACKETS

Optional. Select a mount to be used with a joystick selected in previous section.

10.1b. Swing-Away (Retractable) Joystick Bracket

Allows the joystick to retract to the side of the armrest while maintaining the same joystick orientation.

Adjustable Swing-away\$265

Part: Various.

As pictured to the right "Swing Away Joystick"

Basic Swing-away\$265

Part: Various.

Magnetic latching mechanism.

Stealth Height Adjustable Receiver recommended.

Offset Swing-away.....\$265

Part: Various.

Magnetic latching mechanism.

As pictured to the right "Swing Away Joystick Offset Mount (Right)"



10.1c. Specialty Joystick Mounts

Select a bracket and side to mount it.

Retract4 Mount.....\$450

Part: XRF000003. **CLINICAL JUSTIFICATION**

Full 180° of movement that translates into multi-position use, straight, right offset, left offset, or fold away. Joystick orientation varies as bracket is adjusted.

Multi-Axis Mount\$100

Part: XRF000004

Allows height adjustment of joystick.

Stealth Swing-Away/Flip Down Bracket\$300

Part: XRF000005. E1028

Allows the joystick to pivot to side of armrest, or flip-down if bracket is adjusted.

10.2. Joystick Mount Location

Left Side Mount

Part: PTOINDV1225

Right Side Mount

Part: PTOINDV1226

11. TRU-BALANCE® 3 SEATING - QUANTUM INTELLIGENT SYSTEMS™

REQUIRED. Maximum seat size is 20"W x 20"D.

11.1. TRU-Balance 3 Configuration

TRU-Balance 3 Static Seat\$1,045

Part: PTOINDV3442

20° of limited recline adjustment (-5/ +15) via gas strut within back cover.

TRU-Balance 3 Power Tilt Only\$6,245

Part: PTOINDV3443. **CLIENT COST**

50° Center of Gravity (CG) power tilt seating system.

TRU-Balance 3 Power Recline Only\$7,875

Part: PTOINDV3444.

175° of power recline.

TRU-Balance 3 Power Tilt & Recline.....\$13,125

Part: PTOINDV3446.

50° CG power tilt with 175° of power recline. Full drive lockout at 20°.

11.2. 12" Power Lift

Optional.

TRU-Balance 3 12" Power Lift with iLevel®.....\$2,995

Part: PTOINDV3773. **NOT COVERED BY AADL**

12" of scissor lift with iLevel System.



11.3. Occupied Transit Kit

Optional. The power base is standard with Unoccupied Transit Loops. 60" Sure-Lok Lap Belt is required with Occupied Transit Option.

WC-19 Occupied Transit Option.....\$400

Part: KIT152047 **NOT COVERED BY AADL**

To determine if your chair is WC-19 compliant (occupied), please refer to this website: <http://wc-transportation-safety.umtri.umich.edu/crash-tested-product-lists/wheelchairs>

11.4. Seat Dimension - Width

REQUIRED with seat selection. Maximum seat width is 20". Part number is SETWDTH plus number following # below. 12" Width is not available with 16" and 17" Depth. 13" and 15" widths are only available with non-matching back width.

12" W (#1002)	13" W (#1003)	14" W (#1004)	15" W (#1005)	16" W (#1006)	17" W (#1007)	18" W (#1008)	19" W (#1009)	20" W (#1010)
------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------

11.5. Seat Dimension - Width Package

REQUIRED with seat selection.

12"-16" Width Package

Part: XRF000006

14"-16" Width Package

Part: XRF000007

16"-20" Width Package

Part: XRF000008

11.6. Seat Dimension - Depth

REQUIRED with seat selection. Maximum seat depth is 20". Part number is SETDPH plus number following # below.

12" D (#1002)	13" D (#1003)	14" D (#1004)	15" D (#1005)	16" D (#1006)	17" D (#1007)	18" D (#1008)	19" D (#1009)	20" D (#1010)
------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------

11.7. Seat Dimension - Depth Package

REQUIRED with seat selection.

12"-16" Depth Package

Part: XRF000011

14"-16" Depth Package

Part: XRF000012

16"-20" Depth Package

Part: XRF000013

11.8. Seat to Floor Height

REQUIRED.

Lowest Seat to Floor

Part: PTOINDV3558

Middle Seat to Floor

Part: PTOINDV3559

Highest Seat to Floor

Part: PTOINDV3560

Low	Med	High
Static Seat/ Recline Only		
16"	17"	18"
Power Tilt/Tilt & Recline		
17.5"	18.5"	19.5"
Any Power Lift		
18"	19"	20"
TRU-Balance 3 Seat to Floor Heights		

11. TRU-BALANCE 3 SEATING CONTINUED

11.10. Back Type Selection

REQUIRED. Match a choice in this section with the options in the following back cushion configuration section.

Redesigned, Static Type Back \$735

Part: XRF000014

12" and 24" back width will use the TRU-Balance 3 Back assembly. Select a back cushion configuration in the subsequent section.

Back Cane Option No Charge

Part: XRF000015

Available only with TRU-Balance 3 Static Seat and Power Tilt (1 actuator) selections. Select cane type, back cane height, and back cushion configuration below.

Redesigned, Flip Forward Back \$735

Part: XRF000016

12" and 24" back width will use the TRU-Balance 3 Back assembly. Not available with manual or power recline systems. Only available with 2-post, flip back or pediatric armrests. Not available with 12"-14" width or with attendant manual recline. Select a back cushion type in the subsequent section.

11.11. Back Cane Selection (Back Cane Option Only)

REQUIRED when Back Cane Option is selected above. Select type and height of back canes.

1. Back Cane Type

Angle Adjustable No Charge

Part: MEC140266

Flip Forward \$25

Part: MEC140272

1" Endo \$70

Part: MEC141455

2" Endo \$70

Part: MEC141456

2. Back Cane Height

16"H Cane

Part: FRMASMB15834

17"H Cane

Part: FRMASMB15835

20"H Cane

Part: FRMASMB15838

21"H Cane

Part: FRMASMB15839

24"H Cane

Part: FRMASMB15842

25"H Cane

Part: FRMASMB15843

TRU-Balance 3 Seating section continued on following pages.

11. TRU-BALANCE 3 SEATING CONTINUED

11.12. Back Cushion Configuration

REQUIRED. Sport Back and TRU-Comfort Back selections up to 22" back width will be the Sport 4 or TRU-Comfort 4 back cushions. Sport back and TRU-Comfort back selections of 24" back width will be the Sport or TRU-Comfort 2 back cushions. Select a configuration type and applicable dimensions. See the Sport, Q-Back, and TRU-Comfort back availability chart for stock order back size ranges. Other size backs may be available with special order and extended lead time.

1a. Sport Back/Omit/After-Market Interface

Sport Back No Charge
Part: XRF000017
Complete following width package and size.

Omit Back Pan/Cushion No Charge
Part: PTOINDV1287
Select a following width package.

After-market Back Interface No Charge
Part: ST-SSAPT4-Q. Select a set width in following section, range of 12"-21". Overall seat depth may need to be adjusted to accommodate certain backs. May interfere with gel/waterfall armpads and arm through. Does not include brackets to mount after-market backs. A Special Order is required on back widths less than 16".



TRU-Balance 3 Seating section continued on following pages.

11. TRU-BALANCE 3 SEATING CONTINUED

11.13. TRU-Balance 3 Back Shroud

REQUIRED. The back shroud is a feature of the TRU-Balance 3 seating system and is available in matching shroud colors. The back shroud is not available when Omit Back Pan/Cushion is selected. Reference colors shown on page 2.

- Back in Black
Part: XRF000021
- Midnight Blue
Part: XRF000029

11.14. Lateral Positioning Wedge

Optional.

Lateral Positioning Wedge, pair \$30
 Part: SET123465 **SEATING BENEFITS**
 Available with Sport and TRU-Comfort backs. Not available on power tilt backs 16"-17"H with limited adjustability on 18" H. Not available on power recline back 19"-20"H with limited adjustability on 21"H.

11.15. Back Width Package

REQUIRED except when Omit Back Pan/Cushion is selected. Available with +/-4" of seat width.

Match Seat Width Selections Part: PTOINDV3468	14"W-16"W Package Part: XRF000037	18"W-22"W Package Part: XRF000039
10"W-14"W Package Part: XRF000036	16"W-20"W Package Part: XRF000038	20"W-24"W Package Part: XRF000040

11.16. Back Width

REQUIRED except when Omit Back Pan/Cushion is selected. Available with +/-4" of seat width.

12" Back Width Part: PTOINDV3562	17" Back Width Part: PTOINDV3565	20" Back Width Part: PTOINDV3568	24" Back Width Part: PTOINDV3571
14" Back Width Part: PTOINDV3563	18" Back Width Part: PTOINDV3566	21" Back Width Part: PTOINDV3569	
16" Back Width Part: PTOINDV3564	19" Back Width Part: PTOINDV3567	22" Back Width Part: PTOINDV3570	

11.17. Back Cushion Configuration - Overall Back Height

Static Seat and Power Tilt available height range: 14"-25"H. Odd heights include 4" gap and even heights include 3" gap between seat pan and bottom of back cushion. Power Recline available height range: 19"-28"H. Odd heights include 6" gap and even heights include 7" gap. See the Sport and TRU-Comfort back availability chart for stock order back size ranges.

14" Height Part: SETHGHT1027	18" Height Part: SETHGHT1031	22" Height Part: SETHGHT1035	26" Height Part: SETHGHT1039
15" Height Part: SETHGHT1028	19" Height Part: SETHGHT1032	23" Height Part: SETHGHT1036	27" Height Part: SETHGHT1040
16" Height Part: SETHGHT1029	20" Height Part: SETHGHT1033	24" Height Part: SETHGHT1037	28" Height Part: SETHGHT1041
17" Height Part: SETHGHT1030	21" Height Part: SETHGHT1034	25" Height Part: SETHGHT1038	

TRU-Balance 3 Seating section continued on following page.

11. TRU-BALANCE 3 SEATING CONTINUED

Overall Height		Tilt or Static Width												Recline Width											
		12"	14"	15"	16"	17"	18"	19"	20"	21"	22"	24"	12"	14"	15"	16"	17"	18"	19"	20"	21"	22"	24"		
		14"	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15"	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
16"	S	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	-	-	-	-	-	-	-	-	-			
17"	S	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	-	-	-	-	-	-	-	-	-			
18"	-	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	-	-	-	-	-	-	-	-	-			
19"	-	ST	ST	SQT	ST	SQT	ST	SQT	ST	SQT	ST	SQT	ST	S	ST	ST	ST	ST	ST	ST	ST	S			
20"	-	ST	ST	SQT	ST	SQT	ST	SQT	ST	SQT	ST	SQT	ST	S	ST	ST	ST	ST	ST	ST	ST	S			
21"	-	ST	ST	SQT	ST	SQT	ST	SQT	ST	SQT	ST	SQT	ST	-	ST	ST	ST	ST	ST	ST	ST	ST			
22"	-	ST	ST	SQT	ST	SQT	ST	SQT	ST	SQT	ST	SQT	ST	-	ST	ST	SQT	ST	SQT	ST	SQT	ST			
23"	-	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	-	ST	ST	SQT	ST	SQT	ST	SQT	ST			
24"	-	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	S	-	ST	ST	SQT	ST	SQT	ST	SQT			
25"	-	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	S	-	ST	ST	SQT	ST	SQT	ST	SQT			
26"	-	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	-	ST	ST	ST	ST	ST	ST	ST	ST			
27"	-	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	-	ST	ST	ST	ST	ST	ST	ST	S			
28"	-	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	-	ST	ST	ST	ST	ST	ST	ST	S			
29"	-	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	ST	-	ST	ST	ST	ST	ST	ST	ST	ST			
30"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ST	ST	ST	ST	ST	ST	ST	ST			
31"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ST	ST	ST	ST	ST	ST	ST	ST			
32"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ST	ST	ST	ST	ST	ST	ST	ST			

Sport, Q-Back, and TRU-Comfort Back Availability Chart

11.18. Power Tilt Privacy Flap

Optional. A privacy flap is standard with power recline systems. This selection is to add a flap for power tilt only systems.

Privacy Flap, 9.75"\$40
Part: DWR1044E456B

Privacy Flap, 12.75"\$40
Part: DWR1044E456A

12. TRU-BALANCE 3 ARMRESTS

REQUIRED. Select the desired type of armrest below. Please read notes to ensure seating compatibility. Be sure to also select an armrest size and armpad type.

12.1a. Flip-Back, 8"-16" H Armrests

Choose a left and right armrest and set height in the following section. Not available with waterfall armpads. Not available with Back Cane Option.

Flip-Back, 8"-16"H Armrests\$145 ea.
L R Left part: ARM1806662. Right part: ARM1806663

Armrest Support

Optional. Available up to 2" difference between seat and back width via endomorph or mesomorph configuration. Not available less than 16" width seat or back.

Flip-Back Armrest Downpost\$115 ea.
L R Left part: XRF000265. Right part: XRF000266

12.1b. Two-Post, Height Adjustable, Removable Armrests

Select the armrest and set the left and right heights in the following section. These armrests may interfere with offset backs/ back canes.

Full Length, Two-Post Armrest\$145 ea. Desk Length, Two-Post Armrest\$145 ea.
L R Left part: XRF000047. Right part: XRF000048 L R Left part: XRF000049. Right part: XRF000050

12.1c. Height Adjustable, Removable, Heavy Duty Armrests

Select a type of HD removable armrests and the set height in the following section. Only one height package is selectable as a normal configuration. Payer coding, coverage, and bundling guidelines may apply.

8"-12"H, Single Post, Height Adjustable, Removable,\$130 ea. 10"-14"H, Single Post, Height Adjustable, Removable,\$130 ea.
Heavy Duty (Sold in pairs) Heavy Duty (Sold in pairs)
Part: XRF000055. Part: XRF000056.

12.2. Armrest Height

REQUIRED. Set left and right armrest height. Note the available height range in the option description.

1. Left Armrest Height

8" H PTOINDV3535	10" H PTOINDV3537	12" H PTOINDV3539	14" H PTOINDV3541	16" H PTOINDV3543
9" H PTOINDV3536	11" H PTOINDV3538	13" H PTOINDV3540	15" H PTOINDV3542	

TRU-Balance 3 Armrest section continued on following page.

12. TRU-BALANCE 3 ARMRESTS CONTINUED

2. Right Armrest Height

8" H PTOINDV3450	10" H PTOINDV3452	12" H PTOINDV3454	14" H PTOINDV3456	16" H PTOINDV3458
9" H PTOINDV3451	11" H PTOINDV3453	13" H PTOINDV3455	15" H PTOINDV3457	

12.3. Armrest Size

REQUIRED. Select a left (L) and right (R) armrest size. This also affects armpad selection.

L R 10" Length L part: XRF000057. R part: XRF000123	L R 14" Length L part: XRF000058. R part: XRF000124	L R 17" Length L part: XRF000059. R part: XRF000125 Only available with Flip-Back, 8"-16" H Armrests and straight arm pads.
---	---	--

13. TRU-BALANCE 3 ARPAPDS

REQUIRED. Select to omit an armpad selection or select a left and right armpad type. Please note that waterfall and gel armpads may cause interference with the seat back.

No Armpad Selection..... No Charge Part: XRF000060 Not available with Flip-back, 8"-16" H armrests.	Interface for Aftermarket Pad No Charge Part: ARM1806928 Only available with Flip-back, 8"-16" armrests.
---	--

13.1a. Foam Armpads

L R Straight, Armpad Standard Left part: XRF000061. Right part: XRF000126	L R Waterfall, Armpad No Charge Left part: XRF000062. Right part: XRF000127 Not available with Flip-back, 8"-16" armrests.
---	---

13.1b. Gel Armpads

Sold only in pairs. Armpads are 3" wide. Manufacturer part number for full length is 314G and desk length is 310G.

a. Falcon Gel Armpads for Flip-Back Armrests

Falcon Gel, Full Length Left and Right \$300 Part: ARM1806807 NOT COVERED BY AADL	Falcon Gel, Desk Length Left, Full Length Right..... \$300 Part: ARM1806810 NOT COVERED BY AADL
Falcon Gel, Full Length Left, Desk Length Right..... \$250 Part: ARM1806813 NOT COVERED BY AADL	Falcon Gel, Desk Length Left and Right \$250 Part: ARM1806806 NOT COVERED BY AADL

b. Falcon Gel Armpads for Tube Style Armrests

Falcon Gel, Full Length Left and Right \$300 Part: ARM136438 NOT COVERED BY AADL	Falcon Gel, Desk Length Left, Full Length Right..... \$300 Part: ARM136439 NOT COVERED BY AADL
Falcon Gel, Full Length Left, Desk Length Right..... \$250 Part: ARM136442 NOT COVERED BY AADL	Falcon Gel, Desk Length Left and Right \$200 Part: ARM136437 NOT COVERED BY AADL

14. TRU-BALANCE 3 ARMREST BRACKETS

14.1. Joystick Bracket

REQUIRED.

Standard Fixed ReceiverStandard Part: XRF000063	Stealth Height Adjustable Receiver \$194 Part: XRF000064
--	---



14.2. Side Track Accessory Bracket for Flip-Back Armrests

Optional. Only available with flip-back, 8"-16" H armrests. This adds a 47mm channel to the side of the armrest to allow mounting of accessories with t-nuts.

Flip-Back Armrest, Side Track Accessory Bracket \$25 Part: MEC1809178 NOT COVERED BY AADL

15. TRU-BALANCE 3 HEADRESTS

Optional. Select a headrest pad and bracket.

15.1a. Headrest Pads, Redesign Back Assembly

Only available with 14" to 22" back widths of Static Type or Flip Forward back, without occupied transit.

1. Headrest Pads

Stealth 8" Comfort Plus, Cool Core (CP08CCFPM) \$279 Part: ST-CP08CCFPM-Q. AADL CODE V081	Stealth 14" Comfort Plus, Cool Core (CP14CCFPM) \$279 Part: ST-CP14CCFPM-Q. AADL CODE V081
Stealth 10" Comfort Plus, Cool Core (CP10CCFPM) \$279 Part: ST-CP10CCFPM-Q. AADL CODE V081	Stealth 6", Comfort Plus, Cool Core (CP06CCFPM) \$279 Part: ST-CP06CCFPM-Q. AADL CODE V081

2. Headrest Brackets

Comfort Plus Headrest Mounting Bracket, UniLink..... \$485 Part: ST-UHB2D33200-Q. AADL CODE N535
--

TRU-Balance 3 headrests section continued on following page.

15. TRU-BALANCE 3 HEADRESTS CONTINUED

15.1b. Headrests, Comfort Plus and Stealth Contoured

1. Headrest Pads

- Stealth 8" Comfort Plus (CP450)..... \$221 Stealth 14" Comfort Plus (CP150) \$221
Part: POS148484. E0955 AADL CODE V081 *Part: INDPART2327. E0955 AADL CODE V081*
- Stealth 10" Comfort Plus (CP250)..... \$221 Pediatric Comfort Plus (6"Wx4.5"H) (CPN350)..... \$221
Part: SETHEAD1057. E0955 AADL CODE V081 *Part: SETHEAD1069. E0955 AADL CODE V081*

2. Headrest Brackets

- Multi-Axis Removable Headrest Bracket (HMO475P)\$232
Part: HDWASMB1084. AADL CODE N533

16. LAP BELTS

REQUIRED. Select a lap belt below.

16.1a. Standard Lap Belts

- 38" Lap Belt 50" Lap Belt 60" Lap Belt 70" Lap Belt 80" Lap Belt 90" Lap Belt
Part: ACCBELT1006 *Part: ACCBELT1000* *Part: ACCBELT1002* *Part: ACCBELT1003* *Part: ACCBELT1004* *Part: ACCBELT1001*

16.1b. Optional Lap Belts

- Stealth Retractable Lap Belt (IFRB5350).....\$175 i-Fit 60" Single Pull, Push Button, Extra Large \$134
Part: ST-IFRB5350 NOT COVERED BY AADL Padded (11.5"), 2" Belt (IFPB5315)
Part: ST-IFPB5315-Q AADL CODE N527
- i-Fit 60" Single Pull, Push Button, Medium \$134 60" Sure-Lok Lap Belt (Non-retractable)..... \$200
Part: ST-IFPB5213-Q AADL CODE N527 Required with ISO 7176-19 Compliant Transit Option.
Part: ACCBELT1016 NOT COVERED BY AADL
- i-Fit 60" Single Pull, Push Button, Large \$134
Padded (9.5"), 2" Belt (IFPB5314)
Part: ST-IFPB5314-Q AADL CODE N527

17. TRU-BALANCE 3 LEGREST CONTROLS

Optional. Specific power legrest options are selected later in this form. Select the control type here, if power legrests are desired, to assist the selection of the power positioning electronics.

- Independent Legrests (adds 2 actuator control requirement) Articulating Foot Platform (adds 1 actuator control requirement)
Part: XRF000108 *Part: XRF000110*
- Combined Legrests (adds 2 actuator control requirement)
Part: XRF000109

18. LEGRESTS

Optional. All efforts will be made to accommodate legrest length selection, but minor changes may need to be made to meet shipping guidelines. Some adjustments may be needed upon receipt of the unit. Reference the section's compatibility matrix for legrest interference.

20.1a. Basic Center Mount Foot Platform

1. Basic Center Mount Foot Platform Assembly

- Basic Center Mount..... \$200
Part: XRF000323

Short	Medium	Long
8"-10"	10"-14"	14"-20"
Basic Center Mount Extension Range		

2. Basic Center Mount Extension and Angle Adjustable Footplates

- Short Extension, 5"x9" Footplates
Part: XRF000312. HCPCS: K0040
- Medium Extension, 5"x9" Footplates
Part: XRF000313. HCPCS: K0040

3. Basic Center Mount Calf Pads

- Small Calf Pads, Basic Center Mount..... \$210
Part: RIG2104369

4. Basic Center Mount Additional Accessory

- Basic Center Mount Footplate Connector \$55
Part: RIG2104240

18.1b. Center Mount Foot Platform

If power articulating foot platform is selected, be sure power legrest control has been selected in earlier section. Select legrest length in following section.

1. Foot Platform Assembly

- Power Articulating Foot Platform \$3,145 Manually Adjustable Center Mount Foot Platform... \$265
Part: PTOINDV3754. NOT COVERED BY AADL *Part: XRF000155. K0040*

2. Lower Extension and Angle Adjustable Footplates

- 8"-12" Extension, 5"x6" Footplates 10"-16" Extension, 5"x6" Footplates
Part: RIG152577 *Part: RIG150206*
Not available with power articulating platform.
- 8"-12" Extension, 5"x8" Footplates 10"-16" Extension, 5"x8" Footplates
Part: RIG152578 *Part: RIG150203*
Not available with power articulating platform.
- 10"-16" Extension, 5"x11" Footplates
Part: RIG150212

Legrests section continued on following page.

18. LEGRESTS CONTINUED

3. Center Mount Calf Support

Calf pads are standard with a power articulating foot platform.

Small Calf Pads, AFP Only, (pair) 6"Wx6"H Standard
Part: RIGASMB7120018

Small Calf Pads, Manually Adjustable Center Mount Only, \$210
(pair) 6"Wx6"H
Part: XRF000156

4. Center Mount Modular Footplate Extension Components

Optional. Assembly required. May require seating configuration adjustments to avoid front caster interference.

2" Bell-Shaped Length Extension \$55
Part: RIG152519
Not compatible with width extensions. Can be used with 6" outside edge with 11" footplates.

4" Outside Edge (pair) \$55
Part: RIG152510
Only available with 6"D footplates and 8"D footplate extension.

6" Outside Edge (pair) \$55
Part: RIG152516
Available with 8"D and 11"D footplates and 11"D footplate extension.

5. Center Mount Additional Accessories

Reversed Dartex Calf Pad Cover, Small (pair)..... \$150
Small part: RIG133717

Footplate Connector \$55
Part: RIGASMB7120023

6. Stealth Gel Footplate Covers

5"x8" Tapered Gel Footplate Covers..... \$275
Part: ST-FPG5008T-Q.

6.5"x8" Tapered Gel Footplate Covers for Width Extension..... \$275
Part: ST-FPG6508T-Q. K0108

5"x11" Tapered Gel Footplate Covers..... \$275
Part: ST-FPG5011T-Q. K0108

7"x11" Tapered Gel Footplate Cover for Width Extension \$275
Part: ST-FPG7011T-Q. K0108

18.1b. Swing-Away Legrests

Select a legrest upper, a legrest extension, and type of footplate. Pair (P), left (L), and right (R) configurations are selected by checking the appropriate boxes.

1a. 60°-90° Swing-Away Legrest Upper

Adjustable in 5° increments.

P L R 60°-90° Swing-Away Legrest..... \$285
Pair part: RIG120062. Left: FRMASMB17558.
Right: FRMASMB17559
Not available with 11"-13" extensions.

P L R 60°-90° Swing-Away Legrest, Short..... \$285
Pair part: RIG136481. Left: RIG132607.
Right: RIG132609.
For use only with 11"-13" lower extensions.

2. Lower Extension

P L R 11"-13" Length
Pair part: XRF000088.
Left: XRF000089.
Right: XRF000090.
N/A with Multi-axis.

P L R 13"-16.5" Length
Pair part: XRF000094.
Left: XRF000095.
Right: XRF000096.
N/A with Multi-Axis.

P L R 11"-16.5" Length
Pair part: XRF000091.
Left: XRF000092.
Right: XRF000093.
N/A with Angle Adjustable.

P L R 15.5"-19.5" Length
Pair part: XRF000097.
Left: XRF000098.
Right: XRF000099.

3a. Extruded Footplate(s)

P L R 7.25"Wx6"D Extruded Footplate..... Standard
Part pair: FRMASMB7847. Left: FRMASMB7861
Right: FRMASMB7862

P L R 8.5"Wx6"D Extruded Footplate Standard
Part pair: FRMASMB7848. Left: FRMASMB7863
Right: FRMASMB7864
May cause interference on seat widths less than 18."

3b. Swing-Away Legrest, Angle Adjustable Footplate(s) with Heel Loops

*The 6"x11" footplates may cause interference with seat widths less than 18". *The 8"x11" footplates may cause interference with seat widths less than 20".

P L R 4"Wx6"D \$87.50 ea.
Pair part: FRMASMB10564. Left: RIG133537. Right: RIG133560

P L R 5"Wx6"D..... \$87.50 ea.
Pair part: FRMASMB10565. Left: RIG133538. Right: RIG133561

P L R 5"Wx8"D \$87.50 ea.
Pair part: FRMASMB10566. Left: RIG133539. Right: RIG133562

P L R 6"Wx8"D¹ \$87.50 ea.
Pair part: FRMASMB10567. Left: RIG133540. Right: RIG133563

P L R 6"Wx11"D¹ \$87.50 ea.
Pair part: FRMASMB10568. Left: RIG133541. Right: RIG133564

P L R 8"Wx11"D² \$87.50 ea.
Pair part: FRMASMB10569. Left: RIG133542. Right: RIG133565

60°-90° Swing-Away Legrest Compatibility Matrix	Power Recline or Static Seat			Power Tilt			Power Lift		
	Low	Med.	High	Low	Med.	High	Low	Med.	High
Extruded, 11"-16.5"	!	✓	✓	✓	✓	✓	✓	✓	✓
Extruded, 13"-16.5"	!	✓	✓	✓	✓	✓	✓	✓	✓
Extruded, 15.5"-19.5"	!	!	!	!	!	!	!	!	✓
Angle Adjustable, 13"-16.5"	!	✓	✓	✓	✓	✓	✓	✓	✓
Angle Adjustable, 15.5"-19.5"	!	!	!	!	!	!	!	!	✓
Multi-Axis, 11"-16.5"	!	✓	✓	✓	✓	✓	✓	✓	✓
Multi-Axis, 15.5"-19.5"	!	!	!	!	!	!	!	!	✓

- This rigging configuration causes no interference issues at this seat-to-floor height.
- This rigging configuration may have less than 1.75" clearance when fully extended and may interfere with the ground or reduce obstacle climbing ability.

TRU-Balance 3 power positioning electronics section continued on following page.

18. LEGRESTS CONTINUED

3c. Swing Away Legrest, Multi-Axis Footplate(s) with Heel Loops

¹The 6"x11" footplates may cause interference with seat widths less than 18". ²The 8"x11" footplates may cause interference with seat widths less than 20".

- | | |
|--|---|
| <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 4"Wx6"D \$260 ea.
Pair part: FRMASMB9456. Left: RIG133531. Right: RIG133552</p> <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 5"Wx6"D..... \$260 ea.
Pair part: FRMASMB9457. Left: RIG133532. Right: RIG133553</p> <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 5"Wx8"D \$260 ea.
Pair part: FRMASMB9458. Left: RIG133533. Right: RIG133554</p> | <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 6"Wx8"D¹ \$260 ea.
Pair part: FRMASMB9459. Left: RIG133534. Right: RIG133555</p> <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 6"Wx11"D¹ \$260 ea.
Pair part: FRMASMB9460. Left: RIG133535. Right: RIG133558</p> <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 8"Wx11"D² \$260 ea.
Pair part: FRMASMB9461. Left: RIG133536. Right: RIG133559</p> |
|--|---|

4. Swing-Away Legrest Accessory

- Gel Neoprene Footrest Sleeve (pair) \$130
Part: INDPART2243. K0108

18.1c. 70° Power Articulating, Swing Away Legrests

⁴" of articulating range. Be sure power legrest control has been selected in previous section. Select an upper extension type and footplate. Pair (P), left (L), and right (R) configurations are selected by checking the appropriate boxes. Select legrest length in following section.

1. Articulating Legrest Upper Assembly

- | | |
|--|---|
| <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 70° Articulating, Swing-Away..... \$1,432.50 ea.
Legrest with 14.5"-18" Extension NOT COVERED BY AADL
Pair Part: FRMASMB9073. Left Part: FRMASMB9074.
Right Part: FRMASMB9075. Pair E1010+K0040+E0951</p> | <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 70° Articulating, Swing-Away..... \$1,432.50 ea.
Legrest with 11"-13" Extension NOT COVERED BY AADL
Pair Part: FRMASMB11444. Left Part: FRMASMB11366.
Right Part: FRMASMB11367. Pair E1010+K0040+E0951</p> |
|--|---|

70° Power Articulating, Swing-Away Legrest Compatibility Matrix	Power Recline or Static Seat			Power Tilt			Power Lift		
	Low	Med.	High	Low	Med.	High	Low	Med.	High
Angle Adjustable, 11"-13"	✓	✓	✓	✓	✓	✓	✓	✓	✓
Angle Adjustable, 14.5"-18"	!	!	!	!	!	!	!	!	!

- This rigging configuration causes no interference issues at this seat-to-floor height.
- This rigging configuration may have less than 1.75" clearance when fully extended and may interfere with the ground or reduce obstacle climbing ability.

2. Angle Adjustable Footplate with Heel Loop and Wheel Bumper

¹The 6"x11" footplates may cause interference with seat widths less than 18". ²The 8"x11" footplates may cause interference with seat widths less than 20".

- | | | |
|---|---|---|
| <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 4"Wx6"D
Pair part: FRMASMB7448. Left part: RIG133543. Right part: RIG133566.</p> <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 5"Wx6"D
Pair part: FRMASMB7449. Left part: RIG133544. Right part: RIG133567.</p> | <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 5"Wx8"D
Pair part: FRMASMB7450. Left part: RIG133545. Right part: RIG133568.</p> <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 6"Wx8"D¹
Pair part: FRMASMB7451. Left part: RIG133547. Right part: RIG133569.</p> | <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 6"Wx11"D¹
Pair part: FRMASMB7452. Left part: RIG133548. Right part: RIG133570.</p> <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 8"Wx11"D²
Pair part: FRMASMB7453. Left part: RIG133549. Right part: RIG133571.</p> |
|---|---|---|

3. Power Articulating, Swing-Away Legrest Accessories

- Calf Pad (pair) 6"Wx6"H..... No Charge
Part: MEC153735

18.1d. Elevating Legrests

Select a legrest upper, a legrest extension, and type of footplate. Pair (P), left (L), and right (R) configurations are selected by checking the appropriate boxes. Select legrest length in following section.

1. Elevating Legrests Upper

- Elevating Legrest Assembly \$275 ea.
Pair part: FRMASMB6483. Left: RIG138012
Right: RIG138013. E0990
Select lower extension and footplates

2. Lower Extension

- | | |
|---|--|
| <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 11"-14" Length
Pair: FRMASMB4755
Left: RIG138026
Right: RIG138030
For reinforced only</p> <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 12"-14.5" Length
Pair part: XRF000101.
Left: XRF000102.
Right: XRF000103.
For angle adjustable only</p> | <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 14"-17" Length
Pair: FRMASMB4756
Left: RIG138033
Right: RIG138035
For reinforced only</p> <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> 14.5"-18" Length
Pair part: XRF000104.
Left: XRF000105.
Right: XRF000106
For angle adjustable only</p> |
|---|--|

Elevating Legrest Compatibility Matrix	Power Recline or Static Seat			Power Tilt			Power Lift		
	Low	Med.	High	Low	Med.	High	Low	Med.	High
Reinforced, 11"-14"	✓	✓	✓	✓	✓	✓	✓	✓	✓
Reinforced, 14"-17"	!	!	!	!	!	!	!	!	!
Angle Adjustable, 12"-14.5"	✓	✓	✓	✓	✓	✓	✓	✓	✓
Angle Adjustable, 14.5"-18"	!	!	!	!	!	!	!	!	!

- This rigging configuration causes no interference issues at this seat-to-floor height.
- This rigging configuration may have less than 1.75" clearance when fully extended and may interfere with the ground or reduce obstacle climbing ability.

18. LEGRESTS CONTINUED

3a. Reinforced Cast Footplate(s)

<p>P L R 7.25"Wx6"D Reinforced Footplate..... Standard <i>Pair part: FRMASMB4748. Left: RIG138055. Right: RIG138056</i></p>	<p>P L R 8.5"Wx6"D Reinforced Footplate Standard <i>Pair part: FRMASMB4747. Left: RIG138060. Right: RIG138062</i> May cause interference on seat widths less than 18."</p>
---	--

3b. Angle Adjustable Footplate(s)

¹The 6"x11" footplates may cause interference with seat widths less than 18". ²The 8"x11" footplates may cause interference with seat widths less than 20". 4"x6" and 5"x6" footplates are only available in pairs.

<p>P L R 4"Wx6"D \$87.50 ea. <i>Pair parts: FRMASMB8812 x2.</i></p> <p>P L R 5"Wx6"D..... \$87.50 ea. <i>Pair parts: FRMASMB8811 x2.</i></p> <p>P L R 5"Wx8"D Footplates with Heel Loops \$87.50 ea. <i>Pair part: FRMASMB4735. Left: RIG137791. Right: RIG137792</i></p>	<p>P L R 6"Wx8"D¹ Footplates with Heel Loops \$87.50 ea. <i>Pair part: FRMASMB4738. Left: RIG137793. Right: RIG137795</i></p> <p>P L R 6"Wx11"D¹ Footplates with Heel Loops \$87.50 ea. <i>Pair part: FRMASMB4741. Left: RIG137796. Right: RIG137797</i></p> <p>P L R 8"Wx11"D² Footplates with Heel Loops \$87.50 ea. <i>Pair part: FRMASMB4744. Left: RIG137798. Right: RIG137799</i></p>
---	--

18.2. Legrest Accessories

<p>Heel Loops (pair)..... \$35 <i>Part: FRMASMB7873. E0951</i> Standard on angle adjustable and multi axis footplates when noted.</p>	<p>Wheel Bumper..... \$15 ea. <i>Part: XRF000100</i></p>
---	---

19. SET LEGREST EXTENSION LENGTH

REQUIRED with matching left and right legrest configuration. Part number is PTOINDV plus number following # below. All efforts will be made to accommodate legrest length selection, but minor changes may need to be made to meet shipping guidelines. Some adjustments may be needed upon receipt of the unit. Reference the section's compatibility matrix for legrest interference. Non-matching or individual legrest configurations lengths are not set by the manufacturer.

7" L (#3470)	8" L (#3472)	9" L (#3474)	10" L (#3476)	11" L (#3478)	12" L (#3480)	13" L (#3482)	14" L (#3484)	15" L (#3486)
7.5" L (#3471)	8.5" L (#3473)	9.5" L (#3475)	10.5" L (#3477)	11.5" L (#3479)	12.5" L (#3481)	13.5" L (#3483)	14.5" L (#3485)	

20. TRU-BALANCE 3 POWER POSITIONING ELECTRONICS

REQUIRED with power seating or legrest options. Select one option from section 20.1 or 20.3.

20.1a. Tilt Only through Toggle

Single Actuator Control, Power Tilt Only, Through Toggle (NE 4-Key Joystick Only)..... No Charge
Part: ELE1905907
 Select toggle side. May require extended lead time when selected with Fender Lights.

1. Toggle Mount Side Selection

Left Side Toggle <i>Part: PTOINDV1839</i>	Right Side Toggle <i>Part: PTOINDV1838</i>
--	---

20.1b. NE+ 6 Key Controls through Joystick

Actuator Control Through NE+ Joystick No Charge
Part: XRF000065.

21.1c. Q-Logic 3 Controls through Joystick

Single Actuator Through Q-Logic 3 Controller and Interface (AM).....	No Charge
2 Actuators Through Q-Logic 3 Controller and Interface (AM)	\$1,250
<i>Not funded by ADP</i>	
3 Actuators Through Q-Logic 3 Controller and Interface (AM)	\$1,500
<i>Not funded by ADP</i>	
Up to 5 Actuators Through Q-Logic 3 Controller and Interface (AAM).....	\$1,675
<i>ADP: SECX15005</i>	

1. Optional Switch Control

Available with Q-Logic 3 only. 4-Way switches will be mounted to same side of joystick.

<p>4-Function Push Button.....\$225 <i>Part: CTL123218 NOT COVERED BY AADL</i> See next section for switch mounting. Only available with AAM.</p>	<p>4-Way Toggle.....\$575 <i>Part: ELEASMB5925 NOT COVERED BY AADL</i> Only available with AAM.</p>	<p>4-Way Button Toggle.....\$575 <i>Part: ELEASMB5926 NOT COVERED BY AADL</i> Only available with AAM.</p>
<p>iAccess Flat Button.....\$575 <i>Part: CTL144009 NOT COVERED BY AADL</i> See next section for switch mounting.</p>	<p>iAccess Toggle Button.....\$575 <i>Part: CTL144010 NOT COVERED BY AADL</i> See next section for switch mounting.</p>	



TRU-Balance 3 power positioning electronics section continued on following pages.

20. TRU-BALANCE 3 POWER POSITIONING ELECTRONICS CONTINUED

21.2. 4-Function Push Button/iAccess Mount

REQUIRED with 4-Function Push Button or iAccess options.

Joystick Mount No Charge Part: MEC1907500	Attendant Mount \$35 Part: MEC1906564 NOT COVERED BY AADL
Under Arm Mount, Flip-Back Armrest..... No Charge Part: MEC1906531	Under Arm Mount, Flip-Back Armrest, plus iAccess Guard \$35 Part: MEC2001400 NOT COVERED BY AADL
Under Arm Mount, Tube Style Armrest No Charge Part: MEC1906530	Under Arm Mount, Tube Style Armrest, plus iAccess Guard \$35 Part: MEC2001401 NOT COVERED BY AADL

1. Under Arm Mount Side Selection

Left Side Under Arm Mount Part: PTOINDV3678	Right Side Under Arm Mount Part: PTOINDV3679
--	---

21. TRU-BALANCE 3 ATTENDANT CONTROL


Optional. *Attendant control will be at no charge when ordered with Tilt and Recline. Mounting bracket is included.

Attendant Control \$950 Part: XRF000078. PRIOR APPROVAL FROM AADL REQUIRED
--

22. PROVIDER INSTALLED ACCESSORIES

Optional. Multiple accessories can be mounted along the various tracks but some interference may occur.

TRU-Balance 3 Cane/Crutch Holder \$100 Part: ACC152515 NOT COVERED BY AADL	Includes accessory bar, a credit will be applied PTOIN-DV3769.
Quantum Backpack \$200 Part: ACC1905853 NOT COVERED BY AADL	TRU-Balance 3 Clothing Guard (Pair) \$275 Part: ACC125007 NOT COVERED BY AADL Not available with Heavy Duty armrests.
TRU-Balance 3 Transfer Handle (D) \$305. Part: MEC1809930. NOT COVERED BY AADL Not available with Heavy Duty armrests.	TRU-Balance 3 Glove Box (C) \$85 Part: ACC125011 NOT COVERED BY AADL
TRU-Balance 3 Cup Holder \$20 Part: ACC125003 NOT COVERED BY AADL For use with TRU-Balance 3 (track style) armrests.	Stealth Large Tablet Holder \$565 Part: ACC141818 NOT COVERED BY AADL Not available with Heavy Duty armrests.
Cup Holder (Tube-style Armrest)..... \$20 Part: ACCASMB2634 NOT COVERED BY AADL For use with tube-style armrests.	Trilogy Vent Tray \$420 Part: ACC136791. NOT COVERED BY AADL Includes accessory bar, a credit will be applied PTOIN-DV3769. Contact custom for models other than 100 and 200.
TRU-Balance 3 Personal Item Hook \$20 Part: ACC125008 NOT COVERED BY AADL Not available with back cane option.	Compact Vent Tray \$1,395 Part: ACC133889. NOT COVERED BY AADL
TRU-Balance 3 Reflector Kit..... \$35 Part: ACC124670 NOT COVERED BY AADL	Push Handles (pair)..... \$140 Part: ACC2005027 NOT COVERED BY AADL Not available with oxygen holder, back cane option, or vent tray. Required with attendant manual recline.
TRU-Balance 3 Backpack Holder (Pair) (A) \$42 Part: ACC147774 NOT COVERED BY AADL Not available with back cane option.	Accessory Bar \$90 Part: ACC1909634 NOT COVERED BY AADL Horizontal rail attached to rear of seat. Standard with the Trilogy vent tray and oxygen holder. Not available with back cane option.
TRU-Balance 3 Front Mounted \$95 Cell Phone/ Media Holder, X-Grip (E) Part: ACC155835 NOT COVERED BY AADL Not available with Heavy Duty armrests.	Large, Black, Weather Cover \$240 Part: ACCCOVR1021 NOT COVERED BY AADL
TRU-Balance 3 Rear View Mirror \$35 Part: ACC155833 NOT COVERED BY AADL Not available with Heavy Duty armrests or 2-post.	Q-Logic EX/NE Programmer \$625 Part: ELEASMB6976 NOT COVERED BY AADL
TRU-Balance 3 Oxygen Holder \$110 Part: ACC125006. NOT COVERED BY AADL	



Provider installed accessories section continued on following pages.

25. ALTERNATIVE CONTROLS AND ELECTRONICS

Optional. Select a type of specialty controls below. More options are available on the [Alternative Controls and Electronics order form](#).

25.1. Enhanced Display

Q-Logic 3 Enhanced Display Kit..... \$2,045

Part: CTL167726 **AADL CODE W100**

Select a color option below. Includes enhanced display, flexible gooseneck and mounting bracket. Features: 3.5" LCD display; up to 5 profiles to control drive, seat, and auxiliary functions; Bluetooth connectivity for mobile devices and mouse emulation; integrated single switch scanner; IR controls.



Q-Logic 3 Enhanced Display Shroud

Required with Q-Logic 3 Enhanced Display selection above. Reference colors shown on page 2.

Red Corvette Part: DGN137729-PRD1	Raspberry Beret Part: DGN137729-PPK4	Blue Jean Part: DGN137729-PBU11	Faded Glory Part: DGN137729-WFL2
Back in Black Part: DGN137729-PBK1	Pretty in Pink Part: DGN137729-PPK3	Lemon Crush Part: DGN137729-PYL4	Carbon Fiber Part: DGN137729-WCB1
Night Train Part: DGN137729-PBK3	Evolution Orange Part: DGN137729-POR7	Green Machine Part: DGN137729-PGN11	To Be Determined Follow-up required.
Grey Street Part: DGN137729-PSL3	Midnight Blue Part: DGN137729-PBU10	Military Green Part: DGN137729-PGN8	
Deep Purple Part: DGN137729-PPR5	Electric Blue Part: DGN137729-PBU9	Military Digital Camo Part: DGN137729-WCM7	

25.2. SCIM Module

Optional.

SCIM Module for Q-Logic 3..... \$850

Part: CTL168055 **AADL CODE W100**

Allows use of joystick di splay for specialty devices. Available with Q-Logic 3 EX Joystick selection above. Up to 5 profiles to control drive, seat, and auxiliary functions, excluding sip-n-puff and single switch functions. A switch is required to operate the input device attached to the SCIM module.



25.3. Q-Logic 3 SAJ

Q-Logic 3 EX SAJ..... \$850

Part: CTL143980 **AADL CODE W100**

Must be used in conjunction with Enhanced Display or Q-Logic 3 Joystick.



25.4. Head Array

Adult, i-Drive Tri-Array Series, 3-Switch \$5,855
Head Array (IDHBT200-1)

Part: ST-IDHBT200-1-Q. **AADL CODE W100**

Features bluetooth, head support, 3 non-proportional proximity sensors for drive control, an egg switch for re-set mode change, and i-Drive smart box.

Adult, i-Drive Pro Series Head Array \$5,855
(IDHBT300-1)

Part: ST-IDHBT300-1-Q. **AADL CODE W100**

Features bluetooth, head support with occipital pad and 2 swing-away spot pads for left and right side, 3 non-proportional proximity sensors, an egg switch for reset mode change, and i-Drive smart box.



25.5. Sip and Puff Drive

1. Sip and Puff Module

Sip and Puff Module for Q-Logic 3..... \$1,695

Part: CTL168056 ADP: WEX5 **AADL CODE W100**

Includes module and mounting hardware.

2. Sip and Puff Straw and Mount

Stealth Sip and Puff for Comfort Series, Left Mount (SP625-CL) \$410

Part: ST-SP625-CL-Q. **AADL CODE W100**

Includes straw and mounting hardware. Use with Stealth Comfort Plus headrests.

Stealth Sip and Puff for Comfort Series, Right Mount (SP622-CR) \$410

Part: ST-SP625-CR-Q. **AADL CODE W100**

Includes straw and mounting hardware. Use with Stealth Comfort Plus headrests.

Stealth Sip and Puff for Stealth i-Drive, Head Array (SP625-U) \$410

Part: ST-SP625-U-Q. **AADL CODE W100**

Includes straw and mounting hardware. Use with Stealth i-Drive Head Arrays.



Alternative controls and electronics section continued on following pages.

25. ALTERNATIVE CONTROLS AND ELECTRONICS CONTINUED

25.6. Egg Switches

Red Egg Switch (ESRED)..... \$100 Part: SWTMCR01077 AADL CODE W100	Green Egg Switch (ESGRN) \$100 Part: SWTMCR01078 AADL CODE W100
Blue Egg Switch (ESBLU)..... \$100 Part: SWTMCR01079 AADL CODE W100	Yellow Egg Switch (ESYEL) \$100 Part: SWTMCR01080 AADL CODE W100
Black Egg Switch (ESBLK)..... \$100 Part: SWTMCR01081 AADL CODE W100	



25.7. Switch Adapter

2 to 1 Switch Adapter..... \$135 Part: DWR1361H037 AADL CODE W100 Connects 2 single switches to a stereo jack to act as a dual switch.

25.8. Environmental Controls

Q-Logic 3 ECU Module Kit..... \$1,780 Part: CTL168057 AADL CODE W100
--

25.9. USB Mobile Device Charger

USB Mobile Device Charger..... \$185 Part: ELE168069 NOT COVERED BY AADL Can charge 1 device. A multiplier harness is required and must be added when a Static Seat or Power Tilt Only seating system is chosen. The selection of more than 3 modules requires an additional multiplier.



26. TRU-BALANCE 3 MULTIPLIER HARNESS

REQUIRED. Multiple controllers or power accessories may require an additional multiplier harness or special order. Reference the chart below to determine the appropriate selection. The rows refer to the total amount of arm mounted devices and the columns refer to the total amount of back mounted devices. The online order configurator will automatically make this selection under specialty controls.

Secondary Multiplier (SM)..... \$250 Part: XRF000107

Arm Mounts	Joystick (Hand Control)	<table border="1"> <thead> <tr> <th></th> <th>1 Arm</th> <th>2 Arm</th> <th>3 Arm</th> <th>4+ Arm</th> </tr> </thead> <tbody> <tr> <td>0 Back</td> <td>NA</td> <td>SM</td> <td>SM</td> <td>SOF</td> </tr> <tr> <td>1 Back</td> <td>NA</td> <td>SM</td> <td>SM</td> <td>SOF</td> </tr> <tr> <td>2 Back</td> <td>SM</td> <td>SM</td> <td>SM</td> <td>SOF</td> </tr> <tr> <td>3+ Back</td> <td>SOF</td> <td>SOF</td> <td>SOF</td> <td>SOF</td> </tr> </tbody> </table>		1 Arm	2 Arm	3 Arm	4+ Arm	0 Back	NA	SM	SM	SOF	1 Back	NA	SM	SM	SOF	2 Back	SM	SM	SM	SOF	3+ Back	SOF	SOF	SOF	SOF
			1 Arm	2 Arm	3 Arm	4+ Arm																					
	0 Back		NA	SM	SM	SOF																					
	1 Back		NA	SM	SM	SOF																					
	2 Back		SM	SM	SM	SOF																					
3+ Back	SOF	SOF	SOF	SOF																							
Enhanced Display																											
iAccess																											
USB Charger																											
SAJ																											
Back Mounts	Attendant Control	<table border="1"> <thead> <tr> <th></th> <th>1 Arm</th> <th>2 Arm</th> <th>3 Arm</th> <th>4+ Arm</th> </tr> </thead> <tbody> <tr> <td>0 Back</td> <td>NA</td> <td>SM</td> <td>SOF</td> <td>SOF</td> </tr> <tr> <td>1 Back</td> <td>NA</td> <td>SM</td> <td>SOF</td> <td>SOF</td> </tr> <tr> <td>2 Back</td> <td>SM</td> <td>SM</td> <td>SOF</td> <td>SOF</td> </tr> <tr> <td>3+ Back</td> <td>SOF</td> <td>SOF</td> <td>SOF</td> <td>SOF</td> </tr> </tbody> </table>		1 Arm	2 Arm	3 Arm	4+ Arm	0 Back	NA	SM	SOF	SOF	1 Back	NA	SM	SOF	SOF	2 Back	SM	SM	SOF	SOF	3+ Back	SOF	SOF	SOF	SOF
			1 Arm	2 Arm	3 Arm	4+ Arm																					
	0 Back		NA	SM	SOF	SOF																					
	1 Back		NA	SM	SOF	SOF																					
2 Back	SM	SM	SOF	SOF																							
3+ Back	SOF	SOF	SOF	SOF																							
SCIM																											
Sip n Puff																											
ECU																											

Power Positioning Chart

Static Seat Chart

Q-Logic 3 Multiplier Charts

NA No additional Multiplier
SM Secondary Multiplier
SOF Special Order Required