


**MEDm&bility**  
 5711- Calgary Trail NW  
 Edmonton AB T6H 2K1  
 P:780-437-3300 • F:780-430-9381  
**AADL Vendor # 0000612578-001**
**MOVE**
**ORDER FORM - AADL # W114**
**Discount 7%**

 P.O. number:\* \_\_\_\_\_ Date: \_\_\_\_\_  
 Company Name:\* \_\_\_\_\_ Phone:\* \_\_\_\_\_  
 Purchasing contact:\* \_\_\_\_\_  
 Clinician/Sales rep/ATP: \_\_\_\_\_  
 Email: \_\_\_\_\_  
 Marked for: \_\_\_\_\_

 Ship to:\* \_\_\_\_\_  
 Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ Prov: \_\_\_\_\_  
 Postal Code: \_\_\_\_\_  
 Phone: \_\_\_\_\_

\* Required

 MA080  English Manual (STD)      MA081  Manuel Français      Taxes not included

MODEL											
1	WC01	Ultralight MOVE wheelchair aluminum. (265 lb weight capacity)							\$1 395	<input type="checkbox"/>	
2	WC09	Heavy duty package (350 Lb weight capacity) <sup>4</sup>							\$1 070	<input type="checkbox"/>	
SEAT WIDTH <sup>3</sup>											
3	SW	Seat width:	14" <input type="checkbox"/>	15" <input type="checkbox"/>	16" <input type="checkbox"/>	17" <input type="checkbox"/>	18" <sup>1</sup> <input type="checkbox"/>	19" <sup>1</sup> <input type="checkbox"/>	NC	<input type="checkbox"/>	
4	SW	Seat width:	20" <sup>1</sup> <input type="checkbox"/>		22" <sup>2</sup> <input type="checkbox"/>				\$295	<input type="checkbox"/>	
SEAT DEPTH											
5	SD	Seat depth:	16" <input type="checkbox"/>		17" <input type="checkbox"/>		18" <input type="checkbox"/>		NC	<input type="checkbox"/>	
6	SD	Seat depth:	20" <input type="checkbox"/>							\$225	<input type="checkbox"/>

1 - Available with HD option

2 - Only available with HD option

[3. Width calculator](#)

4 - Seat width of 20" and 22" are no charge with HD option

**Move FRONT Seat-to-floor Height - Please select your choice**

Fork/Position		4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length		
		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	12 1/2	13 1/2	14 1/2												
	P2	13	14	15	13 1/2	14 1/2	15 1/2									
5"	P1															
	P2	13	14	15	13 1/2	14 1/2	15 1/2									
	P3	13 1/2	14 1/2	15 1/2	14	15	16	14 1/2	15 1/2	16 1/2						
	P4	14	15	16	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2			
7"	P1							15 1/2	16 1/2	17 1/2	16	17	18			
	P2				15 1/2	16 1/2	17 1/2	16	17	18	16 1/2	17 1/2	18 1/2			
	P3				16	17	18	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2
	P4	16	17	18	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20
	P5	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS													
7	CA01	Composite wheel w/ PU tire (1" width)	4" <input type="checkbox"/>	5" <input type="checkbox"/>	6" <input type="checkbox"/>	7" <input type="checkbox"/>	8" <input type="checkbox"/>			NC	<input type="checkbox"/>		
8	CA10	Pneumatic 6" x 1 1/4"								\$160	<input type="checkbox"/>		
9	CA11	Pneumatic 8" x 1 1/4"								\$160	<input type="checkbox"/>		
10	CA14	Newton UltraCaster Soft-Roll Composite	4" x 1 1/2"								\$98	<input type="checkbox"/>	
11	CA15		5" x 1 1/2"								\$98	<input type="checkbox"/>	
12	CA16		6" x 1 1/2"								\$98	<input type="checkbox"/>	
13	CA17		4" x 1 1/2"							A1*	\$175	<input type="checkbox"/>	
14	CA18	Newton UltraCaster Soft-Roll Aluminum	5" x 1 1/2"								A1*	\$185	<input type="checkbox"/>
15	CA19		6" x 1 1/2"								A1*	\$195	<input type="checkbox"/>

### Move REAR Seat-to-floor Height - Please circle your choice

20"	22"	24"
12"	13"	14"
13"	14"	15"
14"	15"	16"
15"	16"	17"
16"	17"	18"
17"	18"	19"

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1/2" of selected seat to floor height"

Footrest											
SWING-AWAY FOOTREST											
16	FR01	60° swing away footrest	13.5 - 17.5" <input type="checkbox"/>	15.5 - 19.5" <input type="checkbox"/>	17 - 21" <input type="checkbox"/>			Set at:*		\$250	<input type="checkbox"/>
17	FR02	70° swing away footrest	13.5 - 17.5" <input type="checkbox"/>	15.5 - 19.5" <input type="checkbox"/>	17 - 21" <input type="checkbox"/>			Set at:*		\$250	<input type="checkbox"/>
FOOTREST OPTIONS											
18	FR09	High mount (footplate attached to the hanger with clamps)	Range: 5 - 13.5"					Set at:*		\$90	<input type="checkbox"/>

\* +/- 1/2"

ELEVATING LEGREST (unit)											
The elevating legrest replace the footrest side selected											
19	FR10	Elevating legrest with calf pad, 14" - 22" Length adjustable	Left <input type="checkbox"/>	Right <input type="checkbox"/>				Set at:	A2*	\$390	<input type="checkbox"/>

FOOTPLATES											
20	FP01	Standard - Composite								STD	<input type="checkbox"/>
21	FP02	Newton adjustable angle - Composite							A2*	\$145	<input type="checkbox"/>
22	FP03	Newton adjustable angle - Aluminum							A2*	\$165	<input type="checkbox"/>
FOOTPLATE ACCESSORIES											
23	FP08	Length adjustable heel loop								\$25	<input type="checkbox"/>
24	FP09	Calf strap								\$52	<input type="checkbox"/>

RESIDUAL LIMB SUPPORT FLAT CUSHION (Swing-out, depth, width, height and angle adjustable) - (unit)											
25	FR27	Residual limb support swing-out - flat 6"x8"	Left <input type="checkbox"/>	Right <input type="checkbox"/>				New	A2*	\$390	<input type="checkbox"/>
26	FR28	Residual limb support swing-out - flat 8"x10"	Left <input type="checkbox"/>	Right <input type="checkbox"/>				New	A2*	\$390	<input type="checkbox"/>
27	FR29	Residual limb support swing-out - flat 10"x10"	Left <input type="checkbox"/>	Right <input type="checkbox"/>				New	A2*	\$390	<input type="checkbox"/>
28	FR30	Residual limb support swing-out - flat 10"x14"	Left <input type="checkbox"/>	Right <input type="checkbox"/>				New	A2*	\$390	<input type="checkbox"/>

RESIDUAL LIMB SUPPORT CONTOUR CUSHION (Swing-out, depth, width, height and angle adjustable) - (unit)											
29	FR32	Residual limb support swing-out - contour 6"x8"	Left <input type="checkbox"/>	Right <input type="checkbox"/>				New	A2*	\$390	<input type="checkbox"/>
30	FR33	Residual limb support swing-out - contour 8"x10"	Left <input type="checkbox"/>	Right <input type="checkbox"/>				New	A2*	\$390	<input type="checkbox"/>

### Back canes with integrated fixed height push handle

FIXED ANGLE BACK											
31	BC01	8° bend aluminum back cane	16" <input type="checkbox"/>	18" <input type="checkbox"/>	20" STD <input type="checkbox"/>					NC	<input type="checkbox"/>
ADJUSTABLE ANGLE BACK											
32	BC02	8° bend aluminum back cane	16" <input type="checkbox"/>		20" STD <input type="checkbox"/>					\$209	<input type="checkbox"/>
33		Select back cane angle:	90° <input type="checkbox"/>	95° STD <input type="checkbox"/>	100° <input type="checkbox"/>	105° <input type="checkbox"/>	110° <input type="checkbox"/>				

STROLLER HANDLE AND STABILIZER BAR <sup>1</sup>											
34	PH04	Stroller handle (not available with the HD option)							A1*	\$210	<input type="checkbox"/>
35	PH03	Folding stabilizer bar							A1*	\$258	<input type="checkbox"/>

1 - Stroller handle and stabilizer bar can't be combined

\*A1 - Client responsibility; A2 - Clinical justification

BACK UPHOLSTERY						
36	BH05	Slip-on Nylon back upholstery			NC	<input type="checkbox"/>
37	BH06	Adjustable tension Nylon back upholstery			\$175	<input type="checkbox"/>
38	BH99	Omit back upholstery			STD	<input type="checkbox"/>

SEAT CUSHIONS						
39	SC99	Omit seat cushion			NC	<input type="checkbox"/>

### Rear wheels

#### ONE ARM DRIVE <sup>1</sup> *Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims*

40	HR22	One arm drive <sup>2</sup>	24"	left <input type="checkbox"/>	right <input type="checkbox"/>		\$1 395	<input type="checkbox"/>	
41	HR98	Omit handrim on opposite side of the One Arm Drive (OAD)						NC	<input type="checkbox"/>

#### REAR WHEELS

42	RW01	Mag <sup>1</sup>	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>		NC	<input type="checkbox"/>
43	RW02	Newton One - spoke wheel <sup>2</sup>	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>		NC	<input type="checkbox"/>
44	RW03	Newton Gravity - ultralight wheel	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>	A1*	\$360	<input type="checkbox"/>

#### TIRES Available

45	TI01	Soft Urethane 1 1/4 "	20", 22" 24"				STD	<input type="checkbox"/>
46	TI02	Soft Urethane knobby 1 3/8 "	22", 24"				\$130	<input type="checkbox"/>
47	TI04	Soft Urethane - Shox 1"	22", 24"				\$155	<input type="checkbox"/>
48	TI05	Pneumatic 1 3/8 "	20", 22", 24"				\$130	<input type="checkbox"/>
49	TI08	Pneumatic with Airless insert 1 3/8"	22", 24"				\$215	<input type="checkbox"/>
50	TI06	Pneumatic HP - 1"	20", 22", 24"				\$150	<input type="checkbox"/>
51	TI07	Pneumatic HP - Schwalbe Marathon Plus 1"	24"				\$230	<input type="checkbox"/>

1 - HP tires are not compatible with Mag Wheels -use only aluminum or plastic coated handrim

2- Not compatible with Shox tires

### Handrims

#### HANDRIM

52	HR01	Aluminum anodized				STD	<input type="checkbox"/>
53	HR02	Plastic coated <sup>1</sup>				\$160	<input type="checkbox"/>
54	HR07	Newton Air Grip <sup>2</sup>	Black			\$150	<input type="checkbox"/>
55	HR99	Omit handrim				NC	<input type="checkbox"/>

### Handrims option

#### Assembly position for aluminum and Newton AirGrip handrims

56	HR29	Standard Handrim position	Full tab				STD	<input type="checkbox"/>
57	HR30	Narrow Handrim position	Short tab 2 positions				\$25	<input type="checkbox"/>
58	HR31	Super Narrow Handrim	Short tab 2 positions STD <input type="checkbox"/>	Short tab 1 position <input type="checkbox"/>			\$25	<input type="checkbox"/>

1- Only standard handrim position available

2- Not available with Mag wheels

#### AXLES (0° camber)

59	AX01	Quick release axle				STD	<input type="checkbox"/>
60	AX02	Permanent axle				NC	<input type="checkbox"/>
61	AX03	Quad release axle			A2*	\$170	<input type="checkbox"/>


#### AXLE PLATE

62	AX04	Amputee adjustable axle plate <sup>1</sup>			A2*	\$250	<input type="checkbox"/>
----	------	--	--	--	-----	-------	--------------------------

1 - May limit seat to floor height available

\*A1 - Client responsibility; A2- Clinical justification

CENTER OF GRAVITY



**Choose position of rear wheel axle plate:**

Measure distance from front of back post to center of axle receiver.

Default setting is at 3/4"

Most stable		Most responsive
AMPUTEE	3/4"	2"
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

WHEEL LOCKS					
63	WL08	Newton Wheel lock - push to lock		STD	<input type="checkbox"/>
64	WL02	Pull to lock		NC	<input type="checkbox"/>
65	WL04	Newton grade aid push to lock <i>(suggested with pneumatic or high pressure tire)</i>		A2*	\$175 <input type="checkbox"/>
66	WL13 WL14	6" removable extension handle		\$67	<input type="checkbox"/>
67	WL06	Attendant Lock <i>(additional set of wheel lock mounted to the back)</i>		A1*	\$230 <input type="checkbox"/>
68	WL99	Omit wheel locks		NC	<input type="checkbox"/>

Armrests							
FLIP BACK ARMREST <i>(Convertible to "T" armrest)</i> <sup>1,2</sup>		Height Adjustment		Removable function			
69	AR01	10" Desk length arm pad	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/> STD	\$380 <input type="checkbox"/>
70	AR02	14" Full length arm pad	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/> STD	\$380 <input type="checkbox"/>
"T" ARMREST <sup>1</sup>		Height Adjustment					
71	AR03	10" Desk length arm pad	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>			\$360 <input type="checkbox"/>
72	AR04	14" Full length arm pad	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>			\$360 <input type="checkbox"/>
GEL ARM PAD							
73	AR12	14" Full Length Arm Pad - Gel Ovation				A1*	\$150 <input type="checkbox"/>
74	AR99	Omit armrest					NC <input type="checkbox"/>

1 - May have a 1/2" adjustment restriction on both limits of the range      2- Not available with attendant lock

POSITIONING BELTS					
75	SB07	Hardware attachment for 2 point seatbelt (1 pair)			NC <input type="checkbox"/>
76	SB03	Additional hardware for 2 extra attachment points <i>(needed for the 4 point seat belt) (1 pair)</i>		A2*	\$13 <input type="checkbox"/>
77	SB99	Omit positioning belt			NC <input type="checkbox"/>

\*A1 - Client responsibility; A2- Clinical justification


ACCESSORIES								
78	AC03	Anti tippers			\$115	<input type="checkbox"/>		
79	AC27	Tip assist <sup>1</sup>			A1*	\$60	<input type="checkbox"/>	
80	AC04	Transit Tie Down (Unoccupied)				NC	<input type="checkbox"/>	
81	AC06	Cane carrier	Left <input type="checkbox"/>	Right <input type="checkbox"/>		A1*	\$105	<input type="checkbox"/>
82	AC08	Spoke guards <sup>3</sup>	Available: 20", 22", 24"				\$145	<input type="checkbox"/>
83	AC09	Footrest neoprene impact guard (pair) - Black				A1*	\$80	<input type="checkbox"/>
84	AC10	Seat pouch				A1*	\$95	<input type="checkbox"/>
85	AC26	BodyPoint Mobility Bag				A1*	\$135	<input type="checkbox"/>
86	AC23	Newton Backpack				A1*	\$120	<input type="checkbox"/>
87	AC12	Velcro Closing Strap					\$50	<input type="checkbox"/>
88	AC13	Tool kit				A1*	\$50	<input type="checkbox"/>

1 - Cannot be combined with Anti Tippers    2 - May interfere with swing away armrest ; Not available with HD option    3 - Not available with Mag wheels

FRAME COLOR (with black aluminum crossbrace)							
89	FC01	Black <input type="checkbox"/>				NC	<input type="checkbox"/>

\*A1 - Client responsibility; A2- Clinical justification

<b>TOTAL</b>							
--------------	--	--	--	--	--	--	--



**Notes :**  
 Reference page 12 of the AADL Wheelchair APL for options and catalogue numbers for Category "A" wheelchairs  
 Seatbelts: Vendor to Use AADL Generic Parts Pricing & Supplier