

Custom Seat Depths

21" Seat Depth

1004021



Order Form - AADL

Prices in Canadian Dollars. October 1, 2021

1005006 450 lbs Capacity Available for 16" to 32" Seat Width. Not compatible with TTDS. \$ 5 5			MEDmah	:1:	t v /				
Parchase Order *	Custo	mer and Order I	nformation						ιy
Discount 79	Purchase	: Order *		Tag			P:780-437-3300 • F:780-4	430-9	
Shipping Address *	Dealer/P	rovider Name *							
See Chair	Purchase	er Name and Contact Inform	nation *				Discoun		70
Base Chair	Shipping	J Address *							
So 1001000 Sentley 20° Manual Tilt Wheelchair So 3,7	User Info	ormation (if available)		lbs	ft/in			* re	quired
So 1001000 Sentley 20° Manual Tilt Wheelchair So 3,7								<u>_</u>	
Also available: the lightweight Bentley LT with aluminum frame. See separate order form. palgmobility.com/bit	Base	Chair							
1002000 250 lbs Capacity Available for 14" to 22" Seat Width 1002000 250 lbs Capacity Available for 14" to 22" Seat Width 1002000 300 lbs Capacity Available for 14" to 22" Seat Width 1002000 300 lbs Capacity Available for 16" to 32" Seat Width 1002000 300 lbs Capacity Available for 16" to 32" Seat Width 1002000 300 lbs Capacity Available for 16" to 32" Seat Width 1002000 300 lbs Capacity Available for 16" to 32" Seat Width 1002000 300 lbs Capacity Available for 16" to 32" Seat Width 1002000 300 lbs to 375 lbs 1002432 100 lbs to 115 lbs 5 5 5	1001000	Bentley 20° Manual Tilt	Wheelchair	•				\$	3,735
1002200	(i)	Also available: the lightw	/eight Bentley LT wi	th aluminum frame.	See separate order form.	pdgmobility.com/blt			
1002200	\A/ ·								
1002000 250 lbs Capacity	Weigi	·							
1002505 300 lbs Capacity Available for 14" to 22" Seat Width. Not compatible with TTDS. \$ 2 2	_	Chair Weight Capacity							
1005006 450 lbs Capacity Available for 16" to 32" Seat Width. Not compatible with TTDS.	_	. ,							
User Weight Range		. ,							200
1002430	1005006	. ,		·	A			<u>\$</u>	500
1002433	_		_						
1002436 250 lbs to 300 lbs 1002437 300 lbs to 375 lbs 1002438 375 lbs to 450 lbs		•			_				
Frame Options 1002200 Extended Base with Rear Floor Jacks S 9	_								
Extended Base with Rear Floor Jacks Lifts Rear Wheels off ground for increased stability. Limited ground clearance. Not compatible with Attendant Wheel Lock, HD Anti-Tipper, IV Pole, O2 Holder. Transit Tie Down System (TTDS) TTDS includes 4 factory-installed transport brackets. TTDS has been tested according to ANSI/RESNA WC 19. See Owners Manual for complete details. Not compatible Seat Widths greater than 22". Tested to max. Weight Capacity of 300 lbs. Standard Seat Width Overall chair width is +9.5" with 12/16" Rear Wheels and +10.5" with 20/22/24" Rear Wheels. Standard Seat Width Overall chair width is +9.5" with 12/16" Rear Wheels and +10.5" with 20/22/24" Rear Wheels. Standard Seat Width 1003014 14" Seat Width 1003017 17" Seat Width 1003017 17" Seat Width 1003020 20" Seat Width Custom Seat Widths Requires 450 lbs Weight Capacity Frame. Extended delivery lead times may apply. 1003023 23" Seat Width 1003024 24" Seat Width 1003025 25" Seat Width 1003026 26" Seat Width 1003027 27" Seat Width 1003027 27" Seat Width 1003028 3 3 3	1002430	250 lbs to 300 lbs		300 lbs to 3/5 lbs	1002438	3/5 lbs to 450 lbs			
Lifts Rear Wheels off ground for increased stability. Limited ground clearance. Not compatible with Attendant Wheel Lock, HD Anti-Tipper, IV Pole, O2 Holder. Transit Tie Down System (TTDS) TTDS includes 4 factory-installed transport brackets. TTDS has been tested according to ANSI/RESNA WC 19. See Owners Manual for complete details. Not compatible Seat Widths greater than 22". Tested to max. Weight Capacity of 300 lbs. Standard Seat Width Overall chair width is +9.5" with 12/16" Rear Wheels and +10.5" with 20/22/24" Rear Wheels. Standard Seat Width 1003014 14" Seat Width 1003017 17" Seat Width 1003018 18" Seat Width 1003019 19" Seat Width 1003020 20" Seat Width Custom Seat Widths Requires 450 lbs Weight Capacity Frame. Extended delivery lead times may apply. 1003023 23" Seat Width 1003024 24" Seat Width 1003027 27" Seat Width 1003026 26" Seat Width 1003027 27" Seat Width	Frame	Options							
Transit Tie Down System (TTDS) TTDS includes 4 factory-installed transport brackets. TTDS has been tested according to ANSI/RESNA WC 19. See Owners Manual for complete details. Not compatible Seat Width	1002200	Extended Base with Rea	ar Floor Jacks					\$	900
TTDS includes 4 factory-installed transport brackets. TTDS has been tested according to ANSI/RESNA WC 19. See Owners Manual for complete details. Not compatible Seat Widths greater than 22". Tested to max. Weight Capacity of 300 lbs. Standard Seat Widths 1003014		Lifts Rear Wheels off ground for i	increased stability. Limited	l ground c <mark>lea</mark> rance. Not com	patible with Attendant Wheel	Lock, HD Anti-Tipper, I	V Pole, O2 Holder.		
Not compatible Seat Widths greater than 22". Tested to max. Weight Capacity of 300 lbs. Se a t Width Overall chair width is +9.5" with 12/16" Rear Wheels and +10.5" with 20/22/24" Rear Wheels. Standard Seat Width 1003015 15" Seat Width 1003016 16" Seat Width 1003016 16" Seat Width 1003017 17" Seat Width 1003018 18" Seat Width 1003019 19" Seat Width 1003022 22" Seat Width 1003022 22" Seat Width 1003023 23" Seat Width 1003024 24" Seat Width 1003025 25" Seat Width 3 3 3 3 3 3 3 3 3	1002300	Transit Tie Down Syster	m (TTDS)						
Seat Width Seat Widths Standard Seat Widths 1003014 14" Seat Width 1003015 15" Seat Width 1003016 16" Seat Width 1003016 16" Seat Width 1003017 17" Seat Width 1003018 18" Seat Width 1003019 19" Seat Width 1003022 22" Seat Width 1003022 22" Seat Width 1003023 23" Seat Width 1003024 24" Seat Width 1003025 25" Seat Width 3 1003026 26" Seat Width 1003027 27" Seat Width 3 1003026 26" Seat Width 1003027 27" Seat Width 3 3 3 3 3 3 3 3 3				=		iers Manual for comple	te details.		
1003014		Not compatible seat within gree	act than 22 . Tested to ma	ix. Weight capacity of 500 lb.	3.			_	
1003014	Seat	Width		Overall chair width	n is +9.5" with 12/16" Rear Whe	eels and +10.5" with 20	/22/24" Rear Wheels.		
□ 1003017 17" Seat Width □ 1003018 18" Seat Width □ 1003019 19" Seat Width □ 1003020 20" Seat Width □ 1003021 21" Seat Width □ 1003022 22" Seat Width □ 1003023 23" Seat Width □ 1003024 24" Seat Width □ 1003025 25" Seat Width □ 1003026 26" Seat Width □ 1003027 27" Seat Width □ 1003026 26" Seat Width □ 1003027 27" Seat Width □ 1003027 37" Seat Width □ 1003026 36" Seat Width □ 1003027 37" Seat Width □ 1003027 37" Seat Width □ 1003026 35" Seat Width □ 1003027 37" Seat Width □ 1003026 35" Seat Width □ 1003027 37" Seat Width □ 1003027 37" Seat Width □ 1003026 35" Seat Width □ 1003027 37" Seat W		Standard Seat Widths							
1003020 20" Seat Width	1003014	14" Seat Width	1003015	15" Seat Width	1003016	16" Seat Width			
Custom Seat Widths Requires 450 lbs Weight Capacity Frame. Extended delivery lead times may apply. □ 1003023 23" Seat Width □ 1003024 24" Seat Width □ 1003025 25" Seat Width \$ 3 □ 1003026 26" Seat Width □ 1003027 27" Seat Width \$ 3	1003017	17" Seat Width	1003018	18" Seat Width	1003019	19" Seat Width			
□ 1003023 23" Seat Width □ 1003024 24" Seat Width □ 1003025 25" Seat Width \$ 3 □ 1003026 26" Seat Width □ 1003027 27" Seat Width \$ 3	1003020	20" Seat Width	1003021	21" Seat Width	1003022	22" Seat Width			
□ 1003026 26" Seat Width □ 1003027 27" Seat Width \$ 3		Custom Seat Widths R	Requires 450 lbs Weight Car	pacity Frame. Extended deliv	very lead times may apply.				
	1003023	23" Seat Width	1003024	24" Seat Width	1003025	25" Seat Width		\$	375
□ 1002029 29" Soat Width □ 1002020 20" Soat Width □ 1002020 20" Soat Width \$ 7	1003026		_					\$	375
	1003028	28" Seat Width		29" Seat Width	1003030	30" Seat Width		\$	700
□ 1003031 31" Seat Width □ 1003032 32" Seat Width \$ 7	1003031	31" Seat Width	1003032	32" Seat Width				\$	700
Seat Depth	Seat	Depth			<u></u>				
Standard Seat Depths (Adjustable)			Adjustable)						
□ 1004016 16" Seat Depth □ 1004017 17" Seat Depth □ 1004018 18" Seat Depth	□ 1004016	_	<u> </u>	17" Seat Denth	□ 1004018	18" Seat Denth			
□ 1004019 19" Seat Depth □ 1004020 20" Seat Depth		•		•		io searsepii.			

☐ 1004022 22" Seat Depth

400

\$











Frame	Color					
	PDG Premium Colors					
1005000	Tracer Red	1005001	Gloss Black Shimmer	1005002	Silver	
1005003	Fine Texture Black	1005004	Orange Fusion	1005005	Karl's Imagination	
1005006	Blue Shimmer	1005007	Gloss White	1005008	Dark Titanium	
1005009	Geyser Green	1005010	Lollypop Blue	1005011	Lollypop Red	
1005012	Bubble Gum Pink	1005013	Berry Purple	1005014	Daffodil Yellow	
1005200	Custom Color Contact PDG for spec	ifications.				\$ 300
Armre	sts					
1006000	No Armrests					
	Single Post Height Adjustable	Armrests	Not compatible with the 450 lbs Weight C	apacity Frame.		\$ 295
1006111	8"-11" Range	1006114	10"-14" Range			
	Dual Post Height Adjustable A	rmrests Re	equired for the 450 lbs Weight Capacity Fra	ime.		\$ 295
1006211	8"-11" Range	1006214	10"-14" Range	1006216	12"-16" Range	
	Fixed Height Armrests (12")	ull Length Arm	pad only.			
1006100	Single Post	1006200	Dual Post			
J	Armrest Height If provided, Armre	ests will be set t	o this height by PDG. If left blank, the defa	ult setting will be	e used.	
	Seat Pan to top of Armrest:		Does not include height of Armpad			
1	Armrest Position Indicate prefere	nce for Armrest	position. If left blank, the default setting v	vill be used.		
3	In the interest of maintaining chair stabily	and avoiding in	terferance with other chair functions, PDG	may not be able	to accommodate stated preference.	
1006401	Rear	1006402	Mid	1006403	Front	
	Locking Flip-up Armrests Not					\$ 295
	Not compatible with Fold Down Back, Clot			_	·	
1006310	Set at 10" Height	1006311		1006312	Set at 12" Height	
1006313	Set at 13" Height	1006314	Set at 14" Height			
A r m p a	n d s					
	Regular Armpads	<i>/</i>				
1007100	Desk Length - 2" x 10"	1007101	Full Length - 2" x 14"			
	Wide Armpads May interfere with	wheels in some	tilt configurations.			\$ 200
1007110	Desk Length - 3" x 10"		Full Length - 3" x 12"			
	Gel Armpads May interfere with w	neels in some ti	It configurations.			\$ 135
1007120	Full Length - 2" x 12"	1007121	Full Length - 3.5" x 12"			
	Contour Arm Trough with Han	d Pad May	interfere with wheels in some tilt configur	ations.		\$ 125
1007130	Right (4.5" x 18")	1007131	Left (4.5" x 18")			
Armra	st Options					
ATIIITE						
		-	on each side. Do not increase seat size.			
1007210	For Single Post Armrests May cause		,	•		\$ 195
1007220	For Dual Post Armrests Limits tilt. No			uards.		\$ 375
	Clothing Guards Not compatible					
1007310	-	or 10"-14" Heigh	it range only.			\$ 110
1007320	For Dual Post Armrests					\$ 165
		_	o or Single Post Armrests.			\$ 75
I I 1007400	3" Extension - Forward	I I 1007401	3" Extension - Rearward			





Order Form - AADL

Prices in Canadian Dollars. October 1, 2021

Seat P	'a n											
1008000												
1008001	Solid Aluminum Seat Pan Required for 22" Seat Depth.	\$	135									
Seat H	leight											
Don't	Select desired Seat-to-Floor Height STF Height is adjustable within the range of the chosen Subframe Plate (Low/High).											
forget	Low High											
	RW 13" 14" 15" 16" 17" RW 15" 16" 17" 18" 19" 20"											
	\$\frac{9}{2}\$ 12"											
	\$\displaystyle \tag{\frac{1}{50}} 20\tag{0} \qua											
	Low High											
	See the control of											
	© 24" □ □ □ 24" □ □ □											
Conto												
Caster												
1011061	Urethane Casters 8" Casters are compatible only with 16" and 24" Rear Wheels. 6" x 1.25" Caster size 1011081 8" x 1.25" Caster size											
1011063	6" x 1.50" Caster size	\$	85									
1011084	8" x 2.00" Caster size	\$	135									
	Pneumatic Casters 8" Casters are compatible only with 16" and 24" Rear Wheels.											
1011161												
	8" x 2.00" Caster size	\$	150 95									
1011260	Frog Legs 6" x 1.40" Soft Roll Casters Frog Legs Suspension Forks Not compatible with 12", 20", or 22" Rear Wheels. Requires 6" Soft Roll Caster.	\$	395									
			373									
Rear V	Nheels											
	Composite Wheels											
	12" Wheel size											
1012022	22" Wheel size		75									
1012120	Spoke Wheels 20" Wheel size	\$	75									
1012224	24" Heavy Duty Spoke Wheels	\$	350									
	Rear Wheel Position Indicate Rear Wheel positioning preference. If left blank, the default setting will be used.											
3	In the interest of maintaining chair stabily and avoiding interferance with other chair functions, PDG may not be able to accommodate stated preference.											
1012401	Rear											
Axle T	уре											
1013000	Quick Release Rear Axles											
1013010	Fixed Rear Axles											
Rear T												
1014000	Urethane Tires											
1014010	Pneumatic Tires May result in a finished Seat Height 1/2" greater than stated.	\$	60									
1014020	Pneumatic Tires with Flat-Free Inserts May result in a finished Seat Height 1/2" greater than stated. Not available with Spoke Wheels.	\$	95									









MOB	Prices in Canadian Dollars	October	1, 2021
H a n d r	ims Handrims are only available with 20", 22", and 24" Rear Wheels.		
1015000	No Handrims		
1015010	Standard Aluminum Handrims		
1015020	Plastic Coated Handrims	\$	150
\^/ l I	Leader O. Duralina		
wneei	Locks & Brakes		
_	User Wheel Locks		
1016010	Push to Lock		0.5
1016030	Attendant Wheel Locks (Push to Lock) Not compatible with TTDS or the 300 & 450 lbs Weight Capacity Frames.	\$	85
1016040	User & Attendant Wheel Locks Available with 20", 22", or 24" Rear Wheels only. Not compatible with Drum Brakes.	\$	125
1016300	Drum Brakes Dual trigger activation (right/left side activated independently). Available with 20" Rear Wheels only.	\$	795
Wheel	Lock Options		
1016100	Wheel Lock Extensions Not compatible with Attendant Wheel Lock.	\$	60
1016200	Hill Holders Requires Pneumatic Rear Tires with Flat-Free Inserts.	\$	450
Anti-T	ippers		
1017010	Rear Anti-Tippers Required Safety Option.	\$	75
1017020	Front Anti-Tippers	\$	795
1017030	Heavy Duty Rear Anti-Tipper Provides additional rearward stability for users with excessive movement.	\$	895
	Not compatible with Attendant Wheel Locks, Rear Floor Jacks, IV Pole, O2 Holder.		
Back F	osts		
	Back Post Style		
1018010	Push Bar Back		
	Back Post Height Measured from the Seat Pan to the Handle.		
1018425	Short (22")		
	Seat to Back Angle		
1019090	Set at 90°		
1019114	Set at 114°		
Back (Options		
	Angle/Height Adjustable Push Bar Handle Not compatible with Headrest Mounting Plate or Cane Handle Back.	\$	150
1019010	Button on Outside	,	
1019210	10" Backrest Extension Requires the Angle/Height Adjustable Push Bar Handle.	\$	150
1019212	Headrest Mounting Plate	\$	95
	Not compatible with Backrest Extension, Angle/Height Adjustable Push Bar, Cane Handle Back. Not required if mounting to a solid Back.		
1019220	Fold Down Back Not compatible with Reclining Back.		
1019230	Spring Back Suspension Not compatible with Reclining Back.		
1019240	Seating Dynamics Dynamic Rocker Back Interface	\$	2,995
	Not compatible with Fold Down Back, Spring Back Suspension, 30° Recline, Cane Handle. Requires Adjustable Tension Upholstery or rigd Backrest. Finished Back		
	Post Height 3" taller than selected Back Post Height.		
Back l	Jpholstery		

Back l	pholstery							
1020000	No Back Upholstery							
	Standard Upholstery Not available with	Cane Handle Back.		\$	195			
1020418	Short (18" Height)	Regular (21" Height)	☐ 1020424 Tall (24" Height)					
☐ 1020450 Tension Adjustable Upholstery Height of Upholstery is 16". Not available with Cane Handle Back.								

See next page for more options >



BENTLEY

Order Form - AADL

Prices in Canadian Dollars. October 1, 2021

	Position of Upholstery Select the desired position of the top of the Upholstery relative to the Seat Pan.																				
	22" Back Post										25" Back Post										
	Style	17"	18"	19"	20"	21"	22"	23"	24"	25"		Style	17"	18"	19"	20"	21"	22"	23"	24"	25"
	Short											Short									
	Regular	-			무	<u></u>						Regular Tall									무비
	Tension Adj											Tension Adj									믐Ⅱ
Tilt A	Tilt Activation																				
	Attendant Tilt	t only	Selec	ct trigger i	nountii	na loca	ation be	low							-						
1023011		,	Jeiee			_	Left B		st												
	User Tilt only	Not a	ıvailable	on width	s great	er thar	n 22". Fu	ll Lengt	h Arm P	ads only	. Select t	rigger mountin	glocation	below.						\$	100
1023021	· <u>-</u>																				
	Attendant & U	Jser Ti	ilt N	ot availab	le on w	idths g	reater t	han 22".	. Full Lei	ngth Arn	n Pads or	nly. Select trigge	er mountin	ng locat	ions bel	low.				\$	195
1023031	Right Back Post				<u> </u>	23032	Left B	ack Po	st												
1023041	Right Armrest				<u> </u>	23042	Left A	rmrest	t												
1023110	Tilt Trigger Ex	ctensi	on																	\$	50
1023400				apacity, 2	O° tilt ra	nae. Ir	ncludes	2 batter	ies for o	ff-chair	harging	. pdamobility	.com/pow	er-tilt						\$	1,795
_	Minimum Seat Wid												20111/ 0011	<u> </u>						,	.,
	Toggle Sv	vitch			<u> </u>	23421	Instal	led on	Right s	ide		10234	22 Insta	alled o	n Left s	side					
	Button Sv	vitch			102	23431	Instal	led on	Rights	ide		10234	32 Insta	alled o	n Left s	side					
	Stealth Eg	gg Swit	ch:		102	23440	Not ir	nstalled	d C												
	Opti	ional for	Egg Sw	vitch:	102	23445	Swing	g Away	Moun	ting Ha	rdware	Not compati	ole with al	l Headre	est mak	es and r	nodels.			\$	625
								Sp	ecify He	adrest to	be used:	<u> </u>									
Recli	n e																				
1023310	Reclining Bac	krest ((Manı	ual)																\$	895
	30° maximum recli	ne. Not	compat	ible with I						, Spring	Back Sus	spension, Fold [own Back	, Tensio	n Adjus	stable U	pholste	ry,			
	Dynamic Rocker Ba	ick. Requ	uires lor	iger Fram	e. Maxi	mum S	eat Dep	oth is 19	".												
Front	Rigging																				
1025000	No Front Rigg	ing			<u> </u>	25001	Sect	or Blo	cks o	nly											,
	Easy-Out TM Fr	ont Ri	iggino	Effort	less ins	ertion	and rem	oval. N	o Hange	r Bracke	t remain:	s on frame. po	Igmobility	v.com/ea	asy-out						
1025410	•								3			•								\$	95
1025420	Universal Angle	Adjusta	able (0°	°-110°)			Set at a	ngle: _		_ (use	ncremer	nts of 10°)								\$	295
	Adjust angle by loc	osening	one bol	t. Tool-fre	e leg-le	ength a	djustme	ent. Froi	nt Riggii	ng can ir	nterfere v	vith casters in th	ne 90-110°	setting	s.						
	Swing Away F	ront F	Riggin	i g Lega	acy Des	ign. No	ot comp	atible w	ith Easy	-Out.											
1025130	Swing Away 60°				102	25140	Swing	g Away	70°												
1025200	Swing Away Elev	vating l	Legrest	ts Inclu	des Calf	f Pads.														\$	375
1025300	1" Offset Hanger	s for Sv	wing A	way																\$	75
1025110	Standard Plug	g In 70)° Froi	nt Rigg	ing	Legacy	y Desigr	n. Not co	mpatib	le with E	asy-Out.										
F a a t	-latas																				
	olates	-4	4 -																		
1026010																					
1026020			-		-															\$	165
1026030	One Piece Fix	ed Fo	otplat	: e Avai	lable or	n Plug	In Front	Rigging	g only. R	equires	selection	of Composite o	r Aluminu	ım Angl	e Adjus	table.				\$	350
1026040	One Piece Flip	o-up F	ootpl	ate Re	quires	selection	on of Co	mposit	e or Alu	minum /	Angle Ad	justable.								\$	395
1026050	Interlocking A	Angle .	Adjus	table F	ootpl	lates	Avail	able for	Seat Wi	dths up	to 21" or	nly.								\$	195





Footre	est/Legrest Accessories		
	Calf Pads Not compatible with Gel Padding.		
1027012	For Easy-Out TM Front Rigging Includes reinforced premium Calf Pad mount.	\$	200
1027010	For Swing Away Front Rigging	\$	135
1027020	Gel Padding Not compatible with Calf Pad or Easy-Out Front Rigging.	\$	125
	Gel Knee Pads		
1027032	For Easy-Out [™] Angle Adjustable Front Rigging	\$	200
1027030	For Swing Away ELR Front Rigging	\$	100
1027040	Length Adjustable Heel Loops	\$	50
1027050	Bodypoint Padded Calf Strap Sizes greater than 22" are not padded.	\$	195
	Miller's Dynamic Footrest Mounts Not compatible with Easy-Out Front Rigging.		
1027060	For Standard Plug In Front Rigging	\$	445
1027065	For Swing Away 70° Front Rigging Not available on 13" STF Height.	\$	575
Eront	Rigging Extension Tubes		
FIOIII			
	Regular Extension Tubes		
1028010	Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away and Standard Plug In Front Rigging		
1028020	Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away and Standard Plug In Front Rigging	\$	75
	Extra Strength Extension Tubes (Solid) Available on Plug In Front Rigging only. Not compatible with Easy-Out Front Rigging.	\$	100
1028110	Standard (13"-17")		
	Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used.		
7	Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion.		
Misce	llaneous Options		
		ċ	2 500
	One-Arm Drive Maximum Seat Width of 22". 24" Composite Wheels with Urethane Tires required. 18" STF minimum. Limits tilt. Not compatible with User & Attendant Wheel Locks, Drum Brakes, Quick Release Rear Axles.	Ş	3,500
1030010	Installed on Right side		
1030050	Protective Lower Padding	\$	675
1030080	Gel Hip Guides Reduces available Seat Width by 2".	\$	395
1030110	IV Pole Not compatible with HD Anti Tipper, Rear Floor Jacks, Attendant Wheel Locks.	\$	295
1030120	O2 Holder Not compatible with HD Anti Tipper, Rear Floor Jacks, Attendant Wheel Locks.	\$	395
1030170	Adhesive Back Hook Strip, 2" x 30" For Cushion mounting.	\$	10
	- Annotation of the state of th	•	
O n - C h	air Seating & Positioning		
(i)	Refer to the separate Seating & Positioning order form for PDG's on-chair options. Standard PDG discounts apply. pdgmobilty.com/seating		
Order	Notes		

Please send your completed order form by email to info@pdgmobility.com or by fax to 877 323 9093.