



**MEDmobility**  
 5711- 104 St, Edmonton AB. T6H 2K1  
 P: 780-437-3300 • Fax: 780-430-9381  
 AADL Vendor: 0000612578-001  
 www.medmobility.ca • www.mmrehab.ca



**1. ACCOUNT INFORMATION**

P.O. # or Quote: \_\_\_\_\_  
 Dealer Contact Name: \_\_\_\_\_  
 Email Address: \_\_\_\_\_  
 Phone Number: \_\_\_\_\_ Fax Number: \_\_\_\_\_  
 Bill to (Name): \_\_\_\_\_  
 Bill to (Location): \_\_\_\_\_  
 Ship to (Name): \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_  
 Province: \_\_\_\_\_ Postal Code: \_\_\_\_\_  
 User Name or Number: \_\_\_\_\_  
 User Weight: \_\_\_\_\_  
 User Height: \_\_\_\_\_  
 Seat Cushion Thickness: \_\_\_\_\_  
 Knee to Heel Length: Left: \_\_\_\_\_ " Right: \_\_\_\_\_ "



**Discount is 4%**

**THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:**

- A user name or number, the client's measurements and weight - Amylor is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Amylor summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

**\*IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES**

**2. STANDARD OPTIONS**

Alltrack HD3 Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 8" front casters, and standard auto style buckle seat positioning strap, 5.4mph motors, **Weight Capacity = 550 lb**

**3. ALLTRACK HD3 POWER WHEELCHAIR**

<b>ATHD3</b>	ALLTRACK HD3 Power Wheelchair	\$11,295
--------------	-------------------------------	----------

**3.5 OWNER'S MANUAL**

<b>SOOMATENG</b>	English / Anglais	N/C	<b>SOOMATFR</b>	Français / French	N/C
------------------	-------------------	-----	-----------------	-------------------	-----

**4. USER WEIGHT PACKAGES**

<b>WCA55</b>	550 lb Maximum user weight capacity	STD
--------------	-------------------------------------	-----

**5. STANDARD COLORS**

<b>SCMOBM</b>	Onyx Black Matte	N/C	<b>SCMCAB</b>	Cabernet	N/C
<b>SCMCTB</b>	Cobalt Blue	N/C	<b>SCMBGM</b>	Bubble Gum Metallic	N/C
<b>SCMIOB</b>	Indigo Blue	N/C	<b>SCMHAB</b>	Habanero Metallic	N/C
<b>SCMCRE</b>	Candy Red	N/C	<b>SCMLIM</b>	SubLime	N/C

**OPTIONAL COLORS**

<b>FCHDD-M</b>	Desert Digital Camo HydroGraphics - <b>(Military Tan base)</b>	\$795	<b>FCHWL-M</b>	Woodland Camo HydroGraphics - <b>(Military Green base)</b>	\$795
<b>FCHCF-M</b>	Carbon fiber HydroGraphics - <b>(Matte black base)</b>	\$795			

**5.5 WHEEL INSERT COLORS**

<b>SCCTB-WI</b>	Cobalt Blue	N/C	<b>SCHAB-WI</b>	Habanero Metallic	N/C
<b>SCIOB-WI</b>	Indigo Blue	N/C	<b>SCLIM-WI</b>	SubLime	N/C
<b>SCCRE-WI</b>	Candy Red	N/C	<b>SCBGM-WI</b>	Bubble Gum Metallic	N/C
<b>SCCAB-WI</b>	Cabernet	N/C			

- ▲ Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)
- ▲ Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)
- ▲ Wheel inserts are not available in Onyx Black Matte



**7. TRANSPORT OPTION**

<b>TTD4</b>	4-Point wheelchair transport brackets ▲ 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval.	STD
-------------	--	-----

**8. MOTOR PACKAGE**

<b>MP544B</b>	5.4 MPH 4-Pole Motor Package / with Brake Release ▲ Not compatible with the Smart-Track Assistive Driving Package option (SMARTT)	N/C
<b>MP544-OPT</b>	5.4 MPH 4-Pole Motor Package / with COG Release	<b>CLIENT COST</b> \$395

**9. ASSISTIVE DRIVING PACKAGE**

<b>SMARTT</b>	Smart-Track ▲ Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control. ▲ Requires the R-net PM 120 Amp Expandable Controller (ECR120). ▲ This option requires the MP65-OPT motor package. ▲ Recommended for non-proportional Drive Controls	\$1,420
---------------	--	---------

**10. BATTERY CHARGER**

<b>BCOB</b>	8A Offboard Battery Charger	N/C
-------------	-----------------------------	-----

**11. BATTERY TRAY AND BASE WIDTH**

<b>FS24B</b>	Battery Tray for Group 24 Batteries – (Total base width = 27 3/8")	N/C
--------------	--	-----

**12. BATTERIES - REQUIRES A SELECTION**

<b>BAT24GEL</b>	GEL Battery – Group 24 – 70 Amps (Each)	<b>AADL CONTRACT</b> RFQ
<b>BATO</b>	Omission of the batteries	N/C

**14. DRIVE WHEEL**

<b>DW14PT</b>	14" Cast Wheel Pneumatic Tires	STD
<b>DW14PI</b>	14" Cast Wheel Pneumatic with Foam Filled Tires	N/C
<b>DW144PT</b>	14" x 4" Extra Wide Cast Wheels, Pneumatic Tires	<b>CLIENT COST</b> \$200
<b>DW144PI</b>	14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires ▲ Increases the overall width of the base by 2 3/4"	<b>CLIENT COST</b> \$595

**15. FRONT CASTERS**

<b>FC8PTM</b>	8" Pneumatic Casters	STD
<b>FC8PIM</b>	8" Pneumatic Casters with Foam Filled Tires	N/C

**16. SEAT TO FLOOR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± 1/4")**

▶ **OPTIONS FOR VERY HD REHAB SEAT ONLY - NO POWER SEATING**

<b>STFH1625</b>	16 1/4" (Possible Seat angle of 0°)	<b>STFH1925</b>	19 1/4" - (Possible Seat angle of 0°, 3° and 6°)
<b>STFH1825</b>	17 1/4" - (Possible Seat angle of 0° and 3°)	<b>STFH2025</b>	20 1/4" - (Possible Seat angle of 0°, 3°, 6° and 9°)
<b>STFH1825</b>	18 1/4" - (Possible Seat angle of 0° and 3°)		

▶ **OPTIONS FOR VERY HD POWER TILT OR VERY HD POWER TILT / VERY HD RECLINE**

<b>STFH17</b>	17" - (Possible Seat angle of 0° only)	<b>STFH185</b>	18 1/2" - (Possible Seat angle of 0° only)
<b>STFH175</b>	17 1/2" - (Possible Seat angle of 0° only)	<b>STFH19</b>	19" - (Possible Seat angle of 0° only)
<b>STFH18</b>	18" - (Possible Seat angle of 0° only)		

**17. SEAT TO FLOOR HEIGHT SPECIFICATION (IF NOT STANDARD)**

<b>SOMHSS</b>	Specific seat to floor height higher than standard. It's not possible to lower the seat to floor height below minimum ranges. ▲ Required at: _____" (± 1/4" Range)	RFQ
---------------	---	-----

**18. PRE-SET SEAT FRAME ANGLE**

<b>SFE-0</b>	0° Pre-set seat frame seat angle – (Must be selected when using power options)	STD
<b>SFE-3</b>	3° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/C
<b>SFE-6</b>	6° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/C
<b>SFE-9</b>	9° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/C



**19. LIGHTING PACKAGE**

<b>EOLP</b>	LED Light Package – (Includes front and rear lights with integrated flashers) ▲ Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECVJ6KL, ECRJCL, ECRJC35B or EDIB).	<b>CLIENT COST</b> \$1,425
-------------	---	----------------------------

**21. EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS**

<b>ECEL90</b>	R-net EL 90 Amp Expandable Controller	\$175
<b>ECR120</b>	R-net PM 120 Amp Expandable Controller	\$275

**22. EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS**

▶ Selection of one joystick option below is required with the expandable controller ECEL90 or ECR120

<b>ECO</b>	Omit Joystick – (For use with an Omni 2 Display)	N/C
<b>ECELJ</b>	R-net - (LED) – Joystick ▲ This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY)	STD
<b>ECRJCL</b>	R-net Joystick with Color screen	\$155
▶ JOYSTICKS WITH LIGHTING OPERATION		
<b>ECELJL</b>	R-net – (LED) – Joystick with Lighting Operation ▲ This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY)	<b>CLIENT COST</b> \$125
<b>ECRJCL</b>	R-net Joystick with Color screen and Lighting Operation	\$180
▶ ADVANCED JOYSTICK		
<b>ECRJCL35B</b>	R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	<b>CLIENT COST</b> \$1,105

**23. JOYSTICK MOUNT**

<b>JSMF</b>	Fixed Joystick Mount	N/C
<b>JMSA</b>	Swing Away Joystick Mount – Height adjustable, Angle adjustable and Multi-Axis Select: <b>Set-up with standard installation to swing-away sideways</b> <b>Set-up at 35° to swing-away sideways and downwards</b> Select: <b>Mechanical Lock (STD)</b> <b>Magnetic Lock sideways and downwards</b>	\$235
<b>JSMCM</b>	Midline Mounted Swing Away Joystick Mount	\$275

**24. JOYSTICK MOUNT SUPPORT**

<b>JSMFH</b>	Joystick mount support Bracket	STD
--------------	--------------------------------	-----

**25. JOYSTICK HAND MOUNT**

<b>HML</b>	Install Joystick on Left hand side	<b>HMR</b>	Install Joystick on Right hand side
------------	------------------------------------	------------	-------------------------------------

**26. JOYSTICK HANDLE**

<b>JSH</b>	Standard Joystick Gimble	STD	<b>JBAT</b>	Stick Handle 3" in Length	\$130
<b>JBH</b>	Ball Handle	\$85	<b>JFBH</b>	Foam Ball Handle	\$70
<b>JTH</b>	T-Handle	\$155	<b>JMUSH</b>	Bodypoint Mushroom Handle	\$210
<b>JGP</b>	Bodypoint 4" U-shaped Handle	\$210			

**29. R-NET OMNI 2 - ENHANCED DISPLAY & DIGITAL INTERFACE BOX (REQUIRED WITH SPECIALTY CONTROLS)**

<b>EDIB</b>	Omni 2 – (Enhanced Display & Digital Interface Box with Infrared) ▲ Allows the switch operation of alternative devices through driver controls. Requires the R-net fully Expandable Controller (ECR120) ▲ The Omni 2 display mount must be selected from the option below.	\$1,915
-------------	--	---------

**30. OMNI 2 ENHANCED DISPLAY MOUNT**

<b>EDSAM</b>	User Swing Away Mount	<b>CODE W100</b>	N/C
	<b>EDML</b> – (Install Display on LH side)	<b>EDMR</b> – (Install Display on RH side)	

**31. ENVIRONMENTAL CONTROL MODULE**

<b>ECU</b>	Environment control module – (Output Module) ▲ Requires one of the fully expandable R-net controllers (ECEL90 or ECR120).	<b>CLIENT COST</b> \$995
------------	--	--------------------------



### 33. AMYSEAT REHAB SEAT / POWER SEATING SYSTEMS AND MODULES

<b>SAABAHD-550</b>	Bariatric Amyseat Rehab Seat – (Seat Frame only)			\$1,045
<b>SAPT XVHD</b>	Bariatric CG Power Tilt		<b>CODE W995</b>	\$8,995
	▲ This option includes the Amyseat Rehab Seat – (SAABAHD)			
<b>SAPR XVHD</b>	Bariatric Power Recline with Mechanical Shear Reduction (MSR)		<b>CODE W995TR</b>	\$9,845
	▲ This option includes the Amyseat Rehab Seat – (SAABAHD)			
<b>SAPTR XVHD</b>	Bariatric CG Power Tilt and Power Recline with Mechanical Shear Reduction (MSR)		<b>CODE W995TR</b>	\$14,495
	▲ This option includes the Amyseat Rehab Seat – (SAABAHD)			

### 34. ELECTRONICS - SINGLE (1 ACTUATOR) POWER SEAT FUNCTION CONTROLLER

#### ▶ SINGLE SEAT FUNCTION USING AN EXTERNAL TOGGLE OR OPTIONAL SWITCH ONLY (FOR BOTH EXPANDABLE AND NON-EXPANDABLE SYSTEMS)

<b>SOLO</b>	Single function controller (Includes an external toggle switch)			STD
-------------	---	--	--	-----

#### ▼ OPTIONAL SWITCHES

<b>SWTOGGLE</b>	Single Toggle Switch			<b>Attendant Activation</b>	\$100			
<b>SWPUSH1</b>	Single Push Button Switch – (Single Mode: SAC)		<b>User Activation</b>	<b>Attendant Activation</b>	\$90			
<b>SWPUSH2</b>	Dual Push Button Switch – (Dual Mode: SAC)		<b>User Activation</b>	<b>Attendant Activation</b>	\$180			
<b>SSBS</b>	Buddy Button Switch	<b>Black</b>	<b>Red</b>	<b>Green</b>	<b>Yellow</b>	<b>User Activation</b>	<b>Attendant Activation</b>	\$230
<b>SSES</b>	Egg Switch-Black			<b>User Activation</b>	<b>Attendant Activation</b>	\$116		
<b>SSML</b>	Ultra Light Switch			<b>User Activation</b>	<b>Attendant Activation</b>	\$295		

#### ▶ SINGLE SEAT FUNCTION THROUGH DRIVE CONTROL

<b>EPSEL</b>	Single Function Through Drive Control with R-net 90-amp controller				N/C
	▲ Allows for activation of single power option through R-net 90-amp controller				
	▲ Compatible with all R-net joysticks				
	▲ Does not allow for control of power option through drive control and separate switches				
	▲ Can not operate more than one power option				
	▲ If selecting memory seating, choose SAC below				
	▲ If selecting 120-amp R-net controller, choose SAC below				

<b>SAC</b>	Single Function Through Drive Control with R-net 90-amp or 120-amp controller				N/C
	▲ Allows for activation of single power option through R-net drive controls				
	▲ Compatible with 90-amp or 120-amp controller, all R-net joysticks, Omni 2 and specialty controls				
	▲ Capable of operating tilt with power seat elevate				
	▲ Compatible with memory seating				

#### ▶ SINGLE SEAT FUNCTION OPTIONS (OPTIONS BELOW ARE COMPATIBLE ONLY WHEN CHOOSING SAC ABOVE)

<b>SACMEMORY</b>	Memory Seat Program			<b>CLIENT COST</b>	\$1,495
	▲ This option is not compatible with LED joysticks (ECELJ and ECELJL)				
	▲ Memory seat programming is not compatible with the Very Heavy Duty Tilt option (SAPT XVHD and SAPTR XVHD)				

#### ▶ SELECTION OF SWITCH BELOW GIVES ACCESS TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH

<b>SACTOGGLE</b>	Single Toggle Switch			<b>Attendant Activation</b>	<b>CODE W100</b>	\$410			
<b>SACPUSH1</b>	Single Push Button Switch – (Single Mode: SAC)			<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$400		
<b>SACPUSH2</b>	Dual Push Button Switch – (Dual Mode: SAC)			<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$490		
<b>SACSSBS</b>	Buddy Button Switch	<b>Black</b>	<b>Red</b>	<b>Green</b>	<b>Yellow</b>	<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$540
<b>SACSSSES</b>	Egg Switch-Black			<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$426		
<b>SACSSML</b>	Ultra Light Switch			<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b>	\$605		

### 35. ELECTRONICS - MULTIPLE SEAT FUNCTION CONTROL TYPE

#### ▶ DUAL SEAT FUNCTIONS THROUGH DRIVE CONTROL

<b>EPSV2</b>	Dual Function Through Drive Control with VR2 Non-Expandable Electronics				N/C
	▲ Allows for the activation of 2 power options through the VR2 Controller. Combination of TILT and RECLINE is not possible with EPSV2				
	▲ Does not allow for control of power options through drive control and separate switches				
	▲ VR2 Electronics can only accommodate specific power seat combinations such as Tilt + Power Center Mount / Tilt + Combined Power Legs / Recline + Power Center Mount / Recline + Combined Power Legs				

#### ▶ MULTIPLE SEAT FUNCTIONS THROUGH R-NET

<b>MAC</b>	E-BX Multiple Function through Drive Control with Expandable Electronics – Powers iQ Actuators				\$2,295
------------	--	--	--	--	---------

#### ▶ MAC OPTIONS

<b>MACMEMORY</b>	Memory Seat Program				\$175
	▲ Memory seat programming is not compatible with the Very Heavy Duty Tilt option (SAPT XVHD and SAPTR XVHD)				



► SELECTION OF SWITCH BELOW GIVES ACES TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH

<b>MACKEYPAD-P</b>	Keypad w/ 5 Push Button Switches	User Activation	Attendant Activation	CODE W100	\$445
<b>MACKEYPAD-T</b>	Keypad w/ 5 Toggle Switches	User Activation	Attendant Activation	CODE W100	\$445
<b>MACMULTI</b>	4-Way Toggle Switch – (Up to 4 Activations) ▲ By selecting this switch, memory recall is only available through the Joystick.	User Activation	Attendant Activation	CODE W100	\$180
<b>MACMULTIT</b>	Triple Toggle Switch – (Up to 5 Activations) ▲ By selecting this switch, memory recall is only available through the Joystick.	User Activation	Attendant Activation	CODE W100	\$135
<b>MACPUSH4</b>	4-Way Push Button Switch ▲ By selecting this switch, memory recall is only available through the Joystick.	User Activation	Attendant Activation	CODE W100	\$225
<b>MACPUSH5</b>	5-Way Push Button Switch ▲ By selecting this switch, memory recall is only available through the Joystick.	User Activation	Attendant Activation	CODE W100	\$240

**36. SWITCH ACTIVATION HAND MOUNT**

Switch Installation: **TSM L** – (Install Switch on LH side) **TSM R** – (Install Switch on RH side) N/C

**37. PRE-SET BACK ANGLE (FOR NON-RECLINING BACKS)**

<b>SOBAA</b>	Select one: <b>82°</b> <b>90°</b> <b>98°</b> <b>106°</b>	N/C
▲ Back angle of 106° is not compatible with the OMNI 2.		

**39. LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 28"**

<b>SOWN19-24-22</b>	– (Width adjustment from 19" to 24" and Depth range of 18" to 22")			N/C
<b>SOWN24-28-24</b>	– (Width adjustment from 24" to 28" and Depth range of 18" to 24")			\$475
<b>19" (SOWN19L)</b>	<b>20" (SOWN20L)</b>	<b>21" (SOWN21)</b>		
<b>22" (SOWN22)</b>	<b>23" (SOWN23)</b>	<b>24" (SOWN24)</b>		
<b>24" (SOWN24HDL)</b>	<b>25" (SOWN25HDL)</b>	<b>26" (SOWN26HDL)</b>		
<b>27" (SOWN27HDL)</b>	<b>28" (SOWN28HDL)</b>			

► CUSTOM WIDTH ABOVE 28"

<b>SOWCUS</b>	Custom Seat Width (May require the signature of a waiver) ◀Specify: _____	RFQ
---------------	---	-----

**40. ADJUSTABLE SEAT DEPTH RANGE BETWEEN 18" AND 24"**

<b>18" (SODN18)</b>						N/C
<b>19" (SODN19)</b>	<b>20" (SODN20)</b>	<b>21" (SODN21)</b>	<b>22" (SODN22)</b>	<b>23" (SODN23)</b>	<b>24" (SODN24)</b>	N/C

► CUSTOM DEPTH ABOVE 24"

<b>SODCUS</b>	Custom Seat Depth (May require the signature of a waiver) ◀Specify: _____	RFQ
---------------	---	-----

**41. BACK CANE HEIGHT (THE BACK CANE HEIGHT MEASUREMENT IS TAKEN FROM THE SEAT PAN TO THE TOP OF THE PUSH HANDLES)**

▼ 22" is the minimum back height required with a power recline.					
<b>16" (SOBCH16)</b>	<b>18" (SOBCH18)</b>	<b>20" (SOBCH20)</b>	<b>22" (SOBCH22)</b>	<b>24" (SOBCH24)</b>	<b>26" (SOBCH26)</b>

**42. BACK SUPPORT**

<b>DSTR-WWHH</b>	Adjustable Tension Back Upholstery, WW x HH ▲ Only available with Dual Post armrests (SOADP)	N/C
<b>STDSB-WWHH</b>	Contour back support up to 21" wide, with a maximum shell height of 22". ▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back	SEATING BENEFIT \$605
<b>STDSB-WWHH</b>	Contour back support up to 21" wide for non-standard sizes with shell height ≥ 23". ▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back	SEATING BENEFIT \$755
<b>STDSB-WWHH</b>	Contour back support for Heavy-Duty from 22" wide and higher, with any height. ▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back	SEATING BENEFIT \$1,075
► <b>MATRIX BACKS</b>		
<b>PBE-WWHH-HD</b>	MATRIX HEAVY DUTY ELITE BACK – (21" to 24" Wide - Back height of 16" and 20") ▲ Back shell height is available in 16" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back ▲ Weight capacity up to 500 lb	SEATING BENEFIT \$1,150
<b>EDB-WWHH-HD</b>	MATRIX ELITE DEEP HD BACK – (21" to 24" Wide - Back height of 16", 18" and 20") ▲ Back shell height is available in 16", 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back ▲ This product is not compatible with Lateral Trunk Supports ▲ Weight capacity up to 500 lb	SEATING BENEFIT \$1,195



▶ **NXT BACKS**

<b>NOACB-WWHH</b>	NXT OPTIMA FH AC CONTOUR BACK – (15" to 21" Wide) ▲ Weight capacity up to 300 lb	<b>SEATING BENEFIT</b>	\$690
<b>NOACB-WWHH</b>	NXT OPTIMA FH AC CONTOUR BACK – (22" to 28" Wide) ▲ Weight capacity up to 550 lb ▲ Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back	<b>SEATING BENEFIT</b>	\$720
<b>NOPCB-WWHH</b>	NXT OPTIMA FH PC DEEP CONTOUR BACK – (15" to 21" Wide) ▲ Weight capacity up to 300 lb	<b>SEATING BENEFIT</b>	\$790
<b>NOPCB-WWHH</b>	NXT OPTIMA FH PC DEEP CONTOUR BACK – (22" to 28" Wide) ▲ Weight capacity up to 550 lb ▲ This product is not compatible with Lateral Trunk Supports ▲ Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back	<b>SEATING BENEFIT</b>	\$820

▶ **OMISSION OF THE BACK SUPPORT**

<b>STDSBO</b>	Omission of the Contour Back Support	Specify Model of Back Support:	N/C
---------------	--------------------------------------	--------------------------------	-----

**43. BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)**

▼ 22" is the minimum back height required with a power recline.					
<b>16" (SOBH16)</b>	<b>18" (SOBH18)</b>	<b>20" (SOBH20)</b>	<b>22" (SOBH22)</b>	<b>24" (SOBH24)</b>	<b>26" (SOBH26)</b>
<b>28" (SOBH28)</b> This height is not available with the NXT Optima AC and PC options					

**44. SEAT CUSHIONS (SEATING BENEFIT)**

▶ **CG AIR - THERAPEUTIC AIR CUSHION**

<b>Single Valve 19" to 20" Wide</b> Note: For custom Cushions (Please use the CG Air Order Form)					
<b>Cell Height:</b> 2" 3" 4"					
<b>CGA1VSCwwdd-h</b>	CG Air Single Valve – (with Standard 2-way Stretch Cover)	<b>SEATING BENEFIT</b>	\$600		
<b>CGA1V3Dwwdd-h</b>	CG Air Single Valve – (with 3D Mesh Cover)	<b>SEATING BENEFIT</b>	\$690		
<b>CGA1VICwwdd-h</b>	CG Air Single Valve – (with Incontinence Cover) ▲ Cushion sizes only come in even numbers for width and depth measurements.	<b>SEATING BENEFIT</b>	\$690		
<b>Dual Valve 19" to 20" Wide</b> Note: For custom Cushions (Please use the CG Air Order Form)					
<b>Cell Height:</b> 2" 3" 4"					
<b>CGA2VSCwwdd-h</b>	CG Air Dual Valve – (with Standard 2-way Stretch Cover)	<b>SEATING BENEFIT</b>	\$600		
<b>CGA2V3Dwwdd-h</b>	CG Air Dual Valve – (with 3D Mesh Cover)	<b>SEATING BENEFIT</b>	\$690		
<b>CGA2VICwwdd-h</b>	CG Air Dual Valve – (with Incontinence Cover) ▲ Cushion sizes only come in even numbers for width and depth measurements.	<b>SEATING BENEFIT</b>	\$690		
<b>Single Valve 22" to 24" Wide</b> Note: For custom Cushions (Please use the CG Air Order Form)					
<b>Cell Height:</b> 2" 3" 4"					
<b>CGA1VSCwwdd-h</b>	CG Air Single Valve – (with Standard 2-way Stretch Cover)	<b>SEATING BENEFIT</b>	\$890		
<b>CGA1V3Dwwdd-h</b>	CG Air Single Valve – (with 3D Mesh Cover)	<b>SEATING BENEFIT</b>	\$910		
<b>CGA1VICwwdd-h</b>	CG Air Single Valve – (with Incontinence Cover) ▲ Cushion sizes only come in even numbers for width and depth measurements.	<b>SEATING BENEFIT</b>	\$910		
<b>Dual Valve 22" to 24" Wide</b> Note: For custom Cushions (Please use the CG Air Order Form)					
<b>Cell Height:</b> 2" 3" 4"					
<b>CGA2VSCwwdd-h</b>	CG Air Dual Valve – (with Standard 2-way Stretch Cover)	<b>SEATING BENEFIT</b>	\$890		
<b>CGA2V3Dwwdd-h</b>	CG Air Dual Valve – (with 3D Mesh Cover)	<b>SEATING BENEFIT</b>	\$910		
<b>CGA2VICwwdd-h</b>	CG Air Dual Valve – (with Incontinence Cover) ▲ Cushion sizes only come in even numbers for width and depth measurements.	<b>SEATING BENEFIT</b>	\$910		
<b>Single Valve 26"+ Wide</b> Note: For custom Cushions (Please use the CG Air Order Form)					
<b>Cell Height:</b> 2" 3" 4"					
<b>CGA1VSCwwdd-h</b>	CG Air Single Valve – (with Standard 2-way Stretch Cover)	<b>SEATING BENEFIT</b>	\$990		
<b>CGA1V3Dwwdd-h</b>	CG Air Single Valve – (with 3D Mesh Cover)	<b>SEATING BENEFIT</b>	\$1,010		
<b>CGA1VICwwdd-h</b>	CG Air Single Valve – (with Incontinence Cover) ▲ Cushion sizes only come in even numbers for width and depth measurements.	<b>SEATING BENEFIT</b>	\$1,010		



**Dual Valve 26"+ Wide** Note: For custom Cushions (Please use the CG Air Order Form)

		Cell Height:				
		2"	3"	4"		
<b>CGA2VSCwwdd-h</b>	CG Air Dual Valve – (with Standard 2-way Stretch Cover)				<b>SEATING BENEFIT</b>	\$990
<b>CGA2V3Dwwdd-h</b>	CG Air Dual Valve – (with 3D Mesh Cover)				<b>SEATING BENEFIT</b>	\$1,010
<b>CGA2VICwwdd-h</b>	CG Air Dual Valve – (with Incontinence Cover)				<b>SEATING BENEFIT</b>	\$1,010

▲ Cushion sizes only come in even numbers for width and depth measurements.

► **CONTOUR SEAT CUSHION**

<b>SCPSC-wwdd</b>	Contour Seat Cushion up to 19" Wide	<b>SEATING BENEFIT</b>	\$620
<b>SCPSC-wwdd</b>	Contour Seat Cushion for Non-Standard Sizes of 20" to 24" Wide	<b>SEATING BENEFIT</b>	\$735
<b>SCPSC-wwdd</b>	Contour Seat Cushion for Heavy-Duty of ≥ 25" Wide ◀ Specify: Width: _____ " Depth: _____ "	<b>SEATING BENEFIT</b>	\$865

► **MATRIX CUSHION**

<b>PSP-WWDD</b>	MATRIX PSP Seat Cushion – (11" to 20" Wide)	<b>SEATING BENEFIT</b>	\$645
▲ The maximum user weight capacity is 300 lb			
▲ Cushion sizes only come in even numbers for width and depth measurements.			
<b>PSP-WWDD</b>	MATRIX PSP Seat Cushion – (22" to 26" Wide)	<b>SEATING BENEFIT</b>	\$995
▲ The maximum user weight capacity is 550 lb			
▲ Cushion sizes only come in even numbers for width and depth measurements.			

► **NXT BIO-FIT CUSHION**

<b>NXTBIOFIT -WWDD</b>	NXT BIO FIT Cushion – (15" to 21" Wide)	<b>SEATING BENEFIT</b>	\$595
▲ The maximum user weight capacity is 300 lb			
<b>NXTBIOFIT -WWDD</b>	NXT BIO FIT Cushion – (22" to 26" Wide)	<b>SEATING BENEFIT</b>	\$625
▲ The maximum user weight capacity is 400 lb			
▲ Cushion sizes only come in even numbers for width and depth measurements.			

**45. CANTILEVER – HEIGHT ADJUSTABLE ARMRESTS – OPENS WITH A 5° ANGLE (CHOOSE 2)**

<b>SOAFBDLH</b>	Flip-Back Cantilever – Desk Length Left Side – (Height Adjustable from 7" to 15" with 1" increments) –	<b>STD Length 12"</b>	N/C
<b>SOAFBDRH</b>	Flip-Back Cantilever – Desk Length Right Side – (Height Adjustable from 7" to 15" with 1" increments) –	<b>STD Length 12"</b>	N/C
<b>SOAFBFLH</b>	Flip-Back Cantilever – Full Length Left Side – (Height Adjustable from 7" to 15" with 1" increments) –	<b>STD Length 16"</b>	STD
<b>SOAFBFRH</b>	Flip-Back Cantilever – Full Length Right Side – (Height Adjustable from 7" to 15" with 1" increments) –	<b>STD Length 16"</b>	STD

**46. DUAL POST – HEIGHT ADJUSTABLE ARMRESTS – INCLUDES TRANSFER GRIPS (FOR NON-RECLINING BACKS - CHOOSE 2)**

<b>SOADPD LH</b>	Dual Post Height Adjustable – Desk Length Left Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168
<b>SOADPD RH</b>	Dual Post Height Adjustable – Desk Length Right Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168
<b>SOADPFLH</b>	Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168
<b>SOADPFRH</b>	Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168

**47. RECLINING FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2)**

<b>SOANIDLH</b>	Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	<b>STD Length 12"</b>	N/C		
<b>SOANIDRH</b>	Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	<b>STD Length 12"</b>	N/C		
<b>SOANIFLH</b>	Reclining armrest – Full Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	<b>STD Length 16"</b>	N/C		
<b>SOANIFRH</b>	Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	<b>STD Length 16"</b>	N/C		
<b>CUST-48247</b>	Custom Armrest Length – Select Length for the <b>Left</b> side:	<b>Custom Length 18"</b>	<b>Custom Length 20"</b>	<b>Custom Length 22"</b>	N/C
<b>CUST-48247</b>	Custom Armrest Length – Select Length for the <b>Right</b> side:	<b>Custom Length 18"</b>	<b>Custom Length 20"</b>	<b>Custom Length 22"</b>	N/C

**48. ARMREST HEIGHT ADJUSTMENT AT FACTORY**

- Set the Armrest Height at: \_\_\_\_\_ "
- ▲ The Armrest Height is taken from the seat pan to the top of the armpad.
- ▲ Not required for Dual Post.

**49. ARMPADS**

► **FOAM TYPE SELECTION**

<b>SOWAPD</b>	Desk Length Waterfall – (8 1/2" x 2 3/4")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	STD
▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.					
<b>SOWAPF</b>	Full Length Waterfall – (13" x 2 3/4")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	STD
▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.					



► **HYBRID GEL AND FOAM TYPE SELECTION (THE GEL ALWAYS STAYS SOFT)**

<b>SOGELD</b>	Desk Length Hybrid Gel and Foam Flat armpad – (9 ¾" x 2")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	<b>SEATING BENEFIT \$40</b>
<b>SOGELF</b>	Full Length Hybrid Gel and Foam Flat armpad – (13 ½" x 2")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	<b>SEATING BENEFIT \$40</b>
<b>SOWGELD</b>	Desk Length Hybrid Gel & Foam Waterfall armpad – (8 ½" x 2 ¾")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	<b>SEATING BENEFIT \$95</b>
▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.					
<b>SOWGELF</b>	Full Length Hybrid Gel and Foam Waterfall armpad – (13" x 2 ¾")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	<b>SEATING BENEFIT \$95</b>
▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.					

► **SPECIALTY TYPE SELECTION**

<b>SOCAR</b>	Arm Trough with Hand Support (18" x 4 ½")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	\$170
▲ Arm Trough Armpads may interfere with Armrests Flipping back.					

**50. FOOTRESTS**

<b>SOAAF</b>	Signature <b>Heavy Duty</b> Swing-Away Footrests	Set at:	<b>60°</b>	<b>70°</b>	\$175
		Select Footrest Range:	<b>SOFLHD12</b> (12 ½" – 17 ½")	<b>SOFLHD14</b> (14 ½" – 19 ½")	
<b>ADDML</b>	Signature Manual Elevating & Articulating Legrests - Pair				\$595
		Select Footrest Range:	<b>SOFLME12</b> (12 ½" – 17 ½")	<b>SOFLME14</b> (14 ½" – 19 ½")	
▲ Does not include calf pads. Please select calf pads in section 51.					
<b>ADDPLHD</b>	Signature <b>Heavy Duty</b> Power Elevating & Articulating Legrests				<b>CLIENT COST \$2,745</b>
		Select Function:	<b>Individual</b>	<b>Combined</b>	
		Select Footrest Range:	<b>SOFLPW12</b> (12 ½" – 17 ½")	<b>SOFLPW14</b> (14 ½" – 19 ½")	
▲ This option includes calf pads. Individual legs count as two power functions. Combined legs count as one power function.					

**51. FOOTPLATES & ACCESSORIES**

<b>SOSFAF</b>	Flip-up Footplates				STD
<b>SOAFP</b>	Angle Adjustable & Flip-up Footplates – (Each)				\$65
<b>SOAHL</b>	Heel Loops – (Each)				\$20
<b>SOACPFR</b>	Calf Pads for Adult Heavy-Duty Swing-Away footrests – ( <b>SOAAF</b> ) – with adjustable hardware – (Each)				\$93
<b>SOAMA</b>	Swing-away residual limb Support	Select :	<b>Left leg</b>	<b>Right leg</b>	\$455

**52. FOOTREST LENGTH ADJUSTMENT AT FACTORY**

- Set the Footrest Length at: \_\_\_\_\_ "
- ▲ The Footrest Length is taken from the top of the seat pan to the top of the footplate.

**53. CENTER MOUNTS**

<b>SOAAF90</b>	90° Fixed Center Mount Interface Bracket – (Offers Manual adjustability from 94° to 70°)				\$200
		Select Foot Platform Range:	<b>SOFBA12</b> (12 ½" – 16 ½")	<b>SOFBA16</b> (16 ½" – 19 ½")	
▲ When selecting <b>SOFBA16</b> (16 ½" - 19 ½") range, the lowest possible seat to floor height is 18.75"					
▲ Select the one piece center mount foot platform ( <b>SOFUFP</b> ) or the split footplates ( <b>SOAFPFB</b> ).					
▲ With the split footplates option ( <b>SOAFPFB</b> ), this bracket offers independent height adjustability for each footplate.					
<b>ADDPFVHD</b>	90° <b>Heavy Duty</b> Power Center Mount Elevating & Articulating Foot Platform				\$2,745
		Select Foot Platform Range:	<b>SOFBPW12</b> (10 ½" - 16")	<b>SOFBPW16</b> (16" - 20")	
▲ When selecting <b>SOFBPW16</b> (16" - 20") range, the lowest possible seat to floor height is 18.75"					
▲ This option includes calf pads. The power center mount counts as one power function.					
▲ Select the one piece center mount foot platform ( <b>SOFUFP</b> ) or the split footplates ( <b>SOAFPFB</b> ).					
▲ For leg lengths between 10 ½" and 12 ½", there is a partial conflict where the calf pads prevent the foot platform or foot plates from folding completely.					

**54. FOOT PLATFORMS & ACCESSORIES**

<b>SOFUFP</b>	Flip-up one piece Foot Platform				\$140
<b>SOAFPFB</b>	Angle Adjustable & Flip-up Split Footplates for center mount – (Each)				\$65
<b>SOACPCM</b>	Calf Pads for 90° Fixed Center Mount – ( <b>SOAAF90</b> ) with adjustable hardware – (Each)				\$93

**55. FOOT PLATFORM HEIGHT ADJUSTMENT AT FACTORY**

- Set the Foot Platform Height at: \_\_\_\_\_ "
- ▲ The Foot Platform Height is taken from the top of the seat pan to the top of the foot platform or split foot plates.



**56. SEAT POSITIONING** (NOT COMPATIBLE WITH THE WC19-ISO OPTION)

<b>SOAUTO80-STD</b>	80" Seat Positioning Strap	STD
<b>SOBPHP2C</b>	Bodypoint padded Hip Belt – (Two Point – Center Pull)	\$170
<b>SOBPHP2C-L82</b>	XL 82" Bodypoint padded Hip Belt – (Two Point – Center Pull)	\$190
<b>SOPHB</b>	Padded Hip Belt 60", 2-PT Magnetic Center Pull	\$194
<b>SOPCS</b>	Padded Chest Strap 60", 2-PT Magnetic Center Pull	\$262

**57. HEADREST**

▼ Select one of the headrest options with the mounting hardware and specify where the headrest will be installed.

<b>SONUAHR</b>	Using headrest mounting hardware other than SOMAH located bellow. ◀ Specify: _____	N/C
<b>SOFHRS</b>	Small Curved Headrest Pad – 4" x 9"	\$155
<b>SOFHRM</b>	Medium Curved Headrest Pad – 5" x 10"	\$155
<b>SOFHRL</b>	Large Curved Headrest Pad – 6" x 11"	\$155
<b>SOMAH</b>	Multi-axis Removable Mounting Hardware	\$220
<b>SOHRBC</b>	Bracket to Mount on the Contour Back Support – (Without Recline)	N/C
<b>SOHRPR</b>	Bracket to Mount on the Seat Frame – (For Reclining Backs)	N/C

**58. LATERAL TRUNK SUPPORTS**

▼ Select one of the lateral pads and the adjustable & removable hardware.

<b>SOSLS3</b>	Adjustable Laterals with Small Curved Pads – (Each) – 3" x 5"	<b>SEATING BENEFIT</b>	\$100
<b>SOSLM4</b>	Adjustable Laterals with Medium Curved Pads – (Each) – 4" x 6"	<b>SEATING BENEFIT</b>	\$100
<b>SOSLL5</b>	Adjustable Laterals with Large Curved Pads – (Each) – 5" x 7"	<b>SEATING BENEFIT</b>	\$100
<b>SOSLHM</b>	Adjustable Swing-Away Hardware Mounts – (Each)	<b>SEATING BENEFIT</b>	\$220

▲ Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports

**59. HIP & THIGH SUPPORTS**

▼ Select one of the hip & thigh support pads and the adjustable & removable hardware.

<b>SOHTSS10</b>	Adjustable Hip & Thigh Support Pads – (Each) – Small 10" x 4"	<b>SEATING BENEFIT</b>	\$130
<b>SOHTSM12</b>	Adjustable Hip & Thigh Support Pads – (Each) – Medium 12" x 5"	<b>SEATING BENEFIT</b>	\$130
<b>SOHTSL14</b>	Adjustable Hip & Thigh Support Pads – (Each) – Large 14" x 6"	<b>SEATING BENEFIT</b>	\$130
<b>SOHTSARH</b>	Adjustable and Removable Hip & Thigh Support Hardware – (Each)	<b>SEATING BENEFIT</b>	\$136

**60. ACCESSORIES**

<b>SOCH</b>	Cup Holder – (Self-Leveling)	Install on:	<b>Left Side</b>	<b>Right Side</b>	\$115
<b>SOCPH</b>	Ram Mounts X-Grip Cell Phone Holder	Install on:	<b>Left Side</b>	<b>Right Side</b>	\$190
<b>SOTHS</b>	Ram Mounts X-Grip Small Tablet Holder	Install on:	<b>Left Side</b>	<b>Right Side</b>	\$205
<b>SOTHL</b>	Ram Mounts X-Grip Large Tablet Holder with Swivel	Install on:	<b>Left Side</b>	<b>Right Side</b>	\$360

▲ Standard installation is on the opposite side of joystick. Installing accessories on the same side as the joystick may require a custom upgrade.  
▲ With multiple accessories installed on the same side, a custom upgrade will be required.

**61. REFLECTOR KIT**

<b>REFLECT</b>	Red & White Reflector Kit Stickers (They will not be installed – Included in a bag with the Owner's Manual)	N/C
----------------	---	-----

**62. ARMREST SIDE POUCHES**

<b>SOAP</b>	Armrest Side Pouch – (Comes with durable straps that can be hooked around the armrest tubes) Order:	<b>Left Side</b>	<b>Right Side</b>	<b>CLIENT COST</b>	\$53
-------------	---	------------------	-------------------	--------------------	------

▲ If only choosing one (1) armrest pouch, please show what side it should be installed

**63. SWITCHES AND OPTIONS**

<b>ASCPWIFI</b>	PGDT - Wireless programmer, WIFI dongle	<b>NOT COVERED BY AADL</b>	\$844
<b>ASPCPCP</b>	PGDT R-NET Dongle and PC programmer kit	<b>NOT COVERED BY AADL</b>	\$600
<b>SSBS</b>	Buddy Button Switch		\$230
<b>SSES</b>	Egg Switch-Black		\$116
<b>SSML</b>	Ultra Light Switch		\$295
<b>ESS-RED</b>	Emergency STOP Switch - Red		\$314



## SPECIALTY DRIVER CONTROL OPTIONS

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

### 64. THERAFIN SIP-N-PUFF KIT (CODE W100)

<b>SCSNPK</b>	Therafin Sip-N-Puff Kit			\$1,975
<b>SCSNPBTk</b>	Therafin Sip-N-Puff Breath Tube Kit			N/C
	▲ Required with the Therafin Sip-N-Puff kit.			
<b>SCSRMSNP</b>	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$300
	▲ Required with the Therafin Sip-N-Puff kit.			
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$510
<b>SSES</b>	Egg Switch for Changing Modes – Black	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section			
<b>ESS-RED</b>	Emergency STOP Switch - Red	<b>User Activation</b>	<b>Attendant Activation</b>	\$314
	▲ Required with the Therafin Sip-N-Puff kit.			
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Therafin Sip-N-Puff kit.			

#### ► CHOOSE ONE (1) HEADREST PAD

<b>SOFHRS</b>	Small Curved Headrest Pad – 4" x 9"			\$155
<b>SOFHRM</b>	Medium Curved Headrest Pad – 5" x 10"			\$155
<b>SOFHRL</b>	Large Curved Headrest Pad – 6" x 11"			\$155

### 65. PROXIMITY HEAD ARRAY (CODE W100)

<b>SCSIHAA</b>	Adult - Switch-It 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse			\$5,995
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$510
<b>SSES</b>	Egg Switch for Changing Modes – Black	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.			
<b>ESS-RED</b>	Emergency STOP Switch - Red	<b>User Activation</b>	<b>Attendant Activation</b>	\$314
	▲ Required with the Proximity Head Array.			
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Proximity Head Array.			

### 66. LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL (CODE W100)

<b>SCSIMP</b>	Switch-It Light touch mini Proportional Joystick			\$4,495
<b>SCSRMMP</b>	Stealth Rock-n-Lock Swingaway Arm for Chin MP	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$870
	▲ Required with the Light touch mini Proportional Joystick.			
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$510
<b>SSES</b>	Egg Switch for Changing Modes – Black	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.			
<b>JCC</b>	Chin Cup			\$55
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Light touch mini Proportional Joystick.			

#### ► CHOOSE ONE (1) HEADREST PAD

<b>SOFHRS</b>	Small Curved Headrest Pad – 4" x 9"			\$155
<b>SOFHRM</b>	Medium Curved Headrest Pad – 5" x 10"			\$155
<b>SOFHRL</b>	Large Curved Headrest Pad – 6" x 11"			\$155



## SPECIALTY DRIVER CONTROL OPTIONS (CONTINUED)

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

### 67. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR MIDLINE MOUNT (CODE W100)

<b>SCPGMJS</b>	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount			\$2,369
<b>SCGMJSM</b>	Gatlin Midline Swing-away Mount for JC200	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$325
	▲ Must be selected for use with the PG Drives JC200 Mini Joystick.			
<b>SCSIMP</b>	Switch-It Light touch mini Proportional Joystick			\$4,495
<b>SCGMMPM</b>	Gatlin Midline Swing-away Mount for Light touch mini proportional Joystick	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$750
	▲ Must be selected for use with the Light touch mini Proportional Joystick.			
<b>SCBTM</b>	Bullet Hand Tray for Light Touch mini Proportional Joystick	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$750
	▲ This option is only compatible with the Light touch Mini Proportional Joystick.			

### 68. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR ARMREST MOUNT (CODE W100)

<b>SCPGMJS-M</b>	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount			\$2,369
<b>SCARMJSM</b>	Swing-away and Multi-Axis armrest mount	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$325
	▲ Must be selected for use with the PG Drives JC200 Mini Joystick.			
<b>SCSIMP</b>	Switch-It Light touch mini Proportional Joystick			\$4,495
<b>SCARMPM</b>	Swing-away and Multi-Axis armrest mount	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$375
	▲ Must be selected for use with the Light touch mini Proportional Joystick.			
<b>SCBTM</b>	Bullet Hand Tray for Light Touch mini Proportional Joystick	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$750
	▲ This option is only compatible with the Light touch Mini Proportional Joystick.			

### 69. PROPORTIONAL RIM HEAD CONTROL PACKAGE (CODE W100)

<b>SCPHC</b>	Proportional RIM Head Control Package			\$2,795
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$510
<b>SSES</b>	Egg Switch for Changing Modes - Black	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.			
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Proportional RIM Head Control.			



## CUSTOM SECTION

▶ Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.

### 70. O<sup>2</sup> HOLDER

<b>SUPOXY</b>	Custom Non-Articulating Oxygen Tank Holder ▲ Not available with a power recline	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$295
<b>SUPOXYA</b>	Custom Articulating Oxygen Tank Holder ▲ Required with a power recline	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$1,195
	<b>D-Size</b> Oxygen Tank – (* 22" Tall x 4.3" Diameter) – * The height includes the valve			
	<b>E-Size</b> Oxygen Tank – (* 31" Tall x 4.3" Diameter) – * The height includes the valve			

### 71. VENT TRAY (PLEASE COMPLETE IN FULL)

▼ Amylor does not supply the battery, charger or the wiring for the Vent. These items are normally provided by the Vent Manufacturer.

<b>SOVENT</b>	Custom Vent Tray <b>Articulating Vent Box</b> – (Required with Power Tilt and/or Recline) <b>Fixed Vent Box</b>			\$1,360 \$400
	<b>SPECIFY MODEL</b> <b>Trilogy 100/200</b> <b>LTV</b> <b>LTV with Sprintpack</b> <b>Other, specify:</b>			
<b>SOVTBE</b>	Extended Battery Compartment <b>The Vent is being powered by 1 U1 Battery and the chair by 2 Group 24 batteries</b> <b>The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 24 batteries</b>			\$495

### 72. OTHER CUSTOM OPTIONS (REQUEST FOR QUOTE)

▼ Please specify details and specifications for these options.

<b>CUSTOM</b>	Rear view Camera with 5" Monitor			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	USB Charger Port ◀ Specify the location for the installation: _____			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Folding Backrest for Additional Storage possibilities and Travel accessibility			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Large Ball Handle			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Manual Wheel Locks			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Power Anterior Tilt			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Rearview mirror <b>Left Side</b> <b>Right Side</b>			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Power Flip-up Foot Platform – (Please call CSR for availability with configuration and user weight capacity)			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Power Vertical Lifting Foot Platform – (Please call CSR for availability with configuration and user weight capacity)			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Independent Depth Adjustability built into the Footrest Receiver that is attached to the Seat Pan			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Heavy-Duty wheelchair cover, Large			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Endomorphic Back Canes – (Pair) <b>1" per side towards the inside = 2"</b> <b>2" per side towards the inside = 4"</b>			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Transfer Handles – (Pair) <b>Select a height range:</b> <b>5" to 8"</b> <b>6" to 9"</b>			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Foot Box Length: _____ Width: _____ Please confirm with CSR on sizing possibilities			<b>CLIENT COST</b>	RFQ
<b>CUSTOM # 1</b>	Other custom options. Specify in notes section below			<b>CLIENT COST</b>	RFQ
<b>CUSTOM # 2</b>	Other custom options. Specify in notes section below			<b>CLIENT COST</b>	RFQ



**73. NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS**

A large, empty rectangular box with a thin orange border, intended for notes, special requests, or custom specifications.