



**MEDmobility**  
 5711- 104 St, Edmonton AB. T6H 2K1  
 P: 780-437-3300 • Fax: 780-430-9381  
 AADL Vendor: 0000612578-001  
 www.medmobility.ca • www.mmrehab.ca



**1. ACCOUNT INFORMATION**

P.O. # or Quote: \_\_\_\_\_  
 Dealer Contact Name: \_\_\_\_\_  
 Email Address: \_\_\_\_\_  
 Phone Number: \_\_\_\_\_ Fax Number: \_\_\_\_\_  
 Bill to (Name): \_\_\_\_\_  
 Bill to (Location): \_\_\_\_\_  
 Ship to (Name): \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_  
 Province: \_\_\_\_\_ Postal Code: \_\_\_\_\_  
 User Name or Number: \_\_\_\_\_  
 User Weight: \_\_\_\_\_  
 User Height: \_\_\_\_\_  
 Seat Cushion Thickness: \_\_\_\_\_  
 Knee to Heel Length: Left: \_\_\_\_\_ " Right: \_\_\_\_\_ "



**Discount is 4%**

**THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:**

- A user name or number, the client's measurements and weight - Amylor is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Amylor summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

**\*IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES**

**2. STANDARD OPTIONS**

Alltrack M3 Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A onboard charger, 6" front casters, and standard auto style buckle seat positioning strap, 6.5mph motors, **Weight Capacity = 300 lb**

**3. ALLTRACK M3 POWER WHEELCHAIR**

<b>ATM3</b>	ALLTRACK M3 Power Wheelchair	\$8,020
-------------	------------------------------	---------

**3.5 OWNER'S MANUAL**

<b>SOOMATENG</b>	English / Anglais	N/C	<b>SOOMATFR</b>	Français / French	N/C
------------------	-------------------	-----	-----------------	-------------------	-----

**4. USER WEIGHT PACKAGES**

<b>WCA25</b>	250 lb Maximum user weight capacity	STD
<b>WCA3</b>	300 lb Maximum user weight capacity	STD

**5. STANDARD COLORS**

<b>SCMOBM</b>	Onyx Black Matte	N/C	<b>SCMCAB</b>	Cabernet	N/C
<b>SCMCTB</b>	Cobalt Blue	N/C	<b>SCMBGM</b>	Bubble Gum Metallic	N/C
<b>SCMIOB</b>	Indigo Blue	N/C	<b>SCMHAB</b>	Habanero Metallic	N/C
<b>SCMCRE</b>	Candy Red	N/C	<b>SCMLIM</b>	Sublime	N/C

**OPTIONAL COLORS**

<b>FCHDD-M</b>	Desert Digital Camo HydroGraphics - (Military Tan base)	\$795	<b>FCHWL-M</b>	Woodland Camo HydroGraphics - (Military Green base)	\$795
<b>FCHCF-M</b>	Carbon fiber HydroGraphics - (Matte black base)	\$795			

**5.5 WHEEL INSERT COLORS**

<b>SCCTB-WI</b>	Cobalt Blue	N/C	<b>SCHAB-WI</b>	Habanero Metallic	N/C
<b>SCIOB-WI</b>	Indigo Blue	N/C	<b>SCLIM-WI</b>	Sublime	N/C
<b>SCCRE-WI</b>	Candy Red	N/C	<b>SCBGM-WI</b>	Bubble Gum Metallic	N/C
<b>SCCAB-WI</b>	Cabernet	N/C			

- ▲ Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)
- ▲ Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)
- ▲ Wheel inserts are not available in Onyx Black Matte



**7. TRANSPORT OPTION**

<b>TTD4</b>	4-Point wheelchair transport brackets ▲ 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval.	STD
<b>WC19-ISO</b>	WC-19 and ISO 7176-19 Occupied Transit Package ▲ To confirm if your overall wheelchair configuration is WC-19 and ISO 7176-19 compliant, please refer to this website: <a href="https://docs.google.com/spreadsheets/d/1K1cNIEA5OQJCS5z3OD1adWElaFLN1XO3ZcTc6DL_kaE/edit#gid=1917752765">https://docs.google.com/spreadsheets/d/1K1cNIEA5OQJCS5z3OD1adWElaFLN1XO3ZcTc6DL_kaE/edit#gid=1917752765</a> ▲ Other restrictions may apply, please contact CSR for details. ▲ This option is only available on new power wheelchairs as an "on-chair" option. It is not available to install on a delivered wheelchair ▲ Not compatible with the narrow base configurations (FS2424B and FS2221B)	CLIENT COST \$595

**8. MOTOR PACKAGE**

<b>MP65B</b>	6.5MPH 4-Pole Motor Package / with Brake Release ▲ Not compatible with the Smart-Track Assistive Driving Package option (SMARTT)	STD
<b>MP65-OPT</b>	6.5MPH 4-Pole Motor MP65-OPT Package / with COG Release ▲ Not compatible with the narrow base configuration (FS2221B)	CLIENT COST \$395

**9. ASSISTIVE DRIVING PACKAGE**

<b>SMARTT</b>	Smart-Track Assistive Driving Package ▲ Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control. ▲ Requires the R-net PM 120 Amp Expandable Controller (ECR120). ▲ This option requires the MP65-OPT motor package. ▲ Not compatible with the narrow base configuration (FS2221B) ▲ Recommended for non-proportional Drive Controls	\$1,420
---------------	---	---------

**10. BATTERY CHARGER**

<b>BCOB</b>	8A Offboard Battery Charger	N/C
-------------	-----------------------------	-----

**11. BATTERY TRAY AND BASE WIDTH**

<b>FS2221B</b>	<b>N2221</b> - Battery Tray for Group 22 Batteries with a Narrow 21" base width (Total base width = 21") ▶ NOT AVAILABLE WITH THE FOLLOWING OPTIONS: ▲ WC-19 and ISO 7176-19 Occupied Transit Package (WC19-ISO) ▲ 6.5MPH 4-Pole Motor Package / with COG Release option (MP65-OPT) ▲ Smart-Track option (SMARTT) ▲ 8" front casters (FC8PTM and FC8PIM) ▲ 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires (DW144PT and DW144PI) ▲ Not compatible with 23" and 24" seat widths selections (SOWN23 and SOWN24)	N/C
<b>FS22B</b>	Battery Tray for Group 22NF Batteries – (Total base width = 23 3/8")	STD
<b>FS2424B</b>	<b>N2424</b> - Battery Tray for Group 24 Batteries with a Narrow 24" base width (Total base width = 24") ▲ The starting angle is reduced from 90° to 85° for some seat configurations when used with the narrow base configuration (FS2424B).	N/C
<b>FS24B</b>	Battery Tray for Group 24 Batteries – (Total base width = 25 3/8")	N/C

**12. BATTERIES - REQUIRES A SELECTION**

<b>BAT22NFGEL</b>	GEL Battery – Group 22NF – 50 Amps (Each)	AADL CONTRACT RFQ
<b>BAT24GEL</b>	GEL Battery – Group 24 – 70 Amps (Each)	AADL CONTRACT RFQ
<b>BATO</b>	Omission of the batteries	N/C

**14. DRIVE WHEEL**

<b>DW14PT</b>	14" Cast Wheel Pneumatic Tires	STD
<b>DW14PI</b>	14" Cast Wheel Pneumatic with Foam Filled Tires	N/C
<b>DW144PT</b>	14" x 4" Extra Wide Cast Wheels, Pneumatic Tires	CLIENT COST \$200
<b>DW144PI</b>	14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires ▲ Increases the overall width of the base by 2 3/4" ▲ Not compatible with the narrow base configuration (FS2221B)	CLIENT COST \$595
<b>DW12PT</b>	12 1/2" Cast Wheel Pneumatic Tires	N/C
<b>DW12PI</b>	12 1/2" Cast Wheel Pneumatic with Foam Filled Tires ▲ 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque.	N/C



**15. FRONT CASTERS**

<b>FC6S</b>	6" Solid Casters – (Not available with the 14" x 4" Extra Wide Cast Wheel options <b>DW144PT</b> or <b>DW144PI</b> )	STD
<b>FC8PTM</b>	8" Pneumatic Casters	N/C
<b>FC8PIM</b>	8" Pneumatic Casters with Foam Filled Tires	N/C
	▲ The 8" casters are NOT compatible with the 12 ½" Drive wheel configuration ( <b>DW12PT</b> and <b>DW12PI</b> )	
	▲ Not compatible with the narrow base configuration ( <b>FS2221B</b> )	

**16. SEAT TO FLOOR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ¼")**

▶ **OPTIONS FOR A REHAB SEAT ONLY - NO POWER SEATING**

<b>STFH155</b>	15 ½" – (Possible Seat angle of 0° only)		
	▲ Requires the 12 ½" Drive wheels ( <b>DW12PT</b> and <b>DW12PI</b> )		
<b>STFH1625</b>	16 ¼" – (Possible Seat angle of 0° only)	<b>STFH1925</b>	19 ¼" – (Possible Seat angle of 0°, 3° and 6°)
<b>STFH1725</b>	17 ¼" – (Possible Seat angle of 0° and 3°)	<b>STFH2025</b>	20 ¼" – (Possible Seat angle of 0°, 3°, 6°, 9°)
<b>STFH1825</b>	18 ¼" – (Possible Seat angle of 0° and 3°)		

▶ **OPTIONS FOR A POWER TILT, POWER TILT / RECLINE OR ELEVATE ONLY MODULE**

<b>STFH155</b>	15 ½" – (Possible Seat angle of 0° only)		
	▲ Requires the 12 ½" Drive wheels ( <b>DW12PT</b> and <b>DW12PI</b> )		
<b>STFH1625</b>	16 ¼" – (Possible Seat angle of 0° only)	<b>STFH1825</b>	18 ¼" – (Possible Seat angle of 0° only)
<b>STFH1725</b>	17 ¼" – (Possible Seat angle of 0° only)	<b>STFH1875</b>	18 ¾" – (Possible Seat angle of 0° only)
<b>STFH1775</b>	17 ¾" – (Possible Seat angle of 0° only)		

▶ **OPTIONS FOR A COMBO - POWER TILT OR POWER TILT / RECLINE WITH ELEVATE MODULE**

<b>STFH175</b>	17 ½" – (Possible Seat angle of 0° only)		
	▲ Requires the 12 ½" Drive wheels ( <b>DW12PT</b> and <b>DW12PI</b> )		
<b>STFH1825</b>	18 ¼" – (Possible Seat angle of 0° only)		

**17. SEAT TO FLOOR HEIGHT SPECIFICATION (IF NOT STANDARD)**

<b>SOMHSS</b>	Specific seat to floor height higher than standard. It's not possible to lower the seat to floor height below minimum ranges.	RFQ
	▲ Required at: _____" (± ¼" Range)	

**18. PRE-SET SEAT FRAME ANGLE**

<b>SFE-0</b>	0° Pre-set seat frame seat angle – (Must be selected when using power options)	STD
<b>SFE-3</b>	3° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/C
<b>SFE-6</b>	6° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/C
<b>SFE-9</b>	9° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/C

**19. LIGHTING PACKAGE**

<b>EOLP</b>	LED Light Package – (Includes front and rear lights with integrated flashers)	<b>CLIENT COST</b> \$1,425
	▲ Requires the upgraded Joystick with Light Operation or the OMNI 2 ( <b>ECVJ6KL</b> , <b>ECELJL</b> , <b>ECRJCL</b> , <b>ECRJC35B</b> or <b>EDIB</b> )	

**21. EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS**

<b>ECEL90</b>	R-net EL 90 Amp Expandable Controller	\$175
<b>ECR120</b>	R-net PM 120 Amp Expandable Controller	\$275

**22. EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS**

▶ Selection of one joystick option below is required with the expandable controller **ECEL90** or **ECR120**

<b>ECO</b>	Omit Joystick – (For use with an Omni 2 Display)	N/C
<b>ECELJ</b>	R-net - (LED) – Joystick	STD
	▲ This joystick is not compatible with the Memory Seat Program Option ( <b>SACMEMORY</b> and <b>MACMEMORY</b> ).	
<b>ECRJCL</b>	R-net Joystick with Color screen	\$155
▶ <b>JOYSTICKS WITH LIGHTING OPERATION</b>		
<b>ECELJL</b>	R-net – (LED) – Joystick with Lighting Operation	<b>CLIENT COST</b> \$125
	▲ This joystick is not compatible with the Memory Seat Program Option ( <b>SACMEMORY</b> and <b>MACMEMORY</b> ).	
<b>ECRJCL</b>	R-net Joystick with Color screen and Lighting Operation	\$180
▶ <b>ADVANCED JOYSTICK</b>		
<b>ECRJC35B</b>	R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	<b>CLIENT COST</b> \$1,105

**23. JOYSTICK MOUNT**

<b>JSMF</b>	Fixed Joystick Mount	N/C
<b>JMSA</b>	Swing Away Joystick Mount - Height adjustable, Angle adjustable and Multi-Axis	\$235
	Select: <b>Set-up with standard installation to swing-away sideways</b> <b>Set-up at 35° to swing-away sideways and downwards</b>	
	Select: <b>Mechanical Lock (STD)</b> <b>Magnetic Lock</b>	
<b>JSMCM</b>	Midline Mounted Swing Away Joystick Mount	\$275



**24. JOYSTICK MOUNT SUPPORT**

<b>JSMFH</b>	Joystick mount support Bracket	STD
--------------	--------------------------------	-----

**25. JOYSTICK HAND MOUNT**

<b>HML</b>	Install Joystick on Left hand side	<b>HMR</b>	Install Joystick on Right hand side
------------	------------------------------------	------------	-------------------------------------

**26. JOYSTICK HANDLE**

<b>JSH</b>	Standard Joystick Gimble	STD	<b>JBAT</b>	Stick Handle 3" in Length	\$130
<b>JBH</b>	Ball Handle	\$85	<b>JFBH</b>	Foam Ball Handle	\$70
<b>JTH</b>	T-Handle	\$155	<b>JMUSH</b>	Bodypoint Mushroom Handle	\$210
<b>JGP</b>	Bodypoint 4" U-shaped Handle	\$210			

**29. R-NET OMNI 2 - ENHANCED DISPLAY & DIGITAL INTERFACE BOX (REQUIRED WITH SPECIALTY CONTROLS)**

<b>EDIB</b>	Omni 2 – (Enhanced Display & Digital Interface Box with Bluetooth and Infrared)	\$1,915
	▲ Allows the switch operation of alternative devices through driver controls. Requires the R-net fully Expandable Controller (ECR120)	
	▲ The Omni 2 display mount must be selected from the option below.	

**30. OMNI 2 ENHANCED DISPLAY MOUNT**

<b>EDSAM</b>	User Swing Away Mount	<b>CODE W100</b>	N/C
	<b>EDML</b> – (Install Display on LH side)	<b>EDMR</b> – (Install Display on RH side)	

**31. ENVIRONMENTAL CONTROL MODULE**

<b>ECU</b>	Environment control module – (Output Module)	<b>CLIENT COST</b>	\$995
	▲ Requires one of the fully expandable R-net controllers (ECEL90 or ECR120).		

**33. AMYSEAT REHAB SEAT / POWER SEATING SYSTEMS AND MODULES**

<b>SAABA</b>	Amyseat Rehab Seat – (Seat frame only)	\$880
<b>SAPTX</b>	CG Power Tilt	<b>CODE W995</b> \$6,195
	▲ This option includes the Amyseat Rehab Seat – (SAABA)	
<b>SAPRX</b>	Power Recline with Mechanical Shear Reduction (MSR)	<b>CODE W995TR</b> \$7,845
	▲ This option includes the Amyseat Rehab Seat – (SAABA)	
<b>SAPTRX</b>	CG Power Tilt and Power Recline with Mechanical Shear Reduction (MSR)	<b>CODE W995TR</b> \$11,495
	▲ This option includes the Amyseat Rehab Seat – (SAABA)	
<b>SAPESX</b>	<b>ALTA</b> 11" Power Seat Elevation	\$4,495
	▲ This option includes the Amyseat Rehab Seat – (SAABA)	
<b>ADDPESX</b>	Module – Add <b>ALTA</b> 11" Power Seat Elevation to either <b>SAPTX</b> , <b>SAPRX</b> or <b>SAPTRX</b>	\$2,495
<b>ADDMR</b>	Module – Manual Recline with Mechanical Shear Reduction – (MSR)	\$1,125
	▲ The maximum user weight capacity with this option is 250 lb.	

**34. ELECTRONICS - SINGLE SEAT FUNCTION CONTROL TYPE**

▶ **SINGLE SEAT FUNCTION USING AN EXTERNAL TOGGLE OR OPTIONAL SWITCH ONLY (FOR BOTH EXPANDABLE AND NON-EXPANDABLE SYSTEMS)**

<b>SOLO</b>	Single function controller (Includes an external toggle switch)	STD
-------------	---	-----

▼ **OPTIONAL SWITCHES**

<b>SWTOGGLE</b>	Single Toggle Switch	<b>Attendant Activation</b>	\$100
<b>SWPUSH1</b>	Single Push Button Switch – (Single Mode: <b>SAC</b> )	<b>User Activation</b>	<b>Attendant Activation</b> \$90
<b>SWPUSH2</b>	Dual Push Button Switch – (Dual Mode: <b>SAC</b> )	<b>User Activation</b>	<b>Attendant Activation</b> \$180
<b>SSBS</b>	Buddy Button Switch <b>Black</b> <b>Red</b> <b>Green</b> <b>Yellow</b>	<b>User Activation</b>	<b>Attendant Activation</b> \$230
<b>SSES</b>	Egg Switch-Black	<b>User Activation</b>	<b>Attendant Activation</b> \$116
<b>SSML</b>	Ultra Light Switch	<b>User Activation</b>	<b>Attendant Activation</b> \$295

▶ **SINGLE SEAT FUNCTION THROUGH DRIVE CONTROL**

<b>EPSEL</b>	Single Function Through Drive Control with R-net 90-amp controller	N/C
	▲ Allows for activation of single power option through R-net 90-amp controller	
	▲ Compatible with all R-net joysticks	
	▲ Does not allow for control of power option through drive control and separate switches	
	▲ Can not operate more than one power option	
	▲ If selecting memory seating, choose <b>SAC</b> below	
	▲ If selecting 120-amp R-net controller, choose <b>SAC</b> below	

<b>SAC</b>	Single Function Through Drive Control with R-net 90-amp or 120-amp controller	N/C
	▲ Allows for activation of single power option through R-net drive controls	
	▲ Compatible with 90-amp or 120-amp controller, all R-net joysticks, Omni 2 and specialty controls	
	▲ Capable of operating tilt with power seat elevate	
	▲ Compatible with memory seating	



► **SINGLE SEAT FUNCTION OPTIONS (OPTIONS BELOW ARE COMPATIBLE ONLY WHEN CHOOSING SAC ABOVE)**

<b>SACMEMORY</b>	Memory Seat Program ▲ This option is not compatible with LED joysticks (ECELJ and ECELJL)	<b>CLIENT COST</b> \$1,495
------------------	--	----------------------------

► **SELECTION OF SWITCH BELOW GIVES ACCES TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH**

<b>SACTOGGLE</b>	Single Toggle Switch	<b>Attendant Activation</b>	<b>CODE W100</b>	\$410
<b>SACPUSH1</b>	Single Push Button Switch – (Single Mode: SAC)	<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b> \$400
<b>SACPUSH2</b>	Dual Push Button Switch – (Dual Mode: SAC)	<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b> \$490
<b>SACSSBS</b>	Buddy Button Switch <b>Black Red Green Yellow</b>	<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b> \$540
<b>SACSSSE</b>	Egg Switch-Black	<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b> \$426
<b>SACSSML</b>	Ultra Light Switch	<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b> \$605

**35. ELECTRONICS - MULTIPLE SEAT FUNCTION CONTROL TYPE**

► **MULTIPLE SEAT FUNCTIONS THROUGH R-NET**

<b>MAC</b>	E-BX Multiple Function through Drive Control with Expandable Electronics – <b>Powers iQ Actuators</b> ▲ Required with the combined selection of the 90° Power Center Mount Elevating & Articulating Foot Platform (ADDPF) and the narrow base configuration (FS2221B)	\$2,295
------------	--	---------

► **MAC OPTIONS**

<b>MACMEMORY</b>	Memory Seat Program	\$175
------------------	---------------------	-------

► **SELECTION OF SWITCH BELOW GIVES ACCES TO POWER OPTIONS THROUGH DRIVE CONTROLS AND THROUGH EXTERNAL SWITCH**

<b>MACKEYPAD-P</b>	Keypad w/ 5 Push Button Switches	<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b> \$445
<b>MACKEYPAD-T</b>	Keypad w/ 5 Toggle Switches	<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b> \$445
<b>MACMULTI</b>	4-Way Toggle Switch – (Up to 4 Activations) ▲ By selecting this switch, memory recall is only available through the Joystick.	<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b> \$180
<b>MACMULTIT</b>	Triple Toggle Switch – (Up to 5 Activations) ▲ By selecting this switch, memory recall is only available through the Joystick.	<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b> \$135
<b>MACPUSH4</b>	4-Way Push Button Switch ▲ By selecting this switch, memory recall is only available through the Joystick.	<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b> \$225
<b>MACPUSH5</b>	5-Way Push Button Switch ▲ By selecting this switch, memory recall is only available through the Joystick.	<b>User Activation</b>	<b>Attendant Activation</b>	<b>CODE W100</b> \$240

**36. SWITCH ACTIVATION HAND MOUNT**

<b>Switch Installation:</b>	<b>TSM L</b> – (Install Switch on LH side)	<b>TSM R</b> – (Install Switch on RH side)	N/C
-----------------------------	--	--	-----

**37. PRE-SET BACK ANGLE (FOR NON-RECLINING BACKS)**

<b>SOBAA</b>	Select one: <b>86° 90° 94° 98° 102° 106° 110° 114° 118° 122°</b> ▲ Back angles of 102° or greater are not compatible with the OMNI 2.
--------------	--

**38. STANDARD ADJUSTABLE SEAT WIDTH RANGE BETWEEN 15" AND 20"**

<b>SOWN15-20-19</b>	– (Width adjustment from 15" to 20" with a maximum Depth of 19")	N/C			
<b>SOWN15-20-22</b>	– (Width adjustment from 15" to 20" with a maximum Depth of 22") – (The minimum seat depth with this seat option is 18" Deep)	N/C			
<b>15" (SOWN15)</b>	<b>16" (SOWN16)</b>	<b>17" (SOWN17)</b>	<b>18" (SOWN18)</b>	<b>19" (SOWN19S)</b>	<b>20" (SOWN20S)</b>

**39. LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 24"**

<b>SOWN19-24-22</b>	– (Width adjustment from 19" to 24" and Depth range of 18" to 22") – (The minimum seat depth with this seat option is 18" Deep)	N/C			
<b>19" (SOWN19L)</b>	<b>20" (SOWN20L)</b>	<b>21" (SOWN21)</b>	<b>22" (SOWN22)</b>	<b>23" (SOWN23)</b>	<b>24" (SOWN24)</b>
▲ 23" and 24" Seat widths are not compatible with the N2221 - Narrow 21" base width option (FS2221B)					

**40. ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15" AND 22"**

<b>15" (SODN15)</b>	<b>16" (SODN16)</b>	<b>17" (SODN17)</b>	<b>18" (SODN18)</b>	N/C
<b>19" (SODN19)</b>	<b>20" (SODN20)</b>	<b>21" (SODN21)</b>	<b>22" (SODN22)</b>	N/C
▲ With a 22" long Seat Pan SOWN15-20-22 and SOWN19-24-22, the minimum possible seat depth is 18".				

**41. BACK CANE HEIGHT (THE BACK CANE HEIGHT MEASUREMENT IS TAKEN FROM THE SEAT PAN TO THE TOP OF THE PUSH HANDLES)**

▼ 22" is the minimum back height required with a power or manual recline.					
<b>16" (SOBCH16)</b>	<b>18" (SOBCH18)</b>	<b>20" (SOBCH20)</b>	<b>22" (SOBCH22)</b>	<b>24" (SOBCH24)</b>	<b>26" (SOBCH26)</b>



**42. BACK SUPPORT**

<b>DSTR-WWHH</b>	Adjustable Tension Back Upholstery, WW x HH ▲ Only available with Dual Post armrests (SOADP)	N/C
<b>STDSB-WWHH</b>	Contour back support up to 21" wide, with a maximum shell height of 22". ▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back	<b>SEATING BENEFIT</b> \$605
<b>STDSB-WWHH</b>	Contour back support up to 21" wide for non-standard sizes with shell height ≥ 23". ▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back	<b>SEATING BENEFIT</b> \$755
<b>STDSB-WWHH</b>	Contour back support for Heavy-Duty from 22" wide and higher, with any height. ▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back	<b>SEATING BENEFIT</b> \$1,075
<b>▶ MATRX BACKS</b>		
<b>E2S-WWHH</b>	MATRX ELITE E2S BACK – (14" to 20" Wide - Back height of 6" to 20", in 2" increments) ▲ Back shell height is available in 6" to 20", in 2" increments. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back ▲ Weight capacity up to 300 lb	<b>SEATING BENEFIT</b> \$995
<b>E2D-WWHH</b>	MATRX DEEP CONTOUR ELITE E2D BACK – (14" to 20" Wide - Back height of 6" to 20", in 2" increments) ▲ Back shell height is available in 6" to 20", in 2" increments. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back ▲ This product is not compatible with Lateral Trunk Supports ▲ Weight capacity up to 300 lb	<b>SEATING BENEFIT</b> \$1,155
<b>PBE-WWHH-TR</b>	MATRX ELITE TR BACK – (15" to 20" Wide - Back height of 14", 16", 18" and 20") ▲ Back shell height is available in 14", 16" 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back ▲ Weight capacity up to 300 lb	<b>SEATING BENEFIT</b> \$910
<b>PBE-WWHH-HD</b>	MATRX HEAVY DUTY ELITE BACK – (21" to 24" Wide - Back height of 16" and 20") ▲ Back shell height is available in 16" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back ▲ Weight capacity up to 500 lb	<b>SEATING BENEFIT</b> \$1,150
<b>EDB-WWHH-HD</b>	MATRX ELITE DEEP HD BACK – (21" to 24" Wide - Back height of 16", 18" and 20") ▲ Back shell height is available in 16", 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back ▲ This product is not compatible with Lateral Trunk Supports ▲ Weight capacity up to 500 lb	<b>SEATING BENEFIT</b> \$1,195
<b>▶ NXT BACKS</b>		
<b>NOACB-WWHH</b>	NXT OPTIMA FH AC CONTOUR BACK – (15" to 21" Wide) ▲ Weight capacity up to 300 lb	<b>SEATING BENEFIT</b> \$690
<b>NOACB-WWHH</b>	NXT OPTIMA FH AC CONTOUR BACK – (22" to 28" Wide) ▲ Weight capacity up to 550 lb ▲ Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back	<b>SEATING BENEFIT</b> \$720
<b>NOPCB-WWHH</b>	NXT OPTIMA FH PC DEEP CONTOUR BACK – (15" to 21" Wide) ▲ Weight capacity up to 300 lb	<b>SEATING BENEFIT</b> \$790
<b>NOPCB-WWHH</b>	NXT OPTIMA FH PC DEEP CONTOUR BACK – (22" to 28" Wide) ▲ Weight capacity up to 550 lb ▲ This product is not compatible with Lateral Trunk Supports ▲ Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back	<b>SEATING BENEFIT</b> \$820
<b>▶ OMISSION OF THE BACK SUPPORT</b>		
<b>STDSBO</b>	Omission of the Contour Back Support ◀ Specify Model of Back Support: _____	N/C

**43. BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)**

▼ 22" is the minimum back height required with a power or manual recline.					
<b>16" (SOBH16)</b>	<b>18" (SOBH18)</b>	<b>20" (SOBH20)</b>	<b>22" (SOBH22)</b>	<b>24" (SOBH24)</b>	<b>26" (SOBH26)</b>
<b>28" (SOBH28)</b> This height is not available with the NXT Optima AC and PC options					



**44. SEAT CUSHIONS (SEATING BENEFIT)**

▶ **CG AIR - THERAPEUTIC AIR CUSHION**

<b>Single Valve 15" to 20" Wide</b> Note: For custom Cushions (Please use the CG Air Order Form)				
	<b>Cell Height:</b>	<b>2"</b>	<b>3"</b>	<b>4"</b>
<b>CGA1VSCwwdd-h</b>	CG Air Single Valve – (with Standard 2-way Stretch Cover)			<b>SEATING BENEFIT \$600</b>
<b>CGA1V3Dwwdd-h</b>	CG Air Single Valve – (with 3D Mesh Cover)			<b>SEATING BENEFIT \$690</b>
<b>CGA1VICwwdd-h</b>	CG Air Single Valve – (with Incontinence Cover)			<b>SEATING BENEFIT \$690</b>
▲ Cushion sizes only come in even numbers for width and depth measurements.				
<b>Dual Valve 15" to 20" Wide</b> Note: For custom Cushions (Please use the CG Air Order Form)				
	<b>Cell Height:</b>	<b>2"</b>	<b>3"</b>	<b>4"</b>
<b>CGA2VSCwwdd-h</b>	CG Air Dual Valve – (with Standard 2-way Stretch Cover)			<b>SEATING BENEFIT \$600</b>
<b>CGA2V3Dwwdd-h</b>	CG Air Dual Valve – (with 3D Mesh Cover)			<b>SEATING BENEFIT \$690</b>
<b>CGA2VICwwdd-h</b>	CG Air Dual Valve – (with Incontinence Cover)			<b>SEATING BENEFIT \$690</b>
▲ Cushion sizes only come in even numbers for width and depth measurements.				
<b>Single Valve 22" to 24" Wide</b> Note: For custom Cushions (Please use the CG Air Order Form)				
	<b>Cell Height:</b>	<b>2"</b>	<b>3"</b>	<b>4"</b>
<b>CGA1VSCwwdd-h</b>	CG Air Single Valve – (with Standard 2-way Stretch Cover)			<b>SEATING BENEFIT \$890</b>
<b>CGA1V3Dwwdd-h</b>	CG Air Single Valve – (with 3D Mesh Cover)			<b>SEATING BENEFIT \$910</b>
<b>CGA1VICwwdd-h</b>	CG Air Single Valve – (with Incontinence Cover)			<b>SEATING BENEFIT \$910</b>
▲ Cushion sizes only come in even numbers for width and depth measurements.				
<b>Dual Valve 22" to 24" Wide</b> Note: For custom Cushions (Please use the CG Air Order Form)				
	<b>Cell Height:</b>	<b>2"</b>	<b>3"</b>	<b>4"</b>
<b>CGA2VSCwwdd-h</b>	CG Air Dual Valve – (with Standard 2-way Stretch Cover)			<b>SEATING BENEFIT \$890</b>
<b>CGA2V3Dwwdd-h</b>	CG Air Dual Valve – (with 3D Mesh Cover)			<b>SEATING BENEFIT \$910</b>
<b>CGA2VICwwdd-h</b>	CG Air Dual Valve – (with Incontinence Cover)			<b>SEATING BENEFIT \$910</b>
▲ Cushion sizes only come in even numbers for width and depth measurements.				
▶ <b>CONTOUR SEAT CUSHION</b>				
<b>SCPSC-wwdd</b>	Contour Seat Cushion up to 19" Wide			<b>SEATING BENEFIT \$620</b>
<b>SCPSC-wwdd</b>	Contour Seat Cushion for Non-Standard Sizes of 20" to 24" Wide			<b>SEATING BENEFIT \$735</b>
▶ <b>MATRIX CUSHION</b>				
<b>PSP-WWDD</b>	MATRIX PSP Seat Cushion – (11" to 20" Wide)			<b>SEATING BENEFIT \$645</b>
▲ The maximum user weight capacity is 300 lb				
▲ Cushion sizes only come in even numbers for width and depth measurements.				
<b>PSP-WWDD</b>	MATRIX PSP Seat Cushion – (22" to 26" Wide)			<b>SEATING BENEFIT \$995</b>
▲ The maximum user weight capacity is 550 lb				
▲ Cushion sizes only come in even numbers for width and depth measurements.				
▶ <b>NXT BIO-FIT CUSHION</b>				
<b>NXTBIOFIT-WWDD</b>	NXT BIO FIT Cushion – (15" to 21" Wide)			<b>SEATING BENEFIT \$595</b>
▲ The maximum user weight capacity is 300 lb				
<b>NXTBIOFIT-WWDD</b>	NXT BIO FIT Cushion – (22" to 26" Wide)			<b>SEATING BENEFIT \$625</b>
▲ The maximum user weight capacity is 400 lb				
▲ Cushion sizes only come in even numbers for width and depth measurements.				

**45. CANTILEVER – HEIGHT ADJUSTABLE ARMRESTS – OPENS WITH A 5° ANGLE (CHOOSE 2)**

<b>SOAFBDLH</b>	Flip-Back Cantilever – Desk Length Left Side – (Height Adjustable from 7" to 15" with 1" increments) –	<b>STD Length 12"</b>	N/C		
<b>SOAFBDRH</b>	Flip-Back Cantilever – Desk Length Right Side – (Height Adjustable from 7" to 15" with 1" increments) –	<b>STD Length 12"</b>	N/C		
<b>SOAFBFLH</b>	Flip-Back Cantilever – Full Length Left Side – (Height Adjustable from 7" to 15" with 1" increments) –	<b>STD Length 16"</b>	STD		
<b>SOAFBFRH</b>	Flip-Back Cantilever – Full Length Right Side – (Height Adjustable from 7" to 15" with 1" increments) –	<b>STD Length 16"</b>	STD		
<b>CUST-112250</b>	Custom Armrest Length – Select Length for the <b>Left</b> side:	<b>Custom Length 18"</b>	<b>Custom Length 20"</b>	<b>Custom Length 22"</b>	N/C
<b>CUST-112250</b>	Custom Armrest Length – Select Length for the <b>Right</b> side:	<b>Custom Length 18"</b>	<b>Custom Length 20"</b>	<b>Custom Length 22"</b>	N/C
<b>CUST-SOAFB</b>	Select this code when using Cantilever armrests with Reclining backs				N/C
▲ The maximum user weight capacity is 300 lb					

**46. DUAL POST – HEIGHT ADJUSTABLE ARMRESTS – INCLUDES TRANSFER GRIPS (FOR NON-RECLINING BACKS - CHOOSE 2)**

<b>SOADPD LH</b>	Dual Post Height Adjustable – Desk Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments)	\$168
<b>SOADPD RH</b>	Dual Post Height Adjustable – Desk Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments)	\$168
<b>SOADPF LH</b>	Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments)	\$168
<b>SOADPF RH</b>	Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments)	\$168



**47. RECLINING FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2)**

<b>SOANIDLH</b>	Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	<b>STD Length 12"</b>	N/C		
<b>SOANIDRH</b>	Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	<b>STD Length 12"</b>	N/C		
<b>SOANIFLH</b>	Reclining armrest – Full Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	<b>STD Length 16"</b>	N/C		
<b>SOANIFRH</b>	Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	<b>STD Length 16"</b>	N/C		
<b>CUST-48247</b>	Custom Armrest Length – Select Length for the <b>Left</b> side:	<b>Custom Length 18"</b>	<b>Custom Length 20"</b>	<b>Custom Length 22"</b>	N/C
<b>CUST-48247</b>	Custom Armrest Length – Select Length for the <b>Right</b> side:	<b>Custom Length 18"</b>	<b>Custom Length 20"</b>	<b>Custom Length 22"</b>	N/C

**48. ARMREST HEIGHT ADJUSTMENT AT FACTORY**

- ▶ Set the Armrest Height at: \_\_\_\_\_ "
- ▲ The Armrest Height is taken from the seat pan to the top of the armpad. (Not required for Dual Post.)

**49. ARMPADS**

▶ **FOAM TYPE SELECTION**

<b>SOWAPD</b>	Desk Length Waterfall – (8 1/2" x 2 3/4")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	STD
▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.					
<b>SOWAFP</b>	Full Length Waterfall – (13" x 2 3/4")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	STD
▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.					

▶ **HYBRID GEL AND FOAM TYPE SELECTION (THE GEL ALWAYS STAYS SOFT)**

<b>SOGELD</b>	Desk Length Hybrid Gel and Foam Flat armpad – (9 3/4" x 2")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	<b>SEATING BENEFIT \$40</b>
<b>SOGELF</b>	Full Length Hybrid Gel and Foam Flat armpad – (13 1/2" x 2")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	<b>SEATING BENEFIT \$40</b>
<b>SOWGELD</b>	Desk Length Hybrid Gel & Foam Waterfall armpad – (8 1/2" x 2 3/4")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	<b>SEATING BENEFIT \$95</b>
▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.					
<b>SOWGELF</b>	Full Length Hybrid Gel and Foam Waterfall armpad – (13" x 2 3/4")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	<b>SEATING BENEFIT \$95</b>
▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.					

▶ **SPECIALTY TYPE SELECTION**

<b>SOCAR</b>	Arm Trough with Hand Support (18" x 4 1/2")	Select side:	<b>Left Hand Side</b>	<b>Right Hand Side</b>	\$170
▲ Arm Trough Armpads may interfere with Armrests Flipping back.					

**50. FOOTRESTS**

<b>SOSAFA</b>	Signature Swing-Away Footrests	Set at:	<b>60°</b>	<b>70°</b>	STD
		Select Footrest Range:	<b>SOFLA12 (12 1/2" - 17 1/2")</b>	<b>SOFLA14 (14 1/2" - 19 1/2")</b>	
<b>SOAAF</b>	Signature <b>Heavy Duty</b> Swing-Away Footrests	Set at:	<b>60°</b>	<b>70°</b>	\$175
		Select Footrest Range:	<b>SOFLHD12 (12 1/2" - 17 1/2")</b>	<b>SOFLHD14 (14 1/2" - 19 1/2")</b>	
<b>ADDML</b>	Signature Manual Elevating & Articulating Legrests - Pair	Select Footrest Range:	<b>SOFLME12 (12 1/2" - 17 1/2")</b>	<b>SOFLME14 (14 1/2" - 19 1/2")</b>	\$595
▲ Does not include calf pads. Please select calf pads in section 51.					
<b>ADDPL</b>	Signature Power Elevating & Articulating Legrests	Select Function:	<b>Individual</b>	<b>Combined</b>	<b>CLIENT COST \$ 2,495</b>
		Select Footrest Range:	<b>SOFLPW12 (12 1/2" - 17 1/2")</b>	<b>SOFLPW14 (14 1/2" - 19 1/2")</b>	
▲ This option includes calf pads. Individual legs count as two power functions. Combined legs count as one power function.					

**51. FOOTPLATES & ACCESSORIES**

<b>SOSFAF</b>	Flip-up Footplates	STD
<b>SOAFP</b>	Angle Adjustable & Flip-up Footplates – (Each)	\$65
<b>SOAHL</b>	Heel Loops – (Each)	\$20
<b>SOACPFR</b>	Calf Pads for Adult Heavy-Duty Swing-Away footrests ( <b>SOAAF</b> ) with adjustable hardware – (Each)	\$185
<b>SOAMA</b>	Swing-away residual limb Support	Select: <b>Left leg</b> <b>Right leg</b> \$455

**52. FOOTREST LENGTH ADJUSTMENT AT FACTORY**

- ▶ Set the Footrest Length at: \_\_\_\_\_ "
- ▲ The Footrest Length is taken from the top of the seat pan to the top of the footplate.



### 53. CENTER MOUNTS

<b>SOAAF90</b>	90° Fixed Center Mount Interface Bracket – (Offers Manual adjustability from 94° to 70°)	200\$
	Select Foot Platform Range: <b>SOFBA12</b> (12 ½" – 16 ½") <b>SOFBA16</b> (16 ½" – 19 ½")	
	▲ When selecting <b>SOFBA16</b> (16 ½" - 19 ½") range, the lowest possible seat to floor height is 18.75"	
	▲ Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).	
	▲ With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate.	
<b>ADDPF</b>	90° Power Center Mount Elevating & Articulating Foot Platform	\$ 2,495
	Select Foot Platform Range: <b>SOFBPW12</b> (10 ½"- 16") <b>SOFBPW16</b> (16"- 20")	
	▲ When selecting <b>SOFBPW16</b> (16"- 20") range, the lowest possible seat to floor height is 18.75"	
	▲ This option includes calf pads. The power center mount counts as one power function.	
	▲ Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).	
	▲ For leg lengths between 10 ½" and 12 ½", there is a partial conflict where the calf pads prevent the foot platform or foot plates from folding completely.	
	▲ The starting angle is reduced from 90° to 85° for some seat configurations when used with the narrow base configuration (FS2424B)	
	▲ The E-BX (MAC) option is required with the combined selection of the 90° Power Center Mount Elevating & Articulating Foot Platform (ADDPF) and the narrow base configuration (FS2424B)	

### 54. FOOT PLATFORMS & ACCESSORIES

<b>SOFUFP</b>	Flip-up one piece Foot Platform	\$140
<b>SOAFPFB</b>	Angle Adjustable & Flip-up Split Footplates for center mount – (Each)	\$65
<b>SOACPCM</b>	Calf Pads for 90° Fixed Center Mount – (SOAAF90) with adjustable hardware – (Each)	\$93

### 55. FOOT PLATFORM HEIGHT ADJUSTMENT AT FACTORY

- ▶ Set the Foot Platform Height at: \_\_\_\_\_ "
- ▲ The Foot Platform Height is taken from the top of the seat pan to the top of the foot platform or split foot plates.

### 56. SEAT POSITIONING (NOT COMPATIBLE WITH THE WC19-ISO OPTION)

<b>SOAUTO</b>	55" Seat Positioning Strap	STD
<b>SOBPHP2C</b>	Bodypoint padded Hip Belt (Two Point – Center Pull)	\$170
<b>SOPHB</b>	Padded Hip Belt, 2-PT Magnetic Center Pull	\$194
<b>SOBPCS</b>	Bodypoint padded Chest Strap	\$250
<b>SOPCS</b>	Padded Chest Strap, 2-PT Magnetic Center Pull	\$262

### 57. HEADREST

▼ Select one of the headrest options with the mounting hardware and specify where the headrest will be installed.

<b>SONUAHR</b>	Using headrest mounting hardware other than SOMAH located bellow. ◀ Specify: _____	N/C
<b>SOFHRS</b>	Small Curved Headrest Pad – 4" x 9"	\$155
<b>SOFHRM</b>	Medium Curved Headrest Pad – 5" x 10"	\$155
<b>SOFHRL</b>	Large Curved Headrest Pad – 6" x 11"	\$155
<b>SOMAH</b>	Multi-axis Removable Mounting Hardware	\$220
<b>SOHRBC</b>	Bracket to Mount on the Contour Back Support (Without Recline)	N/C
<b>SOHRPR</b>	Bracket to Mount on the Seat Frame (For Reclining Backs)	N/C

### 58. LATERAL TRUNK SUPPORTS

▼ Select one of the lateral pads and the adjustable & removable hardware.

<b>SOSLS3</b>	Adjustable Laterals with Small Curved Pads – (Each) – 3" x 5"	<b>SEATING BENEFIT</b> \$100
<b>SOSLM4</b>	Adjustable Laterals with Medium Curved Pads – (Each) – 4" x 6"	<b>SEATING BENEFIT</b> \$100
<b>SOSLL5</b>	Adjustable Laterals with Large Curved Pads – (Each) – 5" x 7"	<b>SEATING BENEFIT</b> \$100
<b>SOSLHM</b>	Adjustable Swing-Away Hardware Mounts – (Each)	<b>SEATING BENEFIT</b> \$220

▲ Waterfall arm pads may interfere with flipping back the armrests when combined with Lateral Trunk supports

### 59. HIP & THIGH SUPPORTS

▼ Select one of the hip & thigh support pads and the adjustable & removable hardware.

<b>SOHTSS10</b>	Adjustable Hip & Thigh Support Pads – (Each) – Small 10" x 4"	<b>SEATING BENEFIT</b> \$130
<b>SOHTSM12</b>	Adjustable Hip & Thigh Support Pads – (Each) – Medium 12" x 5"	<b>SEATING BENEFIT</b> \$130
<b>SOHTSL14</b>	Adjustable Hip & Thigh Support Pads – (Each) – Large 14" x 6"	<b>SEATING BENEFIT</b> \$130
<b>SOHTSARH</b>	Adjustable and Removable Hip & Thigh Support Hardware – (Each)	<b>SEATING BENEFIT</b> \$136



**60. ACCESSORIES**

<b>SOCH</b>	Cup Holder – (Self-Leveling)	Install on:	<b>Left Side</b>	<b>Right Side</b>	\$115
<b>SOPH</b>	Ram Mounts X-Grip Cell Phone Holder	Install on:	<b>Left Side</b>	<b>Right Side</b>	\$190
<b>SOTHS</b>	Ram Mounts X-Grip Small Tablet Holder	Install on:	<b>Left Side</b>	<b>Right Side</b>	\$205
<b>SOTHL</b>	Ram Mounts X-Grip Large Tablet Holder with Swivel	Install on:	<b>Left Side</b>	<b>Right Side</b>	\$360
▲ Standard installation is on the opposite side of joystick. Installing accessories on the same side as the joystick may require a custom upgrade.					
▲ With multiple accessories installed on the same side, a custom upgrade will be required.					

**61. REFLECTOR KIT**

<b>REFLECT</b>	Red & White Reflector Kit Stickers (They will not be installed – Included in a bag with the Owner's Manual)	N/C
----------------	---	-----

**62. BACK PACK AND ARMREST SIDE POUCHES**

<b>SOBP</b>	Back Pack – (Comes with durable straps that can be hooked around the back canes)		<b>CLIENT COST</b>	\$90		
<b>SOAP</b>	Armrest Side Pouch – (Comes with durable straps that can be hooked around the armrest tubes)	Order:	<b>Left Side</b>	<b>Right Side</b>	<b>CLIENT COST</b>	\$53
▲ If only choosing one (1) armrest pouch, please show what side it should be installed						

**63. SWITCHES AND OPTIONS**

<b>ASCPWIFI</b>	PGDT - Wireless programmer, WIFI dongle	<b>NOT COVERED BY AADL</b>	\$844
<b>ASPCP</b>	PGDT R-NET Dongle and PC programmer kit	<b>NOT COVERED BY AADL</b>	\$600
<b>SSBS</b>	Buddy Button Switch		\$230
<b>SSES</b>	Egg Switch-Black		\$116
<b>SSML</b>	Ultra Light Switch		\$295
<b>ESS-RED</b>	Emergency STOP Switch - Red		\$314



## SPECIALTY DRIVER CONTROL OPTIONS

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

### 64. THERAFIN SIP-N-PUFF KIT (CODE W100)

<b>SCSNPK</b>	Therafin Sip-N-Puff Kit			\$1,975
<b>SCSNPBTk</b>	Therafin Sip-N-Puff Breath Tube Kit			N/C
	▲ Required with the Therafin Sip-N-Puff kit.			
<b>SCSRMSNP</b>	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$300
	▲ Required with the Therafin Sip-N-Puff kit.			
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$510
<b>SSES</b>	Egg Switch for Changing Modes – Black	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.			
<b>ESS-RED</b>	Emergency STOP Switch - Red	<b>User Activation</b>	<b>Attendant Activation</b>	\$314
	▲ Required with the Therafin Sip-N-Puff kit.			
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Therafin Sip-N-Puff kit.			
▶ CHOOSE ONE (1) HEADREST PAD				
<b>SOFHRS</b>	Small Curved Headrest Pad – 4" x 9"			\$155
<b>SOFHRM</b>	Medium Curved Headrest Pad – 5" x 10"			\$155
<b>SOFHRL</b>	Large Curved Headrest Pad – 6" x 11"			\$155

### 65. PROXIMITY HEAD ARRAY (CODE W100)

<b>SCSIHAA</b>	Adult – Switch-It 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse			\$5,995
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$510
<b>SSES</b>	Egg Switch for Changing Modes – Black	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.			
<b>ESS-RED</b>	Emergency STOP Switch - Red	<b>User Activation</b>	<b>Attendant Activation</b>	\$314
	▲ Required with the Proximity Head Array.			
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Proximity Head Array.			

### 66. LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL (CODE W100)

<b>SCSIMP</b>	Switch-It Light touch mini Proportional Joystick			\$4,495
<b>SCSRMMP</b>	Stealth Rock-n-Lock Swingaway Arm for Chin MP	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$870
	▲ Required with the Light touch mini Proportional Joystick.			
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$510
<b>SSES</b>	Egg Switch for Changing Modes – Black	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.			
<b>JCC</b>	Chin Cup			\$55
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Light touch mini Proportional Joystick.			
▶ CHOOSE ONE (1) HEADREST PAD				
<b>SOFHRS</b>	Small Curved Headrest Pad – 4" x 9"			\$155
<b>SOFHRM</b>	Medium Curved Headrest Pad – 5" x 10"			\$155
<b>SOFHRL</b>	Large Curved Headrest Pad – 6" x 11"			\$155



**SPECIALTY DRIVER CONTROL OPTIONS (CONTINUED)**

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

**67. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR MIDLINE MOUNT (CODE W100)**

<b>SCPGMJS</b>	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount			\$2,369
<b>SCGMJSM</b>	Gatlin Midline Swing-away Mount for JC200	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$325
	▲ Must be selected for use with the PG Drives JC200 Mini Joystick.			
<b>SCSIMP</b>	Switch-It Light touch mini Proportional Joystick			\$4,495
<b>SCGMMPM</b>	Gatlin Midline Swing-away Mount for Light touch mini proportional Joystick	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$750
	▲ Must be selected for use with the Light touch mini Proportional Joystick.			
<b>SCBTM</b>	Bullet Hand Tray for Light Touch mini Proportional Joystick	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$750
	▲ This option is only compatible with the Light touch Mini Proportional Joystick.			

**68. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR ARMREST MOUNT (CODE W100)**

<b>SCPGMJS-M</b>	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount			\$2,369
<b>SCARMJSM</b>	Swing-away and Multi-Axis armrest mount	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$325
	▲ Must be selected for use with the PG Drives JC200 Mini Joystick.			
<b>SCSIMP</b>	Switch-It Light touch mini Proportional Joystick			\$4,495
<b>SCARMPM</b>	Swing-away and Multi-Axis armrest mount	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$375
	▲ Must be selected for use with the Light touch mini Proportional Joystick.			
<b>SCBTM</b>	Bullet Hand Tray for Light Touch mini Proportional Joystick	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$750
	▲ This option is only compatible with the Light touch Mini Proportional Joystick.			

**69. PROPORTIONAL RIM HEAD CONTROL PACKAGE (CODE W100)**

<b>SCPHC</b>	Proportional RIM Head Control Package			\$2,795
<b>SCSRM</b>	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<b>SWL</b> (Swings on Left)	<b>SWR</b> (Swings on Right)	\$510
<b>SSES</b>	Egg Switch for Changing Modes – Black	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.			
<b>SOMAH</b>	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Proportional RIM Head Control.			



## CUSTOM SECTION

▶ Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.

### 70. O<sup>2</sup> HOLDER

<b>SUPOXY</b>	Custom Non-Articulating Oxygen Tank Holder ▲ Not available with a power recline	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$295
<b>SUPOXYA</b>	Custom Articulating Oxygen Tank Holder ▲ Required with a power recline D-Size Oxygen Tank – (* 22" Tall x 4.3" Diameter) – * The height includes the valve E-Size Oxygen Tank – (* 31" Tall x 4.3" Diameter) – * The height includes the valve	<b>MLH</b> (Mount on Left)	<b>MRH</b> (Mount on Right)	\$1,195

### 71. VENT TRAY (PLEASE COMPLETE IN FULL)

▼ Amylor does not supply the battery, charger or the wiring for the Vent. These items are normally provided by the Vent Manufacturer.

<b>SOVENT</b>	Custom Vent Tray Articulating Vent Box – (Required with Power Tilt and/or Recline) Fixed Vent Box			\$1,360 \$400
<b>SPECIFY MODEL</b>				
Trilogy 100/200				
LTV				
LTV with Sprintpack				
Other, specify: _____				
<b>SOVTBE</b>	Extended Battery Compartment ▲ The Vent Tray option is not available on narrow options N2424 & N2221 (FS2424B & FS2221B) The Vent is being powered by 1 U1 Battery and the chair by 2 Group 22NF batteries The Vent is being powered by 1 U1 Battery and the chair by 2 Group 24 batteries The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 22NF Batteries The Vent is being powered by 1 Group 24 Battery and the chair Powered by 2 Group 22NF Batteries The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 24 batteries			\$495

### 72. OTHER CUSTOM OPTIONS (REQUEST FOR QUOTE)

▼ Please specify details and specifications for these options.

<b>CUSTOM</b>	CUSTOM Lithium ion - 54 Amps (represents one 24V Battery pack, equivalent to two Group 22 Batteries)			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	CUSTOM Lithium ion - 78 Amps (represents one 24V Battery pack, equivalent to two Group 24 Batteries)			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	CUSTOM 8A Offboard Battery Charger for Lithium ion batteries ▲ This option is required when choosing custom Lithium ion batteries			<b>CLIENT COST</b>	N/C
<b>CUSTOM</b>	CUSTOM Lithium ion Battery capacity LCD display gauge ▲ This option is required when choosing custom Lithium ion batteries			<b>CLIENT COST</b>	N/C
<b>CUSTOM</b>	Rear view Camera with 5" Monitor			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	USB Charger Port ◀ Specify the location for the installation: _____			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Folding Backrest for Additional Storage possibilities and Travel accessibility			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Large Ball Handle			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Manual Wheel Locks			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Power Anterior Tilt			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Power Lateral Tilt 15°	<b>Raise the Left Side only</b>	<b>Raise the Right Side only</b>	<b>Raise the Left &amp; Right Side</b>	<b>CLIENT COST</b> RFQ
<b>CUSTOM</b>	Power Latitude System – (Features 14" of forward travel and a 5" seat to floor height from the pan to the ground)			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Power Elevating Stretcher – (Please call CSR for availability with configuration and user weight capacity)			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Rearview mirror	<b>Left Side</b>	<b>Right Side</b>	<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Power Flip-up Foot Platform – (Please call CSR for availability with configuration and user weight capacity)			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Power Vertical Lifting Foot Platform – (Please call CSR for availability with configuration and user weight capacity)			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Independent Depth Adjustability built into the Footrest Receiver that is attached to the Seat Pan			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Heavy-Duty wheelchair cover, Large			<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Endomorphic Back Canes – (Pair)	<b>1" per side towards the inside = 2"</b>	<b>2" per side towards the inside = 4"</b>	<b>CLIENT COST</b>	RFQ
<b>CUSTOM</b>	Transfer Handles – (Pair)	Select a height range:	<b>5" to 8"</b>	<b>6" to 9"</b>	<b>CLIENT COST</b> RFQ
<b>CUSTOM</b>	Foot Box Length: _____ Width: _____	Please confirm with CSR on sizing possibilities			<b>CLIENT COST</b> RFQ
<b>CUSTOM # 1</b>	Other custom options. Specify in notes section below				<b>CLIENT COST</b> RFQ
<b>CUSTOM # 2</b>	Other custom options. Specify in notes section below				<b>CLIENT COST</b> RFQ



---

**73. NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS**

---