



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com



MEDmobility
 5711- 104 St, Edmonton AB. T6H 2K1
 P: 780-437-3300 • Fax: 780-430-9381
 AADL Vendor: 0000612578-001
 www.medmobility.ca • www.mmrehab.ca

CATALYST 5

W147

Company: _____ Ship To: _____
 Account Number: _____ Date: _____ Address: _____
 Quote: PO Number: _____ City: _____ Province: _____
 Clinician / Sales Rep: _____ Postal Code: _____ Phone: _____
 Marked For: _____ Email/Fax: _____
 Associated Quote/Order#: _____ Effective: 10/1/2024

Catalyst 5 _____ \$2600
 300 lb weight capacity

Frame Discount is 8%

Seat Width	
14"	N/C
15"	N/C
16"	N/C
17"	N/C
18"	N/C
19"	\$300
20"	\$300
21"	\$300
22"	\$300

Seat Depth	
14"	N/C
15"	N/C
16"	N/C
17"	N/C
18"	N/C
19"	N/C
20"	\$300

Transit Option	
Transit System (Weight Limit 300lbs) (WC-19 Occupied) (A1)	N/C
<i>Not available 350 lb Weight Capacity</i>	
Omit	N/C

Titanium Option	
Titanium Frame (A1)	\$2075
<i>Includes hangers and base frame. Does not include Cross Braces.</i>	

Weight Capacity	
350 lb Weight Capacity	\$810
<i>Requires minimum 6" caster height</i>	

Cross Brace	
Standard Cross Braces	N/C
Titanium Cross Braces (A1)	\$975
<i>Not available with 21" and 22" Seat Widths</i>	

Seat Pan	
Removable Aluminum Seat Pan	\$285
<i>1/2" Shorter than Depth</i>	

Rear Frame Type	
<i>No selection needed with Titanium Frame</i>	
Standard (Curved)	N/C
<i>Select from Standard or Angle Adjustable Back Post on chart on the next page</i>	
Depth Adjustable (A1)	\$345
<i>Select from depth adjustable back posts in chart on next page. Provides 2" forward and 2" rearward adjustment with minimum Seat Depth of 14" and maximum Seat Depth of 22". Available only with T-Arm or Flip Up Armrests.</i>	
Reclining Frame (A1)	\$1445
<i>Select from Reclining Back Post in chart on the next page. Not available with Dynamic Back, O2 Holder, Transit Option, 350 lb Weight Capacity, Swing Away Armrests, Flip Back Armrest, Height Adjustable Flip Back T-Arm, Back Upholstery or IV Pole.</i>	

A1 = Client's Responsibility
 A2 = Clinical Justification

Backrest

Depth Adjustable not available with Titanium Frame

Back Post	Price	Height Range	Back Height				
			8.5"	9.5"	10.5"	11.5"	
Standard	N/C	Short ^{3,4}	8.5"	9.5"	10.5"	11.5"	
		Medium ⁴	12.5" ⁶	13.5"	14.5"	15.5"	
		Tall	16.5"	17.5"	18.5"	19.5"	
Angle Adjustable w/ Push Handle	\$235	Short ⁴	14"	15"	16"		
		Medium ⁴	16"	17"	18"		
		Tall	18"	19"	20"		
Stroller Handle Back Post (Depth Adjustable)	N/C	Short	20"				
		Tall	24"				
Height Adjustable Straight with Push Handle (Depth Adjustable) ^{2,9}	\$99	Short ¹	13"	14"	15"	16"	17"
		Medium	16"	17"	18"	19"	20"
		Tall	20" ⁸	21" ⁵	22" ⁵	23" ⁵	24" ⁵
Reclining w/ Adjustable Handle ^{1,7}	N/C	Short	22"				
		Tall	26"				

¹ Not available with Dynamic Back

² Not available with Standard Back Upholstery

³ Not available with Tension Adjustable Back Upholstery

⁴ Not available with Standard Back Upholstery in combination with 21" and 22" Seat Widths

⁵ Not available with Tension Adjustable Back Upholstery in combination with 14" and 15" Seat Widths

⁶ Not available with Tension Adjustable Back Upholstery in combination with 22" Seat Width

⁷ Not available with O2 Holder, Transit Option, 350 lb Weight Capacity, Swing Away Armrests, Flip Back Armrest, Height Adjustable Flip Back T-Arm or IV Pole

⁸ Not available with Angle Adjustable Locking Extendable Flip Up Armrest

⁹ Not available with Tension Adjustable Back Upholstery in combination with Angle Adjustable Locking Extendable Flip Up Armrests

Reclining Back Options

Select options below if Reclining Back is selected on chart above. Recline angle range is 0° - 65°.

Standard Spring	N/C
Heavy Duty Spring	N/C

Standard Back Post

Select option below only if a Standard Back Post option is selected on chart above

Straight with Push Handle	N/C
Straight without Push Handle	N/C
8 Degree Bend with Push Handle	N/C
<i>Not available with Short Back Height Range</i>	
Straight with Fold Down Push Handle (A1)	\$180
<i>Not available with 350 lb Weight Capacity</i>	

Stroller Handle

Caregiver Adjustable Height (A1)	\$215
<i>Not available with Swing Away Armrests</i>	

Push Handle Options

Not available with Stroller Handle Back Post, Straight Back Post with Fold Down Push Handle, Reclining Back Post or 350 lb Weight Capacity

Low Profile Push Handle (A1)	\$100
<i>2" shorter than standard push handles</i>	

Depth Adjustable Back Post Options

Options below may be selected only if a Depth Adjustable back post option is selected on the chart above

Stroller Handle Extensions (A1)	\$99
<i>Not available with Height Adjustable Straight with Push Handle Back Post</i>	
Dynamic Back (A1)	\$1995
<i>Available only with T-Arms</i>	

Back Upholstery Options

Not available with Reclining or Stroller Handle Back Post. If selecting both upholstery and Axiom Back, the upholstery will be installed.

Standard	N/C
Tension Adjustable with Standard Cover	\$120
Tension Adjustable with Air Mesh Breathable Cover	\$250
Omit	N/C

Frame Type / Footrest

Frame Type

Swing Away	N/C
Super Low - Swing Away	N/C
70° Fixed Front	N/C
80° Fixed Front	N/C

ELR Cover

ELR Foam Knee Pad (Pair) (A1)	\$462
-------------------------------	-------

Frame	Hanger	60°	70°	80°	90°	Retail
Swing Away	Extension Tube Mount	²		¹		N/C
	Front Mount ²			¹	¹	N/C
	Elevating Leg Rests ³					\$457
	Omit Hangers					-\$25
Fixed	Extension Tube Mount			¹		N/C

¹ Not available with 7" or 8" casters

² Not available with Titanium Frame

³ Available only with Classic Hanger Release

A1 = Client's Responsibility

A2 = Clinical Justification

DCN1278.2 Pricing and specifications subject to change without notice.

Seat to Footrest Length

Select Extension and Seat to Footrest Length in row corresponding to desired Footrest. Footrest Length of at least 2.5" shorter than Front Seat Height recommended. Extension Tube Hangers and Fixed Front Frame measurements are based on 70° Hanger / Front Frame Bend.

Footrest	Extension	Seat to Footrest Length												
		11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"	15.5"			
Extension Tube Hangers (60°,70°,80°)	Short (11" - 15")	11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"
	Medium (13" - 17")	13"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"
	Long (15.5" - 19.5")	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"	21"	21.5"
Front Mount Hangers 1	Short Front Mount Hanger (70°, 80°, 90°)	Standard Selections										Requires 3" Extension		
		4" 2	4.5" 2	5"	5.5"	6"	6.5"	7"	7.5"	8"	8.5"	10"	10.5"	11"
	Medium Front Mount Hanger (70°, 80°, 90°)	7"	7.5"	8"	8.5"	9"	9.5"	10"	10.5"	11"	11.5"	12"	12.5"	13"
		4" 2	4.5" 2	5"	5.5"	6"	6.5"	7"	7.5"	8"	8.5"	9"	9.5"	10"
	Long Front Mount Hanger (70°, 80°)	8"	8.5"	9"	9.5"	10"	10.5"	11"	11.5"	12"	12.5"	13"	13.5"	14"
5"		5.5"	6"	6.5"	7"	7.5"	8"	8.5"	9"	9.5"	10"	10.5"	11"	
ELR	Standard ELR Extension Tube Short (12" - 17")	12" - 17"												
	Standard ELR Extension Tube Medium (14" - 19")	14" - 19"												
	Standard ELR Extension Tube Long (16.5" - 21.5")	16.5" - 21.5"												
Fixed Front Frame (70°,80°)	Short (11" - 15")	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	
	Medium (13" - 17")	13"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	
	Long (15.5" - 19.5")	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"	21"	

1 Not available with Titanium Frame. See Minimum Front Seat Height chart below

2 Available with 90° only

Minimum Front Seat Height with Front Mount Hangers						
Hanger Length	Short		Medium		Long	
	70°	80/90°	70°	80/90°	70°	80°
Hanger Bend	70°	80/90°	70°	80/90°	70°	80°
Minimum Front Seat Height with Standard Selection	13.5"	13.5"	14"	15"	16"	17"
Minimum Front Seat Height with 3" Extension	14.5"	16"	16.5"	18"	18.5"	20"

3" Extension

Available only with Front Mount Hangers

3" Extension (Provided as Parts) \$44

Heel Loops

Not available with One Piece Flip Up Angle Adjustable Footplate

Heel Loops N/C
Adjustable Heel Loops (A1) \$50
Omit Heel Loops N/C

Footplates

Composite N/C
Not available with Front Mount Hanger
Composite Angle Adjustable \$240
Not available with Front Mount Hanger or 14" Seat Width
Aluminum Angle Adjustable \$240
Aluminum Locking Multi-Angle Adjustable (A1) \$408
Available only with Front Mount Hanger
One Piece Flip Up Angle Adjustable \$238
Not available with Front Mount Hanger or ELR

Hanger Release

If no selection is made Classic Hanger Release will be used

Classic N/C
4-Way - In-Line N/C
4-Way - Out N/C

Calf Straps

Velcro Adjustable \$52
Padded Velcro Adjustable \$85
Padded Airmesh Calf Strap \$134

Residual Limb Support

	Limb Support	Price	Omit	Cover		Pad Size					
				Smooth Cover Left	Air Mesh Cover Left	5x8 Pad Left Side	7x10 Pad Left Side	9x10 Pad Left Side	9x14 Pad Left Side	11x10 Pad Left Side	11x14 Pad Left Side
Left	Left Limb Support	\$477	Omit Left Hanger	Smooth Cover Left	Air Mesh Cover Left	5x8 Pad Left Side	7x10 Pad Left Side	9x10 Pad Left Side	9x14 Pad Left Side	11x10 Pad Left Side	11x14 Pad Left Side
Right	Right Limb Support	\$477	Omit Right Hanger	Smooth Cover Right	Air Mesh Cover Right	5x8 Pad Right Side	7x10 Pad Right Side	9x10 Pad Right Side	9x14 Pad Right Side	11x10 Pad Right Side	11x14 Pad Right Side

A1 = Client's Responsibility
A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com



Front Seat Height and Casters

Caster Size / Front Frame Type / Front Seat Height

Select Front Seat Height in row corresponding to desired caster size.

Note: Selections in first three Front Seat Height columns use Super Low Front Frame. Super Low Front Frame not available with Titanium Frame or Fixed Front Frame.

Caster Size	Front Seat Height													
	Uses Super Low Front Frame													
4"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"
5"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"	
6"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"	21"		
7"	17"	17.5"		18"	18.5"	19"	19.5"	20"	20.5"	21"				
8"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"	21"						

Castors

Caster Type	Caster Size	Price	Caster Size				
			4"	5"	6"	7"	8"
.75" Rollerblade		N/C					
.75" Lighted Rollerblade (A1)		\$95					
1" Poly		N/C					
1" Poly Aluminum (A1)		\$125					
1" Pneumatic		\$125					
1.5" Poly		\$70					
1.5" Soft Roll Aluminum (A1)		\$175					
2" Poly (A1)		\$100					
2" Pneumatic w/Foam Insert (A1)		\$310					

Maximum Seat Dump Reference

(Front Seat Height minus Rear Seat Height)

Seat Depth	14"	15"	16"	17"	18"	19"	20"
Maximum Dump Standard Caster Housing	1.5"	2"	2"	2"	2.5"	2.5"	2.5"
Maximum Dump Performance Caster Housing	3"	3"	3"	3.5"	3.5"	4"	4"

Depending on configuration, chairs with Fixed Front Frame Type may achieve up to an additional .75"

Caster Housing

Standard Housing	N/C
Performance Housing (A1)	\$55
Not available with 350 lb Weight Capacity	

Fork / Stem Options

Frog Legs Options

User Weight Under 80 lbs	N/C
User Weight 80-120 lbs	N/C
User Weight 120-160 lbs	N/C
User Weight 160-220 lbs	N/C
User Weight 220-260 lbs	N/C
User Weight 260-300 lbs	N/C

Caster Pin Locks

Caster Pin Locks (A1)	\$250
Not available with Performance Caster Housing, 1 1/2" Longer Fork Stem or Frog Legs Fork	

Fork Options

Best Fit	N/C
Ki Mobility will pick Fork and Stem combination to optimize performance based on Caster Size and Front Seat Height	
Standard Fork Stem	N/C
3/4" Longer Fork Stem	N/C
1 1/2" Longer Fork Stem	N/C
Frog Legs Suspension Fork (A1)	\$485
Available only with 4", 5" or 6" Caster Sizes. Not available with Caster Pin Locks, 350 lb Weight Capacity, 2" Poly caster or 2" Pneumatic w/ Foam Insert caster.	
Frog Legs II Suspension System (A1)	\$485
Lightweight shock absorbing fork. Available only with 4", 5" or 6" Caster Sizes. Not available with Caster Pin Locks, 350 lb Weight Capacity, 2" Poly caster or 2" Pneumatic w/ Foam Insert caster.	

A1 = Client's Responsibility
 A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com



Wheel Locks

Wheel locks				
Push to Lock		N/C	Hemi Wheel Lock - Left (A1)	\$390
Push to Lock Flush Mount		N/C	<i>Extension Handle included</i>	
Pull to Lock		N/C	Hemi Wheel Lock - Right (A1)	\$390
Low Profile Scissor Lock (A1)		\$125	<i>Extension Handle included</i>	
Drum Brake (A1)		\$800	Omit	N/C
<i>Available only with 20", 22" and 24" MAXX Spoke wheels. Not available with Reclining Backrest, Straight without Push Handle or Straight with Fold Down Push Handle Back Posts, or Low Profile Push Handle. Axle is Quick Release.</i>				
Dual - Drum Brake with Push to Lock (A1)		\$945		
<i>Available only with 20", 22" and 24" MAXX Spoke wheels. Not available with Reclining Backrest, Straight without Push Handle or Straight with Fold Down Push Handle Back Posts, or Low Profile Push Handle. Axle is Quick Release.</i>				
Dual - Drum Brake with Pull to Lock (A1)		\$945		
<i>Available only with 20", 22" and 24" MAXX Spoke wheels. Not available with Reclining Backrest, Straight without Push Handle or Straight with Fold Down Push Handle Back Posts, or Low Profile Push Handle. Axle is Quick Release.</i>				

Wheel Lock Options

Extension Handles	\$84
<i>Available only with Push to Lock or Pull to Lock Wheel Locks</i>	
Grade Aids (A1)	\$187
<i>Available only with Push to Lock Wheel Locks and Pneumatic or Pneumatic with Airless Insert tires</i>	

Rear Seat Height and Wheels

Select Rear Seat Height in row corresponding to Wheel Size and Tire Profile. 14" Seat Depth not available with 24", 25" or 26" wheel sizes.

Wheel Size	Tire Profile	Rear Seat Height									
		11.5" ³	12" ¹	12.5" ³	13" ¹	13.5" ³	14" ¹	14.5" ³	15"	15.5" ³	16" ³
20"	Low	11.5" ³	12" ¹	12.5" ³	13" ¹	13.5" ³	14" ¹	14.5" ³	15"	15.5" ³	16" ³
	Full	12" ³	12.5" ¹	13" ³	13.5" ¹	14" ³	14.5"	15" ³	15.5"	16" ³	16.5" ³
22"	Low	12.5" ³	13" ¹	13.5" ³	14" ¹	14.5" ³	15"	15.5" ³	16"	16.5" ³	17" ³
	Full	13" ³	13.5" ¹	14" ³	14.5" ¹	15" ³	15.5"	16" ³	16.5"	17" ³	17.5" ³
24"	Low	13.5" ³	14" ¹	14.5" ³	15" ¹	15.5" ³	16"	16.5" ³	17"	17.5" ³	18" ³
	Full	14" ³	14.5" ¹	15" ³	15.5" ¹	16" ³	16.5"	17" ³	17.5"	18" ³	18.5" ³
25"	Low	14" ³	14.5" ¹	15" ³	15.5" ¹	16" ³	16.5"	17" ³	17.5"	18" ³	18.5" ³
26"	Low		15" ^{1,2}	15.5" ³	16" ¹	16.5" ³	17"	17.5" ³	18"	18.5" ³	19" ³
	Full	15" ^{2,3}	15.5" ^{1,2}	16" ³	16.5" ¹	17" ³	17.5"	18" ³	18.5"	19" ³	19.5" ³

1 Not available with Amputee Axle Plate

2 Not available with Height Adjustable Flip Back T-Arm

3 Requires Universal Axle Plate

One Arm Drive

One Arm Drive - Quick Release	\$1395
<i>Available only with 20", 22" and 24" spoke wheels and Quick Release Axles. Spoke wheel style is exclusive to OAD. Not available with 4 degrees of camber. Standard handrim will be Aluminum Anodized.</i>	

Axle Plates

No selection needed with One Arm Drive

Universal	N/C
Amputee (A2)	\$250
<i>Not available with Swing Away Armrests or Wheelchair Drive Ready Option. Required with Reclining Backrest.</i>	

Drive Side

Left Side Drive	N/C
Right Side Drive	N/C

Drive Handrim

Aluminum Drive Handrim	N/C
Poly Coated Drive Handrim	\$200

A1 = Client's Responsibility
 A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com



CATALYST 5

Rear Wheel Type

No selection needed with One Arm Drive

	Rear Wheel Type	Price	Rear Wheel Size				
			20"	22"	24"	25"	26"
	Maxx Spoke	\$300					
	Maxx Spoke	N/C					
	Mag	N/C					
	Colored Mag ³	\$140					
	Superlight Spoke (A1) ¹	\$369					²
	Spinergy Spox (A1)	\$845					
	Spinergy LX (A1)	\$1050					

¹ Not available with 350 lb Weight Capacity

² Available only with Superlight and Plastic Coated Handrims

³ Color selection on page 8

Spinergy Options

Select spoke color for Spinergy wheels

Black Spokes Red Spokes Blue Spokes White Spokes _____ N/C

Handrims

Aluminum Anodized	N/C
Superlight Aluminum Anodized (A1)	\$63
<i>Available only on 24" and 25" wheel sizes. Available only on MAXX Spoke, Superlight or Spinergy wheels. Not available with One Arm Drive.</i>	
Plastic Coated	\$135
Projection (8 Vertical Projections) (A2)	\$325
<i>Available only with full profile tires in combination with 22", 24", and 26" MAXX Spoke wheels, or 22" and 24" Mag wheels. Not available with One Arm Drive.</i>	
Omit Handrim	N/C

Ergonomic Handrims

Not available with 20" or 26" wheels

Ergo Lite Regular Grip (A1)	\$475
Ergo Standard Regular Grip (A1)	\$445
Ergo Lite Extra Grip (A1)	\$515
Ergo Standard Extra Grip (A1)	\$495
Ergo Lite Omit Grip (A1)	\$395
Ergo Standard Omit Grip (A1)	\$345

Handrim Options

Handrim Mount

If no selection is made, Standard Mount will be used.

Close Mount	N/C
<i>Reduces overall width by .75"</i>	

3M Micro Grip	\$81
<i>Not available on Plastic Coated or Projection Handrims</i>	

Rear Tire Type

Full Profile

Street Pneumatic 1 3/8"	N/C
<i>Not available on 25" wheel size</i>	
Full Poly 1 3/8"	N/C
<i>Not available on Superlight wheel or 25" or 26" wheel sizes</i>	
Pneumatic with Airless Insert 1 3/8" (A1)	\$210
<i>Not available on Superlight wheel or 25" wheel size</i>	
Schwalbe HS-127 1 3/8" (A1)	\$119
<i>Available only on 24" wheel size. Not available on Mag wheel.</i>	
Schwalbe Downtown 1 3/8" (A1)	\$119

Low Profile

Low Poly 1"	N/C
<i>Not available on Superlight wheel, 25" or 26" wheel sizes or 350 lb Weight Cap.</i>	
Sentinel Solid Tire 1" (A1)	\$130
<i>Not available on Superlight Wheels</i>	
High Pressure 1" (A1)	\$100
<i>Not available on Mag wheel</i>	
Schwalbe One 1" (A1)	\$175
<i>Not available on Mag wheel, 20", 22" or 26" wheel sizes</i>	
Schwalbe Marathon Plus Evolution 1" (A1)	\$160
<i>Not available on Mag wheel, 20" or 22" wheel sizes</i>	

Axles

No selection needed with One Arm Drive or Drum Brake

Quick Release	N/C
Quad Quick Release (A2)	\$168
<i>Not available with Mag or Spinergy wheels</i>	

Axle Position

Rear Wheel Camber

^{2° and 4°} Not available with Heavy Duty option

0° 2° 4°	N/C
--------------	-----

Center of Gravity

Rear Center Forward	N/C
-------------------------	-----

No selection needed with Amputee Axle Plate

A1 = Client's Responsibility

A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996
sales@kimobility.com | www.kimobility.com



Armrests

Armrest Type	Length	Price
Height Adjustable T-Arm Tall (11.5"-15")	Desk	\$325
	Full	
Height Adjustable T-Arm (8.5"-13.5")	Desk	\$325
	Full	
Height Adjustable T-Arm Low (6.5"-10.5") ¹	Desk	\$325
	Full	
Height Adjustable Flip Back T-Arm Tall (11.5"-15") ²	Desk	\$325
	Full	
Height Adjustable Flip Back T-Arm (9.5"-13.5") ²	Desk	\$325
	Full	

¹ If requested configuration is unavailable, Standard Height T-Arm will be used

² Available only with Curved Rear Frame

³ Not available with Seat Depths less than 16"

⁴ Available only with Standard Back Posts

⁵ Available only with Depth Adjustable and Reclining Back Posts

⁶ Not available with Arm Pads or Half-Folding Back

⁷ Not Available with 15" Rear Seat Height and 24" wheels

Armrest Type	Length	Price
Flip back (10.5") ^{3,4,7}	Desk	\$50
	Full	
Angle Adjustable Locking Extendable Flip Up ⁵	Desk	\$325
	Full	
Swing Away (10.5"-12.5") ^{4,6}		\$325
Swing Away with Side Guard (10.5"-12.5") (A1) ^{4,6}		\$325
Omit Armrests		N/C

Arm Pads

Standard Arm Pad	N/C
Waterfall Arm Pad (A1)	\$35
<i>Available only with Height Adjustable T-Arm Tall, Height Adjustable T-Arm, and Height Adjustable T-Arm Low</i>	
Foam Grip	N/C
<i>Available only with Angle Adjustable Locking Extendable Flip Up Armrest</i>	

Accessories

Removable Side Guard

Not available with T-Arms, Flip Back or Swing Away with Side Guard Armrests

Adult Composite Side Guards (A1)	\$180
Pediatric Composite Side Guards (A1)	\$180
Aluminum Straight - Black Matte (A1)	\$355
Aluminum Straight - Match Frame Color (A1)	\$405
<i>Not available with Hydrographics or Titanium Frame</i>	
Aluminum Adjustable Fender w/Foam Pad - Black Matte (A1)	\$355
Aluminum Adjustable Fender w/Foam Pad - Match Frame Color (A1)	\$425
<i>Not available with Hydrographics or Titanium Frame</i>	
Carbon Fiber Adjustable Fender (A1)	\$595

Anti-tips

Rear Anti-Tips	\$110
Swing-In Anti-Tip Single - Left (A1)	\$155
<i>Not available with 350 lb Weight Capacity, Reclining Back Post or Depth Adjustable Rear Frame. Not available with left side O2 Holder.</i>	
Swing-In Anti-Tip Single - Right (A1)	\$155
<i>Not available with 350 lb Weight Capacity, Reclining Back Post or Depth Adjustable Rear Frame. Not available with right side O2 Holder.</i>	
Swing-In Anti-Tip Pair (A1)	\$310
<i>Not available with 350 lb Weight Capacity, Reclining Back Post or Depth Adjustable Rear Frame. Not available with O2 Holder.</i>	
Omit	N/C

Accessories

Pelvic Positioning Belts

1 1/2" Auto Buckle Pelvic Positioning Belt	\$80
1 1/2" Padded Auto Buckle Pelvic Positioning Belt	\$185
2" Airline Buckle Pelvic Positioning Belt	\$150
Small Flex-Mount Positioning Belt (16-24")	\$225
Medium Flex-Mount Positioning Belt (19-29")	\$225
Large Flex-Mount Positioning Belt (25-37")	\$225
Belt Mounting Band Clamp	\$25

O2 Holder

Not Available with Depth Adjustable Rear Frame

O2 Holder - Left Side W110	\$365
O2 Holder - Right Side W110	\$369

Additional Accessories

Tool Kit (A1)	\$60
Removable Underseat Pouch (A1)	\$75
Pediatric Ki Mobility Backpack (A1)	\$90
Ki Mobility Backpack (A1)	\$90
Luggage Carrier (A1)	\$120
Black Neoprene Impact Guards (A1)	\$102
Clear Spoke Guards (A1)	\$144
<i>Not available with Mag wheel</i>	
Black Spoke Guards (A1)	\$144
<i>Not available with 20" wheel sizes or Mag wheel</i>	
Cane and Crutch Holder (A1)	\$110
IV Pole (A1)	\$175

Color

Frame Color

Black	N/C
Iridescent Navy	N/C
Blue Steel	N/C

A1 = Client's Responsibility

A2 = Clinical Justification

Catalyst Front Seat Height Matrix																										
4" Caster				5" Caster				6" Caster				7" Caster				8" Caster										
FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork							
15	13.5	Std	4"	16	14.5	Std	4"	17	15.5	Std	5"	18	16.5	Std	6"	19	17.5	Std	6"	20	n/a	1 1/2				
15.5	14			16.5	15.5	3/4		17.5	16.5	3/4		18.5	17			19.5	18.5	3/4								
15.5 ¹	14 ¹	17.5		16	1 1/2	18.5		17	1 1/2	18.5		17.5	19	18		3/4	20.5	n/a		1 1/2						
16	14.5	3/4		5"	16	14.5	Std	5"	17	15.5	Std	6"	19	18		1 1/2	7"	19	17.5	Std	7"	20	18.5	Std		
16.5 ¹	15 ¹				16.5	15			17.5	16			18	16.5				19.5	18			20	18.5		20.5	19
17	15.5	1 1/2			17	16	3/4		17.5	16.5			18	17		3/4		18.5	17.5			19.5	18		19	17.5
15.5	14	Std			6"	17	16	1 1/2	6"	17.5	16.5	3/4	7"	18.5		17		Std	7"	19	17.5	3/4	7"	20	18.5	1 1/2
16	14.5					18	16.5			18.5	17			19.5		18				20	18.5			20.5	19	
16	15	3/4				16.5	15	Std		17	15.5			Std		18		16.5		19	17.5			20	18.5	
16.5	15.5	1 1/2				7"	17.5	16	Std	7"	18.5	17	1 1/2	7"		19		18		3/4	7"	19.5	18.5	1 1/2	7"	20.5
17	15.5		17.5				16	18			16.5	18.5			17	19.5		18				20	18.5			21
17.5	16	18	16.5				18.5	17	19.5		18	20			18.5	21		n/a								
16.5	15	Std	7"				17.5	16	3/4	7"	18	16.5	Std	7"	20	19		1 1/2		7"		20.5	n/a	1 1/2	7"	21
17	15.5			18			16.5	18.5			17	19.5			18	20	18.5					21	n/a			
17	16	3/4		18.5			17	19.5	18		20	18.5			21	n/a										
17.5	16.5	1 1/2		7"			18	16.5	1 1/2	7"	18.5	17.5	3/4	7"	19	18	1 1/2	7"				19.5	18.5	1 1/2	7"	20.5
18	16.5				18		16.5	19			17.5	20			19	21			n/a							
18.5	17	18.5			17		19.5	18	20		18.5	21			n/a											
18.5	17.5	3/4			7"		18.5	17.5	Std	7"	19	17.5	1 1/2	7"	20	18.5	1 1/2		7"			20.5	19	1 1/2	7"	21
19	18					18.5	17.5	19			18	20			18.5	21					n/a					
19.5	18.5	19				18	20	18.5	21		n/a															
20	19	1 1/2				7"	19.5	18.5	3/4	7"	20.5	19	1 1/2	7"	21	n/a	1 1/2				7"	21	n/a	1 1/2	7"	21
19.5	18.5	19.5	18.5				20.5	19			21	n/a														
20	19	19.5	18.5				20.5	19	21		n/a															
							19.5	18	1 1/2	7"	6" x 2" caster not available with 5" fork									7"						
				20			18.5	20.5			19															
				20.5			19																			

¹ Not available with 4 x 1.5" Soft Roll Aluminum

Seat heights with "FSH" heading available with Standard Front Frame. Seat heights with "Super Low" heading available with Super Low Front Frame. Actual seat height may vary depending upon configuration.