



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com



W343 & W343P

Company: _____ Ship To: _____
 Account Number: _____ Date: _____ Address: _____
 Quote: PO Number: _____ City: _____ Province: _____
 Clinician / Sales Rep: _____ Postal Code: _____ Phone: _____
 Marked For: _____ Email/Fax: _____
 Associated Quote/Order#: _____ Effective: 10/1/2024

Focus CR _____ \$3300
 300 lb weight capacity Includes one time free growth kit Tilt range: -5° anterior to 50°

Discount is 8%

Frame

Frame Width

Select Frame Width within desired Frame Width Range

Frame Width Range	Frame Width				
Small (14" - 18")	14" N/C	15" N/C	16" N/C	17" N/C	18" N/C
Medium (16" - 20")	16" N/C	17" N/C	18" N/C	19" N/C	20" N/C
Large (18" - 22")	18" N/C	19" N/C	20" N/C	21" (W111) N/C	22" (W111) N/C
X-Large (20" - 24") ¹	20" N/C	21" (W111) N/C	22" (W111) N/C	23" (W111) N/C	24" (W111) N/C

¹ 400 lb Weight Capacity is required

Seating Setup

Make one selection from either Option 1 at right or Option 2 below based on desired seating setup

Setup By Ki Mobility (Option 1) _____ N/C
 Select Seat Depth corresponding to desired Frame Depth Range row and Backrest Offset column. Note: All Seat Depths in a column and within the same frame depth range are achievable with future adjustment.
 Setup by Frame Depth (Option 2) _____ N/C
 Select Frame Depth within desired Frame Depth Range

Option 2: Setup By Frame Depth


Frame Depth Range	Frame Depth				
Short	14" N/C	15" N/C	16" N/C	17" N/C	18" N/C
Medium	16" N/C	17" N/C	18" N/C	19" N/C	20" N/C
Long	18" N/C	19" N/C	20" N/C	21" N/C	22" N/C

Seat Options

Growing Adjustable Aluminum Seat Pan _____ \$154
 Omit Seat Pan _____ N/C

Option 1: Setup By Ki Mobility

Frame Depth Range	Backrest Offset A						
	-2"	-1"	Flush	+1"	+2"	+3"	+4"
Short	Seat Depth						
	16"	15"	14"				
	17"	16"	15"	14"			
	18"	17"	16"	15"	14"		
	19"	18"	17"	16"	15"	14"	
Medium	20"	19"	18"	17"	16"	15"	14"
	21"	20"	19"	18"	17"	16"	15"
	22"	21"	20"	19"	18"	17"	16"
	23"	22"	21"	20"	19"	18"	17"
	24"	23"	22"	21"	20"	19"	18"
Long	25"	24"	23"	22"	21"	20"	19"
	26"	25"	24"	23"	22"	21"	20"
	27"	26"	25"	24"	23"	22"	21"
	28"	27"	26"	25"	24"	23"	22"



A1 = Client's Responsibility
 A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com



Frame Options

Weight Capacity	Offset Option
400 lb Weight Capacity (W102) \$1339 <i>Available only with Long Frame Depth Range and 8" x 2" or 6" x 2" Casters</i>	Offset Hanger with Tilt Stops N/C <i>Tilt Stop included. No anterior tilt.</i>
Transit	Vent and Battery Tray
Transit Option (WC-19 Occupied) N/C Omit Transit N/C	<i>Requires minimum 16" Seat Height. Not available on 14" or 15" Frame Widths, Attendant Foot Lock, 12" wheels, One Arm Drive, 5" casters</i>
	Vent Tray (W112) \$320 <i>Not available with Self Propel Axle Plate or Foot Tilt. Requires Anti-Tip.</i>
	Battery Box Holder (W112) \$320 <i>Available only with Dual Hand Tilt</i>
	Vent Tray and Battery Box Holder (W112) \$640 <i>Requires Anti-Tip. Available only with Dual Hand Tilt. Not available with Self Propel Axle Plate.</i>

Tilt Mechanism

Hand Tilt - Right	N/C
Hand Tilt - Left	N/C
Hand Tilt - Dual	N/C
Foot Tilt - Right	N/C
Foot Tilt - Left	N/C

Backrest

Backrest	Stroller Handle Back Post Option
Stroller Handle Back Post (Short 20") (Folding) N/C	<i>Available only with Stroller Handle Back Post</i>
Stroller Handle Back Post (Tall 24") (Folding) N/C	Removable Stroller Handle Extension \$173
Fixed Height Back with Adjustable Handle (Short 22") (Folding) N/C <i>Not available with Dynamic Back</i>	Other Backrest Options
Fixed Height Back with Adjustable Handle (Tall 26") (Folding) N/C <i>Not available with Dynamic Back</i>	Non Folding Back N/C <i>Standard with Reclining Back and Dynamic Back</i>
Adjustable Height Back with Adjustable Handle (Short 18" - 25") (Folding) N/C <i>Not available with O2 Holder or Dynamic Back</i>	Dynamic Back (A1) \$1995 <i>Available only with Non Folding Back. Not available with Angle Adjustable Locking Extendable Flip Up Armrest or 400 lb Weight Capacity.</i>
Adjustable Height Back with Adjustable Handle (Tall 20" - 27") (Folding) N/C <i>20"-22" Heights not available with Dynamic Back</i>	Adjustable Height Rigidizer Bar \$75
Reclining Back with Adjustable Handle (Short 22") (Non-Folding) \$1232 <i>Not available with O2 Holder or Dynamic Back. If no Recline Angle and Gas Spring selections are made, 0° - 65° and Standard Spring will be used.</i>	Reclining Back Options
Reclining Back with Adjustable Handle (Tall 26") (Non-Folding) \$1232 <i>Not available with O2 Holder or Dynamic Back. If no Recline Angle and Gas Spring selections are made, 0° - 65° and Standard Spring will be used.</i>	<i>Required when Reclining Back is selected</i>
Backrest Height	Recline Angle
<i>Required when Adjustable Height Back with Adjustable Handle Back Post is selected</i>	0-65° Recline Angle N/C
18" ¹ 19" ¹ 20" 21" 22" 23" 24" 25" 26" ²	10-75° Recline Angle N/C
27" ² N/C	20-85° Recline Angle N/C
<i>1 Available only with Short</i>	Gas Spring
<i>2 Available only with Tall</i>	Standard Spring N/C
	Heavy Duty Spring N/C

A1 = Client's Responsibility
 A2 = Clinical Justification

Footrest

Hanger / Front Frame Bend						
Hanger	60°	70°	80°	90°		Retail
Extension Tube Mount			1			N/C
Front Mount			1	2		N/C
Elevating Leg Rests (W106) ⁴						\$457
Contracture Footrest Bilateral Mount (A2) ³						\$495
Contracture Footrest Center Mount (A2) ³						\$495
Omit Hangers						-\$28

- 1 7" and 8" Casters may interfere with less than 5° tilt
- 2 Not available with 7" or 8" Casters
- 3 Aluminum Angle Adjustable footplates included. See image to right.
- 4 Available only with classic hanger release

ELR Cover


Available only on Pro ELR

ELR Foam Knee Pad (Pair) (A1) _____ \$462

3" Extension

Available only with Front Mount Hangers.

3" Extension (Provided as Parts) _____ \$44



Footrest / Extension / Seat to Footrest Length

Select Extension and Seat to Footrest Length in row corresponding to desired Footrest. Footrest Length of at least 2.5" shorter than Front Seat Height recommended. Extension Tube Hanger measurements based on 70° Hanger Bend.

Footrest	Extension	Seat to Footrest Length											
		10"	10.5"	11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"		
Extension Tube Hangers (60°, 70°, 80°)	Short (10" - 13.5")	10"	10.5"	11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"		
	Medium (11.5" - 15.5")	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"	15.5"			
	Long (14" - 18")	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"			
Front Mount Hangers ¹	Short Front Mount Hanger (70°, 80°, 90°)	Standard Selections									Requires 3" Extension		
		4" ²	4.5" ²	5"	5.5"	6"					8.5"	9"	9.5"
	Medium Front Mount Hanger (70°, 80°, 90°)	6.5"	7"	7.5"	8"						10"	10.5"	11"
		4" ²	4.5" ²	5"	5.5"	6"	6.5"	7"			10.5"	11"	11.5"
	Long Front Mount Hanger (70°, 80°)	7.5"	8"	8.5"	9"	9.5"	10"				12"	12.5"	13"
		5"	5.5"	6"	6.5"	7"	7.5"	8"	8.5"		12.5"	13"	13.5"
		9"	9.5"	10"	10.5"	11"	11.5"	12"		14"	14.5"	15"	
Contracture Footrest	Short (10" - 13.5")	10.5"	11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"			
	Medium (11.5" - 15.5")	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"			
	Long (14" - 18")	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"			
ELR	Standard ELR Extension Tube Short (10.5"-15.5")	10.5" - 15.5"											
	Standard ELR Extension Tube Medium	12.5" - 17.5"											
	Standard ELR Extension Tube Long (15"-20")	15" - 20"											

- 1 See Minimum Front Seat Height chart below
- 2 Available with 90° only

Minimum Front Seat Height with Front Mount Hangers						
Hanger Length	Short		Medium		Long	
	70°	80/90°	70°	80/90°	70°	80°
Minimum Front Seat Height with Standard Selection	13"	13"	13"	13.5"	14.5"	15.5"
Minimum Front Seat Height with 3" Extension	13.5"	14"	15.5"	16"	17"	18"

A1 = Client's Responsibility
 A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com



Footplates

No selection needed with Contracture Footrest

Composite	N/C
<i>Not available with Front Mount Hanger</i>	
Composite Angle Adjustable (W107)	\$240
<i>Not available with Front Mount Hanger or 14" Seat Width without Offset Hanger</i>	
Aluminum Angle Adjustable (W107)	\$240
Aluminum Locking Multi-Angle Adjustable (A1) (W107)	\$408
<i>Available only with Front Mount Hanger</i>	
One Piece Flip Up Angle Adjustable (A1) (W107)	\$238
<i>Not available with Front Mount Hanger or PRO ELR</i>	

Hanger Release

No selection needed with Contracture Footrest. If no selection is made 4-Way - In-Line Hanger Release will be used.

Classic	N/C
4-Way - In-Line	N/C
<i>Not available with Pro ELR</i>	
4-Way - Out	N/C
<i>Not available with Pro ELR</i>	

Heel Loops

Not available with One Piece Flip Up Angle Adjustable Footplate

Heel Loops	N/C
Adjustable Heel Loops	\$45
Omit Heel Loops	N/C

Calf Panels

Dynaform Calf Panel Small (12" - 15") Frame Width	\$139
Dynaform Calf Panel Medium (16" - 18") Frame Width	\$139
Dynaform Calf Panel Large (19" - 22") Frame Width	\$139

Residual Limb Support

Not available with Offset Hanger

	Limb Support	Price	Omit	Cover		Pad Size					
Left	Left Limb Support	\$450	Omit Left Hanger	Smooth Cover Left	Air Mesh Cover Left	5X8 Pad Left Side	7X10 Pad Left Side	9x10 Pad Left Side	9x14 Pad Left Side	11x10 Pad Left Side	11x14 Pad Left Side
Right	Right Limb Support	\$450	Omit Right Hanger	Smooth Cover Right	Air Mesh Cover Right	5X8 Pad Right Side	7X10 Pad Right Side	9x10 Pad Right Side	9x14 Pad Right Side	11x10 Pad Right Side	11x14 Pad Right Side

A1 = Client's Responsibility
 A2 = Clinical Justification

Seat Height, Casters and Rear Wheels

Select Seat Height corresponding to desired Rear Wheel and Caster Size

Rear Wheel Size	Caster Size					
	5"	6"	6" x 2"	7"	8"	8" x 2"
	Seat Height					
12" with Pneumatic or Pneumatic with Airless Insert Tire ³	13.5"					
	14"					
	14.5"	14.5"	14.5"		17"	
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
12" with Full Poly Tire ³	16.5"	16.5"	16.5"			
	17"	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"		
12" with Drum Brake ³	13"					
	13.5"					
	14"	14"	14"			
	14.5"	14.5"	14.5"			
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20" ²		20" ²	20" ²	20" ²	20" ²
16" with Pneumatic, Pneumatic with Airless Insert or Full Poly Tire ⁴	13"					
	13.5"					
	14"	14"	14"			
	14.5"	14.5"	14.5"			
	15"	15"	15"	15"		
	15.5"	15.5"	15.5"	15.5"		
	16"	16"	16"	16"	16"	16"
	16.5" ¹	16.5" ¹	16.5" ¹	16.5" ¹		16.5" ¹
	19"	19"	19"	19" ²	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20"	20"	20"	20"	20"	20"
20.5"	20.5"	20.5"	20.5"	20.5"	20.5"	
16" with Low Poly Tire ⁴	13"					
	13.5"					
	14"	14"	14"			
	14.5"	14.5"	14.5"			
	15"	15"	15"	15"		
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20"	20"	20"	20"	20"	20"
			20.5"	20.5"	20.5"	

Rear Wheel Size	Caster Size					
	5"	6"	6" x 2"	7"	8"	8" x 2"
	Seat Height					
16" with Drum Brake ⁴	13.5"					
	14"	14"	14"			
	14.5"	14.5"	14.5"			
	15"	15"	15"	15"		
	15.5"	15.5"	15.5"	15.5"		
	16"	16"	16"			16"
		18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20"	20"	20"	20"	20"	20"
	20.5"	20.5"	20.5"	20.5"	20.5"	20.5"
20"	15"	15"	15"	15"		
	15.5"	15.5"	15.5"	15.5"		
	16"	16"	16"	16"	16"	16"
	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"
	17"	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5" ²	18.5" ²	18.5" ²	18.5" ²		
22"	16"	16"	16"	16"	16"	
	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"
	17"	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
19.5"	19.5"	19.5"	19.5"	19.5"		
24"	16.5" ⁵	16.5" ^{1.5}	16.5" ^{1.5}			
	17" ⁵	17" ⁵	17" ⁵	17" ⁵	17" ⁵	17" ⁵
	17.5" ⁶	17.5" ⁶	17.5" ⁶	17.5"	17.5"	17.5" ⁶
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20"	20"	20"	20"	20"	20" ²

- ¹ Available only with Full Poly tire
- ² Not available with Full Poly tire
- ³ Not available with Vent and Battery Tray combination
- ⁴ Seat heights higher than 16.5" with 16" wheel size not available with Vent and Battery Tray combination
- ⁵ Not available with Drum Brake
- ⁶ Not available with Drum Brake in combination with Pneumatic tires

A1 = Client's Responsibility
 A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com



Casters and Rear Wheels

One Arm Drive

One Arm Drive - Quick Release (W105) \$1495
*Available only with 24" Spoke wheels. Spoke wheel style is exclusive to OAD.
 Not available with Vent Tray, Battery Box Holder, Self Propel Axle Plate or
 Angle Adjustable Locking Extendable Flip Up. Standard Handrim will be
 Aluminum Anodized. Axle is Quick Release.*

Left Side Drive N/C
 Right Side Drive N/C
 Aluminum Drive Handrim N/C
 Poly Coated Drive Handrim \$200

Casters

		Caster Size				
		Price	5"	6"	7"	8"
Caster Type	1" Poly	N/C				
	1" Poly Aluminum (A1)	\$138				
	1" Pneumatic	\$200				
	1.5" Poly	\$90				
	1.5" Soft Roll Aluminum (A1)	\$153				
	2" Poly	\$109				
	2" Pneumatic w/Foam Insert (A1)	\$315				

Axle

No selection needed with One Arm Drive or Drum Brake

Fixed N/C
 Quick Release N/C

Self Propel Axle Plate

Self Propel Axle Plate (A1) \$165
Not available with Vent Tray or 12" or 16" wheel sizes

Wheel Locks

Wheel locks

Push to Lock N/C
 Pull to Lock N/C
Not available with 12" or 16" Full Poly tires
 Attendant Foot Lock \$95
 Combination Attendant Foot Lock \$190
*Available only with 12" or 16" wheel sizes. Includes Extension Handles. Push
 to Lock only.*
 Drum Brake (A1) \$800
*Available only with 12" Mag, 16" Mag, or Spoke wheels. Not available with
 16" Low Poly tire, Reclining Backrest, One Arm Drive or Self Propel Axle Plate.
 Axle is Quick Release.*
 Dual - Drum Brake with Push to Lock (A1) \$945
*Available only with 12" Mag, 16" Mag, or Spoke wheels. Not available with
 16" Low Poly tire, Reclining Backrest, One Arm Drive or Self Propel Axle Plate.
 Axle is Quick Release.*
 Dual - Drum Brake with Pull to Lock (A1) \$945
*Available only with 12" Mag, 16" Mag, or Spoke wheels. Not available with
 16" Low Poly tire, Reclining Backrest, One Arm Drive or Self Propel Axle Plate.
 Axle is Quick Release.*
 Omit Wheel Locks N/C

Rear Wheel

No selection needed with One Arm Drive

		Rear Wheel Size				
		Price	12"	16"	20"	22"
Rear Wheel Type	Mag	N/C				
	Spoke	N/C				

Rear Tire Type

Full Poly N/C
 Pneumatic N/C
 Pneumatic with Airless Insert 1 3/8" (A1) \$200
 Low Poly N/C
Available only with 16" wheel size

Handrims

Handrims not available on 12" or 16" wheel sizes

Standard Handrims

Aluminum Anodized N/C
 Plastic Coated \$151
 Projection (8 Vertical Projections) (A2) \$325
*Available only with full profile tires in combination with 24" Spoke wheels, or
 22" and 24" Mag wheels. Not available with One Arm Drive.*
 Omit Handrim N/C

Handrim Options

Not available on Plastic Coated or Projection Handrims

3M Micro Grip \$81

A1 = Client's Responsibility
 A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com



Armrests

Armrest Type	Length	Price
Height Adjustable T-Arm Tall (11.5"-15")	Desk	\$350
	Full	
Height Adjustable T-Arm (8.5"-13.5")	Desk	\$350
	Full	
Height Adjustable T-Arm Low (6.5"-10.5") ¹	Desk	\$350
	Full	

¹ If requested configuration is unavailable, Standard Height T-Arm will be used. Not available with 14" seat depth and Offset Hangers"

² Not available with IV Pole

³ Not available with Dynamic Back

⁴ Minimum armrest height with Reclining Backrest is 12"

Armrest Type	Length	Price
Height Adj. Dual Post Flip Back (9.5"-14.5") ²	Desk	\$354
	Full	
Angle Adjustable Locking Extendable Flip Up ^{3,4}	Desk	\$333
	Full	
Omit Armrests		N/C

Arm Pads

Standard Arm Pad	N/C
Waterfall Arm Pad (A1)	\$35
<i>Not available with Angle Adjustable Locking Extendable Flip Up Armrests</i>	
Foam Grip	N/C
<i>Available only with Angle Adjustable Locking Extendable Flip Up Armrest</i>	

Accessories

Removable Side Guard

Composite Side Guards	\$175
<i>Not available with T-Arm or Dual Post Flip Back Armrests</i>	

Anti-Tip

Rear Anti-Tips	\$138
<i>Required with Reclining Backrest or Vent Tray</i>	
Omit	N/C

Pelvic Positioning Belt

1 1/2" Auto Buckle	\$22
1 1/2" Padded Auto Buckle	\$185
2" Airline Buckle	\$150
Small Flex-Mount Positioning Belt (16-24")	\$219
Medium Flex-Mount Positioning Belt (19-29")	\$219
Large Flex-Mount Positioning Belt (25-37")	\$219

Belt Mounting Kit

Ki Mobility Belt Mounting Brackets	\$63
Belt Mounting Band Clamp	\$25

O2 Holder

O2 Holder (W110)	\$365
<i>Not available with Reclining Backrest or Dynamic Back</i>	

Other Accessories

Tool Kit (A1)	\$60
Removable Underseat Pouch (A1)	\$75
Ki Mobility Backpack (A1)	\$90
Black Neoprene Impact Guards (A1)	\$102
Tilt Stop (Pair) (A1)	\$40
<i>Included with Offset Hanger</i>	
IV Pole (A1)	\$188
Canopy with Hardware (A1)	\$335
<i>Not available on frame widths greater than 18"</i>	

Frame Color

Black	N/C
Iridescent Navy	N/C
Blue Steel	N/C

A1 = Client's Responsibility
 A2 = Clinical Justification