



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com



Company:

Ship To:

Account Number:

Date:

Address:

Quote: PO Number:

City:

Province:

Clinician / Sales Rep:

Postal Code:

Phone:

Marked For:

Email/Fax:

Associated Quote/Order#:


Effective: 10/1/2024

Spark - Transit Included	\$2900
165 lb weight capacity Not available with upholstery	

Discount is 8%

Frame

Seat Width	
10"	N/C
11"	N/C
12"	N/C
13"	N/C
14"	N/C
15"	N/C
16"	N/C
Seat Depth	
12"	N/C
13"	N/C
14"	N/C
15"	N/C
16"	N/C
17"	N/C
18"	N/C
Transit Option	
Transit System (WC-19 Occupied) <i>No charge when selected with Spark - Transit Included</i>	N/C
Omit Transit	N/C
Seat Pan	
Removable Aluminum Seat Pan (A2) <i>Pan depth 1/2" shorter than Frame Depth</i>	\$200
Omit	N/C



Frame Width

Spark is set up to allow 2" increase in frame width from initial frame width in 1" increments. Growth is achieved by expanding cross braces. 16" maximum frame width. 10" Frame Width expands only 1".



Frame Depth

Spark is set up to allow 4" increase in frame depth from initial frame depth in 1" increments. 19" maximum frame depth.

A1 = Client's Responsibility
 A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com



Backrest

Backrest

Back Posts are folding and angle adjustable in 4° increments.

Back Post	Price	Height Range	Back Height							
			20"	24"	13"	14"	15"	16"	17"	
Stroller Handle Back Post (Depth Adjustable)	N/C	Short	20"							
		Tall	24"							
Height Adjustable Straight with Push Handle (Depth Adjustable)	\$94	Short ¹	13"	14"	15"	16"	17"			
		Medium	16"	17"	18"	19"	20"			
		Tall	20" ²	21"	22"	23"	24"			

¹ Not available with Dynamic Back

² Not available with Angle Adjustable Locking Extendable Flip Up Armrest

Backrest Options

Removable Stroller Handle Extension	\$94
<i>Not available with Height Adjustable Straight with Push Handle Back Posts.</i>	
Dynamic Back (A1)	\$1995
<i>Available only with T-Arms. Not available with 12" Frame Depths with Rear Frame Heights lower than 14.5".</i>	

Frame Type / Footrest

Frame Type

Swing Away	N/C
Super Low - Swing Away	N/C

Footrest Hanger Type

Hanger	60°	70°	80°	90°		Retail
Extension Tube Mount			1			N/C
Front Mount			1	1		N/C
Elevating Leg Rests ³						\$457
Pediatric PRO ELR ³						\$575
Omit Hangers						-\$28

¹ Not available with 7" or 8" Casters

² Not available with Seat Widths less than 14"

³ Available only with Classic Hanger Release

Minimum Front Seat Height with Front Mount Hangers						
Hanger Length	Short		Medium		Long	
Hanger Bend	70°	80/90°	70°	80/90°	70°	80°
Minimum Front Seat Height with Standard Selection	13"	13.5"	14"	15"	16"	17"
Minimum Front Seat Height with 3" Extension	14.5"	16"	16.5"	18"	18.5"	20"

Footrest / Extension / Seat to Footrest Length

Select Extension and Seat to Footrest Length in row corresponding to desired Footrest. Footrest Length of at least 2.5" shorter than Front Seat Height recommended. Extension Tube Hanger measurements are based on 70° Hanger.

Footrest	Extension	Seat to Footrest Length											
		11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"			
Extension Tube Hangers (60°, 70°, 80°)	Short (11" - 15")	11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"			
	Medium (13" - 17")	13"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"			
	Long (15.5" - 19.5")	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"			
Front Mount Hangers ¹	Short Front Mount Hanger (70°, 80°, 90°)	Standard Selections									Requires 3" Extension		
		4" ⁴	4.5" ⁴	5"	5.5"	6"	6.5"				10"	10.5"	11"
	Medium Front Mount Hanger (70°, 80°, 90°)	7"	7.5"	8"	8.5"	9"	9.5"				11.5"	12"	12.5"
		4" ⁴	4.5" ⁴	5"	5.5"	6"	6.5"	7"	7.5"		12"	12.5"	13"
	Long Front Mount Hanger (70°, 80°)	8"	8.5"	9"	9.5"	10"	10.5"	11"	11.5"		13.5"	14"	14.5"
		5"	5.5"	6"	6.5"	7"	7.5"	8"	8.5"	9"	14"	14.5"	15"
	9.5"	10"	10.5"	11"	11.5"	12"	12.5"	13"	13.5"	15.5"	16"	16.5"	
ELR	ELR Extension Tube Short (12" - 17")	12" - 17"											
	ELR Extension Tube Medium (14" - 19")	14" - 19"											
	ELR Extension Tube Long (16.5" - 21.5")	16.5" - 21.5"											
Peds PRO ELR	Low Pivot Setting	7.5" ³	8" ³	8.5" ³	9"	9.5" ²	10"	10.5" ²	11" ²	11.5" ²	12" ²	12.5"	13" ²
	High Pivot Setting	7.5" ³	8" ³	8.5" ³	9" ²	9.5" ²	10" ²	10.5" ²	11" ²	11.5" ²			

¹ See Minimum Front Seat Height chart above.

² Comes standard with 3" Extension

³ Not available on chairs 14" wide or more

⁴ Available with 90° only

A1 = Client's Responsibility

A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com



3" Extension

Available only with Front Mount Hangers.

3" Extension (Provided as Parts) \$69

Footplates

Composite N/C
Not available with Front Mount Hanger or Frame Widths less than 14".
 Composite Angle Adjustable \$195
Not available with Front Mount Hanger or Frame Widths less than 15".
 Aluminum Angle Adjustable \$195
 Aluminum Locking Multi-Angle Adjustable \$408
Available only with Front Mount Hanger.
 One Piece Flip Up Angle Adjustable \$238
Not available with Front Mount Hanger, ELR or Frame Widths less than 14".

Hanger Release

If no selection is made Classic Hanger Release will be used.

Classic N/C
 4-Way - In-Line N/C
 4-Way - Out N/C

Heel Loops

Not available with One Piece Flip Up Angle Adjustable Footplate.

Heel Loops N/C
Not available with Frame Widths less than 14".
 Adjustable Heel Loops \$45
 Omit Heel Loops N/C

Calf Straps

Velcro Adjustable \$52
 Padded Velcro Adjustable \$85
 Padded Airmesh Calf Strap \$130

Residual Limb Support

	Limb Support	Price	Omit	Cover		Pad Size					
				Smooth Cover Left	Air Mesh Cover Left	5X8 Pad Left Side	7X10 Pad Left Side	9x10 Pad Left Side	9x14 Pad Left Side	11x10 Pad Left Side	11x14 Pad Left Side
Left	Left Limb Support	\$450	Omit Left Hanger	Smooth Cover Left	Air Mesh Cover Left	5X8 Pad Left Side	7X10 Pad Left Side	9x10 Pad Left Side	9x14 Pad Left Side	11x10 Pad Left Side	11x14 Pad Left Side
Right	Right Limb Support	\$450	Omit Right Hanger	Smooth Cover Right	Air Mesh Cover Right	5X8 Pad Right Side	7X10 Pad Right Side	9x10 Pad Right Side	9x14 Pad Right Side	11x10 Pad Right Side	11x14 Pad Right Side

Front Frame Height and Casters

Caster Size / Front Frame Type / Front Frame Height

Select Front Frame Height in row corresponding to desired caster size. Selections in first three columns require Super Low Front Frame.

Caster Size	Front Seat Height														
	Uses Super Low Front Frame			14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"
3"	13.5"	14"		14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"
4"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	
5"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"		
6"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"				
7"	17"	17.5"		18"	18.5"	19"	19.5"	20"	20.5"						
8"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"								

Castors

Caster Type		Caster Size					
		Price	4"	5"	6"	7"	8"
	.75" Rollerblade	N/C					
	.75" Lighted Rollerblade	\$100					
	1" Poly	N/C					
	1" Poly Aluminum (A1)	\$138					
	1" Pneumatic	\$120					
	1.5" Poly	\$63					
	1.5" Soft Roll Aluminum (A1)	\$185					
	2" Poly	\$88					
	2" Pneumatic w/Foam Insert	\$285					

Maximum Seat Dump Reference

(Front Seat Height minus Rear Seat Height)

Seat Depth	12"	13"	14"	15"	16"	17"	18"	19"
Maximum Dump Standard Caster Housing	1.5"	1.5"	1.5"	2"	2"	2"	2.5"	2.5"
Maximum Dump Performance Caster Housing	2.5"	2.5"	3"	3"	3"	3.5"	3.5"	4"

A1 = Client's Responsibility
 A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996
sales@kimobility.com | www.kimobility.com



Fork Stem

Best Fit	N/C
<i>Ki Mobility will pick Fork and Stem combination to optimize performance based on Caster Size and Front Seat Height</i>	
Standard Fork Stem	N/C
3/4" Longer Fork Stem	N/C
1 1/2" Longer Fork Stem	N/C
Frog Legs Suspension Fork	\$425
<i>Available only with 3", 4", 5" or 6" Caster Sizes. Not available with Caster Pin Locks, 2" Poly Caster Type or 2" Pneumatic w/ Foam Insert Caster Type.</i>	

Fork Options

Frog Leg Options

User Weight Under 80 lbs	N/C
User Weight 80-120 lbs	N/C
User Weight 120-160 lbs	N/C

Caster Pin Locks

Caster Pin Locks (A1)	\$244
<i>Not available with Performance Caster Housing, 1 1/2" Longer Fork Stem or Frog Legs Fork</i>	

Caster Housing

Standard Housing	N/C
Performance Housing	\$55
<i>Not available with 350 lb Weight Capacity</i>	

Wheel Locks

Wheel Lock

Push to Lock	N/C
Pull to Lock	N/C
Omit	N/C

Wheel Lock Options

Extension Handles	\$86
Grade Aids (A2)	\$187
<i>Available only with Push to Lock Wheel Locks and Pneumatic and Pneumatic with Airless Insert tires</i>	

Rear Frame Height and Wheels

Wheel Size / Tire Profile / Rear Frame Height

Select Rear Frame Height in row corresponding to Wheel Size and Tire Profile. 12"-14" Frame Depths not available with 24" wheel size.

Wheel Size	Tire Profile	Rear Seat Height										
		11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"	15.5"	16"
18"	Low	11" ²	11.5" ¹	12" ²	12.5" ¹	13" ²	13.5"	14" ²	14.5"	15" ²	15.5" ²	16" ²
	Full	11.5" ²	12" ¹	12.5" ²	13" ¹	13.5" ²	14"	14.5" ²	15"	15.5" ²	16" ²	16.5" ²
20"	Low	11.5" ²	12" ¹	12.5" ²	13" ¹	13.5" ²	14"	14.5" ²	15"	15.5" ²	16" ²	16.5" ²
	Full	12" ²	12.5" ¹	13" ²	13.5" ¹	14" ²	14.5"	15" ²	15.5"	16" ²	16.5" ²	17" ²
22"	Low	12.5" ²	13" ¹	13.5" ²	14" ¹	14.5" ²	15"	15.5" ²	16"	16.5" ²	17" ²	17.5" ²
	Full	13" ²	13.5" ¹	14" ²	14.5" ¹	15" ²	15.5"	16" ²	16.5"	17" ²	17.5" ²	18" ²
24"	Low	13.5" ²	14" ¹	14.5" ²	15" ¹	15.5" ²	16"	16.5" ²	17"	17.5" ²	18" ²	18.5" ²
	Full	14" ²	14.5" ¹	15" ²	15.5" ¹	16" ²	16.5"	17" ²	17.5"	18" ²	18.5" ²	19" ²

¹ Amputee Axle Plate not available with lowest two Rear Frame Height positions
² Requires Universal Axle Plate

One Arm Drive

One Arm Drive	\$1395
<i>Available only with 20", 22" and 24" spoke wheels and Quick Release Axles. Spoke wheel style is exclusive to OAD. Not available with 4 degrees of camber. Standard handrim will be Aluminum Anodized.</i>	

Axle Plates

No selection needed with One Arm Drive.

Universal	N/C
Amputee (A2)	\$219
<i>Not available with Wheelchair Drive Ready Option.</i>	

Drive Handrim Side

Left Side Drive	N/C
Right Side Drive	N/C

Drive Handrim Type

Aluminum Drive Handrim	N/C
Poly Coated Drive Handrim	\$200

A1 = Client's Responsibility
A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com



Handrims

Standard Handrims

- Aluminum Anodized _____ N/C
- Plastic Coated _____ \$119
- Projection (8 Vertical Projections) (A2) _____ \$325
Available only with full profile tires in combination with 22", 24", and 26" MAXX Spoke wheels, or 22" and 24" Mag wheels. Not available with One Arm Drive.
- Omit Handrim _____ N/C

Ergonomic Handrim

Not available with 20" wheels

- Ergo Lite Regular Grip (A1) _____ \$475
- Ergo Standard Regular Grip (A1) _____ \$445
- Ergo Lite Extra Grip (A1) _____ \$515
- Ergo Standard Extra Grip (A1) _____ \$495
- Ergo Lite Omit Grip (A1) _____ \$395
- Ergo Standard Omit Grip (A1) _____ \$345

Wheels

		Rear Wheel Size				
		Price	18"	20"	22"	24"
Rear Wheel Type	MAXX Spoke	\$125				
	Mag	N/C				
	Colored Mag (A1) ¹	\$140				
	Spinergy Spox (A1)	\$845				

¹ Mag Color Selection on Page 7

Spinergy Option

Select spoke color for Spinergy Wheels

- Black Spokes
- Red Spokes
- Blue Spokes
- White Spokes _____ N/C

Axles

Axles

No selection needed with One Arm Drive.

- Quick Release _____ N/C
- Quad Quick Release _____ \$219
Not available with Mag or Spinergy wheels.

Handrim Options

- 3M Micro Grip _____ \$81
Not available on Plastic Coated or Projection Handrims.

Handrim Mount

- Close Mount _____ N/C
If no selection is made, Standard Mount will be used. Reduces overall width by .75".

Rear Tire Type

Full Profile

- Street Pneumatic 1 3/8" _____ N/C
- Full Poly 1 3/8" _____ N/C
- Pneumatic with Airless Insert 1 3/8" (A1) _____ \$119

Low Profile

- Low Poly 1" _____ \$69
- Sentinel Solid Tire 1" (A1) _____ \$119
Not available on 18" wheel size or 20" and 22" Mag wheels
- High Pressure 1" (A1) _____ \$119
Not available on Mag wheel or 18" wheel size.

Axle Position

Rear Wheel Camber

- 0° 2° 4° _____ N/C

Center of Gravity

No selection needed with Amputee Axle Plate

- Rear Center Forward _____ N/C

A1 = Client's Responsibility
 A2 = Clinical Justification

Armrests

Armrest Type	Length	Price
Height Adjustable T-Arm Tall (11.5"-15")	Desk	\$300
	Full	
Height Adjustable T-Arm (8.5"-13.5") ¹	Desk	\$300
	Full	
Height Adjustable T-Arm Low (6.5"-10.5") ²	Desk	\$300
	Full	

Armrest Type	Length	Price
Angle Adjustable Locking Extendable Flip Up	Desk	\$295
	Full	
Pediatric Height Adjustable T-Arm Desk (6.5"-10")		\$231
Tubular Flip Up ³		N/C
Omit Armrests		N/C

¹ Not available with Frame Depths less than 14"

² Not available with Frame Depths less than 14". If requested configuration is unavailable, Standard Height T-Arm will be used.

³ Not available with Arm Pads or Half-Folding Back

Arm Pads

Standard Arm Pad	N/C
Waterfall Arm Pad (A1)	\$35
<i>Not available with Angle Adjustable Locking Extendable Flip Up Armrest</i>	
Foam Grip	N/C
<i>Available only with Angle Adjustable Locking Extendable Flip Up Armrest</i>	

Accessories


Removable Side Guards

Not available with Height Adjustable T-Arm Armrests.

Adult Composite Side Guards (14" - 16")	\$175
Pediatric Composite Side Guards (10" - 14")	\$175

Pelvic Positioning Belts

1" Auto Buckle Pelvic Positioning Belt	\$22
1" Padded Auto Buckle Pelvic Positioning Belt	\$185
1 1/2" Auto Buckle Pelvic Positioning Belt	\$22
1 1/2" Padded Auto Buckle Pelvic Positioning Belt	\$185
2" Airline Buckle Pelvic Positioning Belt	\$150
Small Flex-Mount Positioning Belt (16-24")	\$219
Medium Flex-Mount Positioning Belt (19-29")	\$219
Large Flex-Mount Positioning Belt (25-37")	\$219



Anti-tips

Rear Anti-Tips	\$113
Omit	N/C

Spoke Guards

Clear Spoke Guards (A1)	\$144
<i>Not available with Mag wheel</i>	
Black Spoke Guards (A1)	\$144
<i>Not available with 18" or 20" wheel sizes. Not available with Mag wheel.</i>	
Blue Monster Spoke Guards (A1)	\$325
<i>Available only with 20" and 22" wheel sizes. Not available with Mag wheel.</i>	
Robo Fun Spoke Guards (A1)	\$325
<i>Available only with 20" and 22" wheel sizes. Not available with Mag wheel.</i>	
Tutu Cute Spoke Guards (A1)	\$325
<i>Available only with 20" and 22" wheel sizes. Not available with Mag wheel.</i>	
Tuxedo Time Spoke Guards (A1)	\$325
<i>Available only with 20" and 22" wheel sizes. Not available with Mag wheel.</i>	

Other Accessories

Tool Kit (A1)	\$60
Removable Underseat Pouch (A1)	\$75
<i>Not available with 10" - 13" Seat Widths.</i>	
Pediatric Ki Mobility Backpack (A1)	\$90
Ki Mobility Backpack	\$90
Black Neoprene Impact Guards (A1)	\$102
Cane and Crutch Holder (A1)	\$110
Canopy with Hardware (A1)	\$335
<i>See image to the left</i>	

A1 = Client's Responsibility

A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com



Frame Color

Options	Price	Colors																								
		Gloss													Matte						Metallic					
		Black	Yellow	Light Pink	Dark Pink	Glacier Blue	Electric Green	Radiant Orange	Opalescent Violet	Purple Plum	Rich Teal	Metallic Orange	Granny Smith	Candy Red	Candy Blue	Candy Purple	Shadow Black	Tactical Green	Dry Earth Tan	White	Bright Red	Royal Blue	Charcoal Gray	Iridescent Navy	Iridescent Burgundy	Blue Steel
Frame	N/C																									
Mag Color																										
Color Accent ¹ Package	N/C																									

¹ Includes axle plates and forks. Universal axle plate only

Hydrographics Base Color

Not available with Frame Color. Hydrographics Base Color required with Hydrographics. Zebra not available with Black.

Options	Price	Hydrographics					Hydrographics Base Color							
		AOR1 (Desert Digital Camo)	NEXT Camo	Pink Camo	Carbon Fiber	Muddy Girl	Zebra	Black	Blue	Granny Smith	Pink	Purple	Red	
Frame	\$595													
Base Color	\$695													

A1 = Client's Responsibility
 A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996
 sales@kimobility.com | www.kimobility.com



Spark Front Frame Height Matrix																							
3" Caster				4" Caster				5" Caster				6" Caster				7" Caster				8" Caster			
FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork
14.5	13.5	Std	4"	15	13.5	Std	4"	16	14.5	Std	4"	17	15.5	Std	5"	18	16.5	Std	6"	19	17.5	Std	6"
15	14			15.5	14			16.5	15.5			3/4	17.5			16.5	3/4			18.5	17		
15.5	14	3/4	4"	15.5	14	3/4	4"	17.5	16	1 1/2	5"	18.5	17	1 1/2	6"	18.5	17.5	3/4	6"	20.5	n/a	1 1/2	6"
16	14.5			16	14.5			16	14.5			17	15.5			17.5	16			18.5	17.5		
16	15	1 1/2	4"	16.5	15	1 1/2	4"	16.5	15	Std	5"	17.5	16	Std	6"	19.5	18	1 1/2	6"	19.5	18	Std	6"
16.5	15.5			17	15.5			16.5	15.5			17.5	16			18	16.5			19.5	18.5		
15.5	14.5	Std	5"	15.5	14	Std	5"	17	16	3/4	5"	17.5	16.5	3/4	6"	18.5	17.5	1 1/2	7"	20.5	19	Std	7"
16	15			16	14.5			17.5	16			18	17			18.5	17.5			19.5	18.5		
16.5	15	3/4	5"	16	15	3/4	5"	18	16.5	1 1/2	6"	18.5	17.5	3/4	6"	19.5	18	Std	7"	19.5	18	3/4	7"
17	15.5			16.5	15.5			16.5	15			17.5	16			18.5	17.5			19.5	18		
17	16	1 1/2	5"	17	15.5	1 1/2	5"	17	15.5	Std	6"	19	17.5	1 1/2	7"	19	18	3/4	7"	19	18	Std	7"
17.5	16.5			17.5	16			17.5	16			18.5	17			19.5	18			19.5	18.5		
16.5	15.5	Std	6"	16.5	15	Std	6"	17.5	16	3/4	6"	18	16.5	Std	7"	20	19	3/4	7"	20	19	1 1/2	7"
17	16			17	15.5			18	16.5			18.5	17			19.5	18			20.5	n/a		
17.5	16	3/4	6"	17	16	3/4	6"	18.5	17	1 1/2	7"	19	17.5	1 1/2	7"	19.5	18.5	1 1/2	7"	20	18.5	1 1/2	7"
18	16.5			17.5	16.5			18	16.5			18.5	17			19.5	18			20.5	19		
18	17	1 1/2	6"	18	16.5	1 1/2	6"	18.5	17	1 1/2	7"	18.5	17.5	3/4	7"	21	n/a	3/4	7"	21	n/a	1 1/2	7"
18.5	17.5			18.5	17			19	17.5			19	18			20	19			21	n/a		
				18	16.5	Std	7"	18	16.5	Std	7"	19.5	18.5	3/4	7"	6" x 2" caster not available with 5" fork							
				18.5	17			18.5	17			19.5	18.5									20	19
				18.5	17.5	3/4	7"	19	17.5	1 1/2	7"	19.5	18	1 1/2	7"								
				19	18			18.5	17.5			20	18.5									20.5	19
				19.5	18.5	1 1/2	7"	19	18	3/4	7"	20.5	19	1 1/2	7"								
				20	19			19.5	18.5			21	n/a										
								19.5	18														
								20	18.5														
								20.5	19														

¹ Not available with 4 x 1.5" Soft Roll Aluminum

Seat heights with "FSH" heading available with Standard Front Frame. Seat heights with "Super Low" heading available with Super Low Front Frame. Actual seat height may vary depending upon configuration.

A1 = Client's Responsibility
 A2 = Clinical Justification