



1- Purchasing information

P.O. number: * _____ Date: _____

Company Name: * _____

Purchasing contact: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone Email

Marked for: _____

2- Dealer/Representative information

Dealer/Representative: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone Email

3- Shipping information

Ship to: * _____

Name: _____

Address: _____

City: _____ Province: _____

Postal Code: _____

Phone: _____

Discount is 7%

* Required

MA080 English Manual (STD) MA081 Manuel Français Taxes not included

| MODEL | | FRAME | | | | | | |
|---------------------------|--------------------------|--|---|---|---|---|--|---------|
| WC03 | <input type="checkbox"/> | Ultralight Folding Carbon Fiber Helio C2 Wheelchair (265 lb weight capacity) | | | | | | \$3,545 |
| WC09 | <input type="checkbox"/> | HD Heavy Duty package (350 lb weight capacity) | | | | | | \$170 |
| SEAT WIDTH ³ | | SEAT DEPTH | | | | | | |
| SW | <input type="checkbox"/> | 14" <input type="checkbox"/> | 15" <input type="checkbox"/> | 16" <input type="checkbox"/> | 17" <input type="checkbox"/> | 18" ¹ <input type="checkbox"/> | | NC |
| | <input type="checkbox"/> | 19" ¹ <input type="checkbox"/> | 20" ¹ <input type="checkbox"/> | 21" ² <input type="checkbox"/> | 22" ² <input type="checkbox"/> | | | \$338 |
| SD | <input type="checkbox"/> | 14" <input type="checkbox"/> | 15" <input type="checkbox"/> | 16" <input type="checkbox"/> | 17" <input type="checkbox"/> | 18" <input type="checkbox"/> | | NC |
| | <input type="checkbox"/> | 19" <input type="checkbox"/> | 20" <input type="checkbox"/> | | | | | \$255 |
| FRAME LENGTH ⁵ | | | | | | | | |
| SP01 | <input type="checkbox"/> | Standard frame length configuration | | | | | | STD |
| SP02 | <input type="checkbox"/> | Frame length 1" longer than standard configuration | | | | | | NC |
| SP03 | <input type="checkbox"/> | Frame length 2" longer than standard configuration | | | | | | NC |
| SP04 | <input type="checkbox"/> | Frame length 1" shorter than standard configuration | | | | | | NC |
| SP05 | <input type="checkbox"/> | Frame length 2" shorter than standard configuration | | | | | | NC |
| TRANSIT TIE DOWN | | | | | | | | |
| AC04 | <input type="checkbox"/> | Transit Tie Down (Unoccupied) | | | | | | NC |
| AC05-S | <input type="checkbox"/> | WC-19 Transit Tie Down w/Q'straint belt ⁴ | | Short belt 20"-41" | | | | \$345 |
| AC05-L | <input type="checkbox"/> | WC-19 Transit Tie Down w/Q'straint belt ⁴ | | Long belt 20"-46" | | | | \$345 |
| AC35 | <input type="checkbox"/> | WC-19 Transit Tie Down without belt ⁴ | | | | | | \$325 |

1- Available with HD option; 2- Only available with HD option

4- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

5- See chart on page 7

[3. Width calculator](#)



| PACKAGES | | | | |
|----------|--------------------------|---|--|-----------------------|
| PK01 | <input type="checkbox"/> | Newton Ultralight Package (include: Carbon fiber angle adjustable footplates + Newton Gravity Ultralight rear wheels) | | Save \$245 \$540 |

C2 FRONT Seat-to-floor Height - Please select your choice

| Forks / Position | | 3" caster | | | 4" caster | | | 5" caster | | | 6" caster | | | 7" caster | | | 8" caster | | |
|------------------|----|------------------|---------|---------|------------------|---------|---------|------------------|---------|---------|------------------|---------|---------|------------------|---------|---------|------------------|---------|---------|
| | | Stem bolt Length | | | Stem bolt Length | | | Stem bolt Length | | | Stem bolt Length | | | Stem bolt Length | | | Stem bolt Length | | |
| | | STD | +1" | +2" | STD | +1" | +2" | STD | +1" | +2" | STD | +1" | +2" | STD | +1" | +2" | STD | +1" | +2" |
| 4" | P1 | 13" | 14" | 15" | 13 1/2" | 14 1/2" | 15 1/2" | | | | | | | | | | | | |
| | P2 | 13 1/2" | 14 1/2" | 15 1/2" | 14" | 15" | 16" | 14 1/2" | 15 1/2" | 16 1/2" | | | | | | | | | |
| 5" | P1 | | | | | | | | | | | | | | | | | | |
| | P2 | | | | 14" | 15" | 16" | 14 1/2" | 15 1/2" | 16 1/2" | | | | | | | | | |
| | P3 | 14" | 15" | 16" | 14 1/2" | 15 1/2" | 16 1/2" | 15" | 16" | 17" | 15 1/2" | 16 1/2" | 17 1/2" | | | | | | |
| | P4 | 14 1/2" | 15 1/2" | 16 1/2" | 15" | 16" | 17" | 15 1/2" | 16 1/2" | 17 1/2" | 16" | 17" | 18" | 16 1/2" | 17 1/2" | 18 1/2" | | | |
| 7" | P1 | | | | | | | | | | 16 1/2" | 17 1/2" | 18 1/2" | 17" | 18" | 19" | | | |
| | P2 | | | | | | | 16 1/2" | 17 1/2" | 18 1/2" | 17" | 18" | 19" | 17 1/2" | 18 1/2" | 19 1/2" | | | |
| | P3 | | | | | | | 17" | 18" | 19" | 17 1/2" | 18 1/2" | 19 1/2" | 18" | 19" | 20" | 18 1/2" | 19 1/2" | 20 1/2" |
| | P4 | 16 1/2" | 17 1/2" | 18 1/2" | 17" | 18" | 19" | 17 1/2" | 18 1/2" | 19 1/2" | 18" | 19" | 20" | 18 1/2" | 19 1/2" | 20 1/2" | 19" | 20" | 21" |
| | P5 | 17" | 18" | 19" | 17 1/2" | 18 1/2" | 19 1/2" | 18" | 19" | 20" | 18 1/2" | 19 1/2" | 20 1/2" | 19" | 20" | 21" | 19 1/2" | 20 1/2" | 21 1/2" |
| Froglegs | P1 | | | | 14 1/2" | 15 1/2" | 16 1/2" | | | | | | | | | | | | |
| | P2 | 14 1/2" | 15 1/2" | 16 1/2" | 15" | 16" | 17" | 15 1/2" | 16 1/2" | 17 1/2" | | | | | | | | | |
| | P3 | 15" | 16" | 17" | 15 1/2" | 16 1/2" | 17 1/2" | 16" | 17" | 18" | 16 1/2" | 17 1/2" | 18 1/2" | | | | | | |

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

FRONT CASTERS

| CASTERS | | | | Available | |
|--------------------|--------------------------|---|-------------|------------------------|--------|
| CA01-03 to CA01-08 | <input type="checkbox"/> | Composite wheel w/ PU tire (1") | | 3", 4", 5", 6", 7", 8" | NC |
| CA10 to CA11 | <input type="checkbox"/> | Pneumatic casters (1 3/4") | | 6", 8" | 160 \$ |
| CA14 | <input type="checkbox"/> | Newton UltraCaster Composite | 4" x 1 1/2" | | 120 \$ |
| CA15 | <input type="checkbox"/> | | 5" x 1 1/2" | | 130 \$ |
| CA16 | <input type="checkbox"/> | | 6" x 1 1/2" | | 140 \$ |
| CA17 | <input type="checkbox"/> | Newton UltraCaster Aluminum | 4" x 1 1/2" | | 175 \$ |
| CA18 | <input type="checkbox"/> | | 5" x 1 1/2" | | 185 \$ |
| CA19 | <input type="checkbox"/> | | 6" x 1 1/2" | | 195 \$ |
| CASTER OPTIONS | | | | | |
| CA12 | <input type="checkbox"/> | Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY) ¹ | | | \$255 |
| CA13 | <input type="checkbox"/> | Carbon fiber Frog Legs suspension forks (Not available with caster pin locks) | | | \$489 |

1- Not available with WC-19

C2 - REAR Seat-to-floor Height

| WHEEL SIZES | | Height available | Specify desired height: _____ |
|--------------------------|-----------------|------------------|----------------------------------|
| <input type="checkbox"/> | 20" (451) wheel | 12 1/2 to 17 1/4 | |
| <input type="checkbox"/> | 22" (501) wheel | 13 1/2 to 18 1/4 | |
| <input type="checkbox"/> | 24" (540) wheel | 14 1/2 to 19 1/4 | |
| <input type="checkbox"/> | 25" (559) wheel | 15 to 19 3/4 | |
| <input type="checkbox"/> | 26" (590) wheel | 15 1/2 to 20 1/4 | |

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1/2" of selected seat to floor height"

REAR WHEELS

| REAR WHEELS | | | | Available | |
|-------------|--------------------------|---|--|-------------------------|-------|
| RW01 | <input type="checkbox"/> | Mag ¹ | | 20", 22" 24" | \$129 |
| RW02 | <input type="checkbox"/> | Newton One - spoke wheel ² | | 20", 22" 24" | NC |
| RW03 | <input type="checkbox"/> | Newton Gravity - ultralight wheel | | 20", 22", 24", 25", 26" | \$360 |
| RW04 | <input type="checkbox"/> | Spineray Spox | Blk STD <input type="checkbox"/> Wht ³ <input type="checkbox"/> Blue ³ <input type="checkbox"/> Red ³ <input type="checkbox"/> Yel ³ <input type="checkbox"/> | 22", 24", 25", 26" | \$800 |
| RW05 | <input type="checkbox"/> | Spineray LX | Blk STD <input type="checkbox"/> Pur ³ <input type="checkbox"/> Wht ³ <input type="checkbox"/> Blue ³ <input type="checkbox"/> Red ³ <input type="checkbox"/> Yel ³ <input type="checkbox"/> Pink ³ <input type="checkbox"/> Grn ³ <input type="checkbox"/> Org ³ <input type="checkbox"/> | 22", 24", 25", 26" | \$995 |
| TIRES | | | | Available | |
| AIRLESS | | | | | |
| TI01 | <input type="checkbox"/> | Soft Urethane 1 3/8" - Low Tread, black ⁶ | | 20", 22" 24" | STD |
| TI02 | <input type="checkbox"/> | Soft Urethane 1 3/8" - Medium Tread, black ^{4,6} | | 22", 24", 25", 26" | \$110 |
| TI04 | <input type="checkbox"/> | Soft Urethane 1" - No tread, black - Shox | | 22", 24", 25", 26" | \$130 |
| TI08 | <input type="checkbox"/> | Pneumatic Airless insert 1 3/8" - Medium Tread ⁵ | | 22", 24", 26" | \$215 |
| PNEUMATIC | | | | | |
| TI05 | <input type="checkbox"/> | Pneumatic 1 3/8" - Medium Tread ⁶ | | 20", 22", 24", 25" 26" | NC |
| TI06 | <input type="checkbox"/> | Pneumatic HP 1" - Low Tread, Puncture resistant, black - SpeedLite | | 20", 22", 24", 25", 26" | \$110 |
| TI07 | <input type="checkbox"/> | Pneumatic HP 1" - Medium Tread, Puncture resistant, black - TrailBlazer | | 24", 25", 26" | \$190 |

1- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position; 2- Not compatible with Shox tires; 3- color spokes require an additional 10 days lead-time;

4- 22" is only available with Mags and Newton One rear wheels; 25" and 26" are not available with Newton Gravity wheels

5- Not available with Spineray CLX, Spineray LX 25", 26" and Spox 25", 26" rear wheels 6- Not available with flip-back armrest when the 6" camber is selected;

HANDRIMS

| HANDRIM | | | Available | | |
|-------------------------------|--------------------------|--|-------------------------|--|-------|
| HR01 | <input type="checkbox"/> | Aluminum anodized | 20", 22", 24", 25", 26" | | STD |
| HR02 | <input type="checkbox"/> | Plastic coated ¹ | 20", 22", 24", 25", 26" | | \$160 |
| HR03 | <input type="checkbox"/> | High friction coated ^{1,2,3} | 22", 24", 25", 26" | | \$430 |
| HR07-HR18 and HR65-HR71 | <input type="checkbox"/> | Newton Air Grip ² See on page 6 for color choice and price | 20", 22", 24", 25", 26" | | |
| HR28 | <input type="checkbox"/> | Surge ^{1,2,3,4} (1 1/2" Oval handrim w/ Gripton high friction strip) | 22", 24", 25", 26" | | \$470 |
| HR05 | <input type="checkbox"/> | Surge LT ^{1,2,3,4} (1 1/8" Oval handrim w/ Gripton high friction strip) | 22", 24", 25", 26" | | \$500 |
| HR04 | <input type="checkbox"/> | Natural Fit ^{1,2,3,4} | 22", 24", 25", 26" | | \$310 |
| HR99 | <input type="checkbox"/> | Omit handrim | | | NC |

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels; 3 - Not available with one arm drive;

4 - 25" and 26" are not available in narrow position; 24" is not available with the Spinerigy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece

HANDRIMS OPTION

| ASSEMBLY POSITION | | | | | |
|---|--------------------------|---|--|--|-------|
| HR29 | <input type="checkbox"/> | Standard Handrim position Full tab | | | STD |
| HR030 | <input type="checkbox"/> | Narrow Handrim position no cut Full tab | | | NC |
| HR30 | <input type="checkbox"/> | Narrow Handrim position with cut ⁵ Short tab 2 positions | | | \$25 |
| HR31 | <input type="checkbox"/> | Super Narrow Handrim ⁵ Short tab 2 positions STD <input type="checkbox"/> Short tab 1 position <input type="checkbox"/> | | | \$25 |
| THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS | | | | | |
| HR23 | <input type="checkbox"/> | Standard grip | | | \$190 |
| HR27 | <input type="checkbox"/> | Super grip | | | \$220 |
| HR099 | <input type="checkbox"/> | Omit thumb piece | | | NC |


5- Only available with Aluminum and Air Grip handrims;

| AXLE ¹ | | | | | |
|-------------------|--------------------------|--|--|--|-------|
| AX01 | <input type="checkbox"/> | Quick release axle | | | STD |
| AX02 | <input type="checkbox"/> | Permanent axle | | | NC |
| AX03 | <input type="checkbox"/> | Quad release axle | | | \$170 |
| AXLE PLATE | | | | | |
| AX04 | <input type="checkbox"/> | Amputee adjustable axle plate ² | | | \$250 |

1- Not required with one arm drive; 2 - May interfere with swing away armrest and limit seat to floor height; Not available with WC-19 transit tie down

| REAR WHEEL CAMBER | | | | | |
|-------------------|--------------------------|---|--|--|------|
| CM00 | <input type="checkbox"/> | 0° camber | | | STD |
| CM03 | <input type="checkbox"/> | 3° camber | | | NC |
| CM06 | <input type="checkbox"/> | 6° camber (not available with amputee axle plate) | | | \$80 |

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

| Most stable | | | | | | | | | | | | | | |
|-------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| X = | AMPUTEE ¹ | 1" | 1/4" | 1/2" | 3/4" | 2" | 1/4" | 1/2" | 3/4" | 3" | 1/4" | 1/2" | 3/4" | 4" |
| | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

If not indicated, default setting is at 1.5"

Possible conflict between a seat depth under 16" and a center of gravity over 2.5".

Possible conflict between a 26" rear wheel and a center of gravity over 2.5".

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

1-Only available with the amputee axle plate

| WHEEL LOCK | | | | | |
|--------------|--------------------------|---|--|--|-------|
| WL08 | <input type="checkbox"/> | Newton Wheel lock - push to lock | | | STD |
| WL02 | <input type="checkbox"/> | Pull to lock | | | NC |
| WL04 | <input type="checkbox"/> | Newton grade aid push to lock (works best with pneumatic or high pressure tire) | | | \$175 |
| WL13 WL14 | <input type="checkbox"/> | 6" removable extension handle | | | \$67 |
| WL05 | <input type="checkbox"/> | Scissors Lock | | | \$300 |
| WL06 | <input type="checkbox"/> | Attendant Lock (additional set of wheel lock mounted to the back) | | | \$230 |
| WL99 | <input type="checkbox"/> | Omit wheel locks | | | NC |

FOOTREST

| SWING-IN/SWING-OUT FOOTREST | | | | | | |
|-------------------------------|--------------------------|--|--|-----------|----------|-------|
| FR03-01 | <input type="checkbox"/> | 60° Swing-in/swing-out footrest - 13.5" - 17" | | | Set at*: | NC |
| FR03-02 | <input type="checkbox"/> | 60° Swing-in/swing-out footrest - 14.5" - 19.5" | | | Set at*: | NC |
| FR03-03 | <input type="checkbox"/> | 60° Swing-in/swing-out footrest - 15.5" - 20.5" | | | Set at*: | NC |
| FR04-01 | <input type="checkbox"/> | 70° Swing-in/swing-out footrest - 13.5" - 17" | | | Set at*: | NC |
| FR04-02 | <input type="checkbox"/> | 70° Swing-in/swing-out footrest - 14.5" - 19.5" | | | Set at*: | NC |
| FR04-03 | <input type="checkbox"/> | 70° Swing-in/swing-out footrest - 15.5" - 20.5" | | | Set at*: | NC |
| FR15-01 | <input type="checkbox"/> | 80° Swing-in/swing-out footrest - 13.5" - 16" ⁵ | | | Set at*: | NC |
| FR15-02 | <input type="checkbox"/> | 80° Swing-in/swing-out footrest - 14.5" - 19.5" ⁵ | | | Set at*: | NC |
| FR15-03 | <input type="checkbox"/> | 80° Swing-in/swing-out footrest - 15.5" - 20.5" ⁵ | | | Set at*: | NC |
| FR06 | <input type="checkbox"/> | 90° swing-in/swing-out with front mount - Standard (no extension) ¹ | 7.5" - 11" | | Set at*: | NC |
| FR07 | <input type="checkbox"/> | 90° swing-in/swing-out with front mount - Short extension 2" ^{1,2} | 9.5" - 13" | | Set at*: | NC |
| FR08 | <input type="checkbox"/> | 90° swing-in/swing-out with front mount - Medium extension 4" ^{1,2} | 9.5" - 14.5" | | Set at*: | NC |
| FOOTREST OPTIONS ³ | | | | | | |
| FR09 | <input type="checkbox"/> | High mount (footplate attached to the hanger with clamps) ³ | 5" - 13.5" | | Set at*: | \$90 |
| FR10 | <input type="checkbox"/> | Elevating legrest with calf pad, Length adjustable ⁴ | Left <input type="checkbox"/> Right <input type="checkbox"/> | 14" - 22" | Set at: | \$290 |
| FR99 | <input type="checkbox"/> | Omit Footrest | | | | NC |

1- Available only with two piece adjustable footplates; 2- May interfere with front casters; 3- Not available with front mount and the elevating legrest; * +/- 1/2"
 4- The elevating legrest replace the footrest side selected; Not available with one piece footplate; 5- Not available with 8" caster

| FOOTPLATES | | | | | | |
|-----------------------|--------------------------|---|--|--|--|-------|
| FP01 | <input type="checkbox"/> | Standard - Composite ¹ | | | | STD |
| FP02 | <input type="checkbox"/> | Newton adjustable angle - Composite | | | | \$145 |
| FP03 | <input type="checkbox"/> | Newton adjustable angle - Aluminum | | | | \$165 |
| FP04 | <input type="checkbox"/> | Newton adjustable angle - Carbon fiber (with rubber inserts) | | | | \$380 |
| FP06 | <input type="checkbox"/> | One piece adjustable angle flip-up - Aluminum | | | | \$206 |
| FP07 | <input type="checkbox"/> | One piece adjustable angle flip-up - Carbon fiber (with rubber inserts) | | | | \$450 |
| FOOTPLATE ACCESSORIES | | | | | | |
| FP08 | <input type="checkbox"/> | Length adjustable heel loop ² | | | | NC |
| FP09 | <input type="checkbox"/> | Calf strap | | | | \$52 |
| FP10 | <input type="checkbox"/> | Standard Padded Calf strap | | | | \$80 |
| FP30 | <input type="checkbox"/> | Bodypoint Aeromesh Padded calf strap | | | | \$120 |

1- Not available with front mount; 2- not available with one piece footplate

| SWING AWAY RESIDUAL LIMB SUPPORT | | | | | | |
|----------------------------------|--------------------------|--|-------------------------------|--------------------------------|--|-------|
| FR27 | <input type="checkbox"/> | Residual limb support - flat 6"x8" | Left <input type="checkbox"/> | Right <input type="checkbox"/> | | \$390 |
| FR28 | <input type="checkbox"/> | Residual limb support - flat 8"x10" | Left <input type="checkbox"/> | Right <input type="checkbox"/> | | \$390 |
| FR29 | <input type="checkbox"/> | Residual limb support - flat 10"x10" | Left <input type="checkbox"/> | Right <input type="checkbox"/> | | \$390 |
| FR30 | <input type="checkbox"/> | Residual limb support - flat 10"x14" | Left <input type="checkbox"/> | Right <input type="checkbox"/> | | \$390 |
| FR32 | <input type="checkbox"/> | Residual limb support - contour 6"x8" | Left <input type="checkbox"/> | Right <input type="checkbox"/> | | \$390 |
| FR33 | <input type="checkbox"/> | Residual limb support - contour 8"x10" | Left <input type="checkbox"/> | Right <input type="checkbox"/> | | \$390 |

SEATING AND BACKREST

| BACK UPHOLSTERY | | | | | | |
|--|--------------------------|--|------------------------------|------------------------------|----------------------------------|-------------------------------|
| BH07 | <input type="checkbox"/> | Slip-on Active-Mesh back upholstery | | | | NC |
| BH08 | <input type="checkbox"/> | Adjustable tension Active-Mesh back upholstery | | | | \$245 |
| BH99 | <input type="checkbox"/> | Omit Back upholstery | | | | STD |
| | <input type="checkbox"/> | NXT back Support | | | See price list | |
| SEAT CUSHION | | | | | | |
| SC01 | <input type="checkbox"/> | 2" Cushion | | | | \$175 |
| SC02 | <input type="checkbox"/> | 3" Cushion | | | | \$195 |
| SC99 | <input type="checkbox"/> | Omit seat cushion | | | | STD |
| | <input type="checkbox"/> | NXT cushion | | | See price list | |
| FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options) | | | | | | |
| BC06-912 | <input type="checkbox"/> | Straight Carbon fiber back cane | 9" - 12" | increment of 1/2" | Set at ² | NC |
| BC06-1215 | <input type="checkbox"/> | Straight Carbon fiber back cane | 12" - 15" | increment of 1/2" | Set at ² | NC |
| BC06-1518 | <input type="checkbox"/> | Straight Carbon fiber back cane | 15" - 18" | increment of 1/2" | Set at ² | NC |
| BC06-1821 | <input type="checkbox"/> | Straight Carbon fiber back cane | 18" - 21" | increment of 1/2" | Set at ² | NC |
| BC08-1315 | <input type="checkbox"/> | 8° Bend Carbon fiber back cane | 13.5" - 15" | increment of 1/2" | Set at ² | \$100 |
| BC08-1518 | <input type="checkbox"/> | 8° Bend Carbon fiber back cane | 15" - 18" | increment of 1/2" | Set at ² | \$100 |
| BC08-1821 | <input type="checkbox"/> | 8° Bend Carbon fiber back cane | 18" - 21" | increment of 1/2" | Set at ² | \$100 |
| ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options) | | | | | | |
| BC09-1215 | <input type="checkbox"/> | Straight Carbon fiber back cane | 12" - 15" | increment of 1/2" | Set at ² | \$250 |
| BC09-1518 | <input type="checkbox"/> | Straight Carbon fiber back cane | 15" - 18" | increment of 1/2" | Set at ² | \$250 |
| BC09-1821 | <input type="checkbox"/> | Straight Carbon fiber back cane | 18" - 21" | increment of 1/2" | Set at ² | \$250 |
| BC10-1315 | <input type="checkbox"/> | 8° bend Carbon fiber back cane | 13.5" - 15" | increment of 1/2" | Set at ² | \$325 |
| BC10-1518 | <input type="checkbox"/> | 8° bend Carbon fiber back cane | 15" - 18" | increment of 1/2" | Set at ² | \$325 |
| BC10-1821 | <input type="checkbox"/> | 8° bend Carbon fiber back cane | 18" - 21" | increment of 1/2" | Set at ² | \$325 |
| | | Select back cane angle: | 85° <input type="checkbox"/> | 90° <input type="checkbox"/> | 95° STD <input type="checkbox"/> | 100° <input type="checkbox"/> |
| | | | | | 105° <input type="checkbox"/> | 110° <input type="checkbox"/> |

| PUSH HANDLES OPTIONS (ONE option at a time) | | | | |
|--|--------------------------|--|--|-------|
| PH01 | <input type="checkbox"/> | Push handles | | STD |
| PH05 | <input type="checkbox"/> | Fold down push handles ^{3,5} | | \$150 |
| PH06-920 | <input type="checkbox"/> | Clamp on height adjustable push handles 9"-20" ^{3,4,5} | | \$325 |
| PH06-923 | <input type="checkbox"/> | Clamp on height adjustable push handles 9"-23" ^{3,4,5} | | \$325 |
| PH02 | <input type="checkbox"/> | Omit push handles | | NC |
| STROLLER HANDLE AND STABILIZER BAR (only available with push handle) | | | | |
| PH04 | <input type="checkbox"/> | Stroller handle (not available with the HD option) | | \$210 |
| PH03 | <input type="checkbox"/> | Newton folding stabilizer bar (not available with stroller handle) | | \$258 |

1- Not available with 8 degree bend cane; 2- If not indicated, default height setting is at the lowest position; measured from seat sling to top of back upholstery; 3- 265 lb weight limit;
4- Not compatible with swing away armrests, 8" bend back canes, 9-12" back canes and amputee axle plates; 5- Not compatible with stroller handle, stabilizer bar, headrest and attendant lock

| ARMRESTS | | | | |
|---|--------------------------|--|---|-------|
| HEIGHT ADJUSTABLE FLIP BACK ARMREST (Convertible to "T" armrest) ^{1,4} | | | | |
| AR01-812 | <input type="checkbox"/> | 10" Desk length armpad 8" - 12" | Locked <input type="checkbox"/> Unlocked STD <input type="checkbox"/> | \$380 |
| AR01-1014 | <input type="checkbox"/> | 10" Desk length armpad 10" - 14" | Locked <input type="checkbox"/> Unlocked STD <input type="checkbox"/> | \$380 |
| AR02-812 | <input type="checkbox"/> | 14" Full length armpad 8" - 12" | Locked <input type="checkbox"/> Unlocked STD <input type="checkbox"/> | \$380 |
| AR02-1014 | <input type="checkbox"/> | 14" Full length armpad 10" - 14" | Locked <input type="checkbox"/> Unlocked STD <input type="checkbox"/> | \$380 |
| HEIGHT ADJUSTABLE "T" ARMREST ¹ | | | | |
| AR13-610 | <input type="checkbox"/> | 10" Desk length armpad ⁵ 6" - 10" | | \$360 |
| AR03-812 | <input type="checkbox"/> | 10" Desk length armpad 8" - 12" | | \$360 |
| AR03-1014 | <input type="checkbox"/> | 10" Desk length armpad 10" - 14" | | \$360 |
| AR14-610 | <input type="checkbox"/> | 14" Full length armpad ⁵ 6" - 10" | | \$360 |
| AR04-812 | <input type="checkbox"/> | 14" Full length armpad 8" - 12" | | \$360 |
| AR04-1014 | <input type="checkbox"/> | 14" Full length armpad 10" - 14" | | \$360 |
| HEIGHT ADJUSTABLE SWING AWAY ARMREST ² | | | | |
| AR05 | <input type="checkbox"/> | Tubular armrest - short pad 8" - 11" | | \$295 |
| AR23 | <input type="checkbox"/> | Tubular armrest - long pad 8" - 11" | | \$295 |
| AR06 | <input type="checkbox"/> | 10" Desk length flat armpad 8" - 11" | | \$295 |
| AR17 | <input type="checkbox"/> | 14" Full length flat armpad 8" - 11" | | \$295 |
| ARMRESTS OPTIONS | | | | |
| AR12 | <input type="checkbox"/> | 14" Full Length armpad - Gel Ovation (pair) ³ | | \$150 |
| AR99 | <input type="checkbox"/> | Omit armrest | | NC |

1- May have 1/2" adjustment restriction on both limits of the range; 2- Could interfere with some rigid backrests; Not available with attendant lock and fixed carbon fiber side guards;
3- Only available with full length armrest; Not available with swing away and desk length armrests; 4- Not available with attendant lock; 5- May have some restriction with seat-to-floor height and rear wheel

| ACCESSORIES | | | | |
|--|--------------------------|---|--|-------|
| SIDE GUARDS (not available with Flip Back and "T" Armrest) | | | | |
| SG01 | <input type="checkbox"/> | Plastic side guards (removable) | Straight bracket - STD Offset bracket ¹ | \$225 |
| SG02 | <input type="checkbox"/> | Carbon fiber side guards (fixed) | | \$255 |
| SG03 | <input type="checkbox"/> | Carbon fiber side guards (removable) | Straight bracket - STD Offset bracket ¹ | \$295 |
| SG06 | <input type="checkbox"/> | Plastic fender side guards (removable) | Straight bracket - STD Offset bracket ¹ | \$320 |
| SG04 | <input type="checkbox"/> | Carbon fiber fender side guards (removable) | Straight bracket - STD Offset bracket ¹ | \$495 |
| SG99 | <input type="checkbox"/> | Omit side guard | | NC |

1- only compatible with 0° camber; Increase width by 1/2" per side for a total of 1" ;

| POSITIONING BELT | | | | |
|------------------|--------------------------|--|--|-------|
| SB01-S | <input type="checkbox"/> | Velcro adjustable - Small 35" ¹ | | \$45 |
| SB01-L | <input type="checkbox"/> | Velcro adjustable - Long 60" | | \$45 |
| SB02-S | <input type="checkbox"/> | Auto buckle - Small 35" ¹ | | \$55 |
| SB02-M | <input type="checkbox"/> | Auto buckle - Medium 48" | | \$55 |
| SB02-L | <input type="checkbox"/> | Auto buckle - Long 60" | | \$55 |
| SB04-M | <input type="checkbox"/> | BodyPoint Hip Belt - 2 point not padded - Medium 56" | | \$82 |
| SB04-L | <input type="checkbox"/> | BodyPoint Hip Belt - 2 point not padded - Long 61" | | \$82 |
| SB05-S | <input type="checkbox"/> | BodyPoint Hip Belt - 2 point padded - Small 51" | | \$155 |
| SB05-M | <input type="checkbox"/> | BodyPoint Hip Belt - 2 point padded - Medium 56" | | \$155 |
| SB05-L | <input type="checkbox"/> | BodyPoint Hip Belt - 2 point padded - Long 61" | | \$155 |
| SB06-S | <input type="checkbox"/> | BodyPoint Hip Belt - 4 point padded - Small 51" | | \$195 |
| SB06-M | <input type="checkbox"/> | BodyPoint Hip Belt - 4 point padded - Medium 56" | | \$195 |
| SB06-L | <input type="checkbox"/> | BodyPoint Hip Belt - 4 point padded - Long 61" | | \$195 |
| SB03 | <input type="checkbox"/> | Hardware attachment for 2 extra points (1 pair) | | \$13 |
| SB99 | <input type="checkbox"/> | Omit positioning belt | | STD |

1- Not recommended for seat width of 18" and more

| HEADREST ¹ | | | | | | | | |
|-----------------------|--------------------------|---|--|--|--|--|--|-------|
| AC01-S | <input type="checkbox"/> | Profiled Headrest - Small (3.5"X6") | | | | | | \$205 |
| AC01-M | <input type="checkbox"/> | Profiled Headrest - Medium (4.5"X7") | | | | | | \$205 |
| AC01-L | <input type="checkbox"/> | Profiled Headrest - Large (5.5"X8") | | | | | | \$205 |
| AC28 | <input type="checkbox"/> | Headrest mounting hardware with removable non folding stabilizer bar ¹ | | | | | | \$338 |

1- Only available with push handles - Not available with a stroller handle or a folding stabilizer bar

| ACCESSORIES | | | | | | | | |
|-------------|--------------------------|--|-------------------------------|--------------------------------|--|--|--|-------|
| WC10 | <input type="checkbox"/> | E-Motion adaptor Kit (2 adaptors) - Only necessary with 6° camber | | | | | | \$75 |
| AC03 | <input type="checkbox"/> | Anti-tippers | | | | | | \$115 |
| AC06 | <input type="checkbox"/> | Cane and crutch holder | Left <input type="checkbox"/> | Right <input type="checkbox"/> | | | | \$105 |
| AC07 | <input type="checkbox"/> | Oxygen tank holder ¹ - D and E Type - installed on the left | | | | | | \$375 |
| AC08 | <input type="checkbox"/> | Spoke guards ² Available: 20", 22", 24", 25", 26" | | | | | | \$145 |
| AC09 | <input type="checkbox"/> | Footrest neoprene impact guard (pair) - Black | | | | | | \$80 |
| AC10 | <input type="checkbox"/> | Seat pouch | | | | | | \$95 |
| AC23 | <input type="checkbox"/> | Newton Backpack | | | | | | \$120 |
| AC12 | <input type="checkbox"/> | Velcro Closing Strap | | | | | | \$50 |
| AC13 | <input type="checkbox"/> | Tool kit | | | | | | \$50 |


1 - Not compatible with swing away armrest or amputee axle plate and WC-19 transit tie-down 2- Not available with Mag wheels and Spinerig; the 24" spoke guard will be installed on the 25" wheel ;

| Colors | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|--------------------------|---|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|-------|--|
| Options ¹ | Black | High Gloss Carbon Fiber | Sunkissed Orange | Burgundy | Sapphire Blue | Monster Green | Charcoal | Fuchsia | Steel Blue | Ferrari Red | Acid Green | Electric Purple | Caribbean Blue | White | Pink Pearl | Plum Purple | Sky Blue | Black Cherry | Khaki Green (matte) | Desert Sand (matte) | | |
| AirGrip | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | \$330 | |
| Frame ² | | STD | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | NC | |
| FC99 | <input type="checkbox"/> | Custom Color Specify PPG Paintit color: | | | | | | | | | | | | | | | | | <i>additional 10 days lead-time</i> | \$422 | | |

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;

2- With carbon fiber crossbrace;

Fork and Stem bolt combinations



Unilateral wheel lock restrictions

| Seat depth: shall be 16 in and greater | | |
|---|-----------------|------------------------------|
| Rear wheel: shall be 24 in and less | | |
| "T" or flip-back armrest only compatible with 0° Camber | | |
| One arm drive: Not compatible with "T" or flip-back armrest | | |
| "T" or flip-back armrest may require to move the rear wheels outwards | | |
| Not compatible with wheel lock lever extension | | |
| Rear wheel diameter | Seat depth (in) | COG Compatibility Range (in) |
| 20 in | 16+ | 1.5 to 3.75 |
| | 16 | 1.0 to 2.75 |
| 22 in | 17 | 1.0 to 3.25 |
| | 18+ | 1.0 to 3.75 |
| 24 in | 16 | 1.0 to 2.0 |
| | 17 | 1.0 to 2.75 |
| | 18+ | 1.0 to 3.75 |

Frame length chart

| Frame length | Seat Depth | | | | | | |
|--------------|------------|-----|-----|-----|-----|-----|-----|
| | 14" | 15" | 16" | 17" | 18" | 19" | 20" |
| STD | | | | | | | |
| +1 | | | | | | | N/A |
| +2 | | | | | | N/A | N/A |
| -1 | N/A | | | | | | |
| -2 | N/A | N/A | | | | | |

Notes :