



Discount is 8%



AADL CAT # 151

AADL Vendo	r # 000	0612578-001				AADL CAT # 131							
Company:						Ship To:							
Account Number	er:		Date:			Address:							
□Quote: □PC	Numbe	er:				City: Province:							
Clinician / Sales	Rep:					Postal Code: Phone:							
Marked For:						Email/Fax:							
Associated Quo	te/Orde	er#:				Effective: 10/31/2023							
Catalyst 4E				\$139	95								
300 lb weight c	apacity												
Frame													
Seat Width						Seat Depth							
□ 14" □ 15" □ 16" □ 17" □ 18" □ 19" □ 20"	Option re				N/C N/C N/C N/C N/C \$188 \$395 N/C N/C	□ 15" □ 16" □ 17" □ 18" □ 19" □ 20" No charge with Heavy Duty Option Heavy Duty Option □ 350 lbs Requires minimum 6" caster height. Includes Folding Handle Rigidizer Bar. Transit Option □ Transit System (Weight Limit 300lbs) (A1) Not available with Heavy Duty Option □ Omit	N/C N/C N/C N/C N/C \$395 \$925 \$350 N/C						
Back Post /	Heigh	nt Range / Ba	ck Height			Back Upholstery							
Back Post	Price	 <u> </u>	Back Heigh			If selecting both upholstery and Axiom Back, the upholstery will be installed Standard	N/C						
8 Degree Bend with Push Straight without Push Handle						☐ Tension Adjustable Standard Cover ☐ Tension Adjustable with Air Mesh Breathable Cover ☐ Omit	\$175 \$250 -\$10						
			Back Height			Stroller Handle							
Angle Adjustable w/ Push Handle,	\$231	Short 10	D" 21" Back Cane Ang		109	Caregiver Adjustable Height (A1) Available only with Straight without Push Handle backrest	\$215						
Fixed Height		90° 99	5° 100°	105° 1	.10°	Rigidizer Bar							

☐ Folding Handle Rigidizer Bar (A1)

Low

High

\$263

¹ If no Back Cane Angle is selected, 95° will be used

² Moves pivot and back height up 1"

This form must be opened in Adobe Acrobat. The Submit Form button will not work from most browser windows.







Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com

Footrest

Han	ger/	Front Frame E	Bend				Footplates								
_		sion Tube Mount_					\$195	☐ Comp							N/C
_		sion Tube Mount_ Mount					\$195	_	t available w i posite Angl		1ount Hangei	-			\$195
		lable with 7" or 8" Cas	sters.				_Φ19Ο				able (AZ) 1ount Hangel	or 14" Sec	ıt Width		Φ17Ͻ
		Leg Rests (A2)					\$369	☐ Alum	inum Angle	e Adjusta	ble (A2)				\$185
∟ Pro) Eleva	ting Leg Rests (A2))				\$500								
Foo	trest	/Extension/S	Seat to	Footrest L	engt	h									
								rame Bend. I	ootrest Leng	gth of at le	ast 2.5" short	er than Fro	nt Seat Height	recomme	nded. Comes
Foot	trest	Extensi	on						Seat to Foo	otrest Len	gth				
	on Tube	Short (10.5" - 16.5"	')												
(60°	gers ,70°)	Long (14" - 20")													
								Standar	d Selections					Requires	3" Extension
				<u></u> 4"	4.5	5" 5"	5.5"	6"	6.5"	7"				11"	11.5"
	Mount rs (90°)	Short Front Mount	Hanger	7.5"	8"	8.5"	9"	9.5"	10"	10.5"				12"	12.5"
				\$19 \$19 \$19 \$19 \$3. \$36 \$50 at to Footrest Length Frame measurements are based on 70° Hanger / Frong Hanger Release is used with Elevating Leg Rests (EL anger	5.5"	6"	6.5"	7"	7.5"	8"		13"	13.5"		
		Medium Front Mou	unt Hanger	8.5"	9"	9.5"	10"	10.5"	11"	11.5"	12"	12.5"		14"	14.5"
DDO FI	R Low	PRO ELR Low Pivo (12" - 17.5")	t Setting SI	nort					•	•	•	•			
	Setting	PRO ELR Low Pivo (15" - 21")	t Setting Lo	ong											
DPO EI	R High	PRO ELR High Pivo (10.5" - 15.5")	ot Setting S	hort											
	Setting	PRO ELR High Pivo (13" - 19")	ot Setting L	ong											
3" E	xtens	sion						Calf S	traps						
3"	Extensi	ion					\$69	□ Velcr	o Adjustab	ole (A1)					\$44
									ed Velcro A		le (A1)				\$85
Hee	l Loo	ps													
☐ He	el Loop	OS					\$30		Ť		/ _				
Res	idual	Limb Support													
	Lin	nb Support (A2)	Price	Omit						Pad S	ize				
Left		Limb Support with oth Cover	\$450	Omit Left Har	ger _	5X8 Pad Left Side	□ ^{7X1} Side	l0 Pad Left e	Side	d Left [9x14 Pad L Side		11x10 Pad Left Side	☐ 11x Side	14 Pad Left
Right		nt Limb Support with both Cover	\$450	Omit Right Hanger		5X8 Pad Right Side	□ ^{7X1} Side	LO Pad Right	Side	d Right	9x14 Pad R		11x10 Pad Right Side	□ 11x Side	14 Pad Right





Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com

CATALYST 4^E

Fror	nt Seat He	eight and	d Cast	ers													
Cast	ter Size / Fro	ont Frame 1	Гуре / F	ront S	eat Heig	ht											
Caster							Front Se	eat Height									
Size	Uses Super Low Housing																
4"	12.5"	13" 13.	5" 🔲 1	14" 14.5"			15.5"	16 "	16.5"	17"	17.5"	18"	18.5"	19"			
5"	13.5"	14" 14.	5" 🔲 1	15"	15.5"	<u> </u>	16.5"	17 "	17.5"	18 "	18.5"	19"	19.5"				
6"	14.5"	15" 15.	5" 🔲 1	16"	16.5"	17 "	17.5"	18 "	18.5"	19"	19.5"	20"					
7"	15.5"	16" 16.	5" 🔲 1	17"	17.5"	18 "	18.5"	<u> </u>	19.5"	20"	20.5"						
8"	16.5"	17" 17.	5" 🔲 1	18"	18.5"	19"	19.5"	20"	20.5"	21"							
Cast	ter Type							Fork Stems									
					Caster Size									N/C			
			Price	4"	5" 6"	7"		3/4" Long						\$44 \$44			
	1" P	Poly	N/C		<u>, </u>		ا ا	1 1/2" Longer Fork Stem									
l ype	1" Pnei	· ·	\$100				5	Caster H	ousing								
Caster Type	1.5"		\$63		- -			Super Lov	_	lavaina				\$100			
1.5" Soft Roll Aluminum (A1) \$150							_			10using_ 50 lb Weight C i	apacity			\$100			
				<u> </u>] Standard	Housing_					N/C			
Whe	eel Locks	and Opt	ions														
Whe	eel Lock							Wheel Lo	ock Opt	ions							
	sh to Lock						N/C L	I Extension						\$84			
	sh to Lock Flush	Mount					N/C	_		Push to Lock or	Pull to Lock	Wheel Locks					
□ Pul	I to Lock						N/C	Grade Aid	, ,	Push to Lock WI	heel I ocks a	nd Dnoumatic	or Pneumati	\$187			
☐ Att	endant Lock (A:	1)					\$230		less Insert tir		ieei Locks u	na i neamanc	or i neamath	L .			
	Vheel lock mounte		nair					The state of the s									
_								•		X							
Rea	r Seat He	ight and	Whe	els													
Whe	eel Size / Tir	e Profile / F	Rear Se	at Hei	ght												
Select R	ear Seat Height in I	row correspondin	g to desired	d Wheel S	ize and Tire F	Profile. 14" S	eat Depth n	ot available w	ith 24", 25"	or 26" wheel siz	zes.						
	Wheel	Tire							Rear Seat	Height							
	20"	Low		11.5"		12.5"		13.5"		14.5"	<u> </u>	.5.5"	16.5				
	20	Full		□ 12" □ 13"		13"		☐ 14"		7 15"	□ 1	.6"					

15.5"

16.5"

17"

17"

17.5"

18"

16.5"

17"

17.5"

18"

18"

18.5"

19"

A1 = Client's Responsibility

A2 = Clinical Justification

22"

24"

25"

26"

Low

Full

Low

Full

Low

Full

12.5"

13"

13.5"

14"

14"

14.5"

15"

13.5"

14"

14.5"

15"

15"

15.5"

14.5"

15"

15.5"

16"

16"

16.5"

17"

17.5"

18"

18.5"

19"

19.5"

20"







Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com

Wh	eels							Rear Tire Type	
				Rear W	heel Size	:		Full Profile	
		Price	20"	22"	24"	25"	26"	☐ Street Pneumatic 1 3/8"	N/C
<u>e</u>	Spoke	N/C						Not available on 25" wheel size Full Poly 1 3/8"	N/C
Whe	Mag	N/C						Not available on 25" or 26" wheel sizes	
Rear Wheel Type	MAXX Spoke (A1)	\$200						Pneumatic with Airless Insert 1 3/8" (A1) Not available on 25" wheel size	\$200
Axle	e Plates				•			Low Profile	
☐ Ad	justable Axle Plate						N/C	Low Poly 1"	N/C
Ē	Provides 2" of Center of Gravity			ir comes v	vith Cente	er of		Not available on 25" or 26" wheel sizes or Heavy Duty Option 1" Solid	N/C
(Gravity set at position 3, see im	iage belov	v.					Not available on 20" and 22" Mag wheels	
	1 3							High Pressure 1" (A1) Not available on Mag wheel	\$119
<u> </u>	*****							Schwalbe Marathon Plus Evolution 1" (A1)	\$145
								Not available on Mag wheel, 20" or 22" wheel sizes	
	2 4 0								
	0								
	0					4			
Ham	drims								
Han	iarims								
	dard Handrims							Ergonomic Handrims Not available on 20", 25" or 26" wheels	
	ıminum Anodized_ perlight Aluminum Anodiz	a d					N/C \$50	Not available on 20°, 25° or 26° wheels ☐ Ergo Lite Regular Grip (A1)	\$445
	Available only on 24" and 25" I		oke				\$30	Ergo Standard Regular Grip (A1)	\$445
	stic Coated						\$119	☐ Ergo Lite Extra Grip (A1)	\$495
	ojection (8 Vertical Project Available only with full profile t		nhination	with 22"	24" and	124"	\$299		\$495
	MAXX Spoke wheels, or 22" an			WILII ZZ	, 24 , ana	20		☐ Ergo Lite Omit Grip (A1) ☐ Ergo Standard Omit Grip (A1)	\$345 \$345
☐ On	nit Handrim						N/C	Engo standard office only (11)	
ا د د ۸									
Axle									
Axle	es								
	ick Release								N/C
Fix									N/C
	ad Quick Release (A2) Not available with Mag wheel								\$219
Arm	nrests								
	nrests								
	ight Adjustable T-Arm De								\$295
He He	ight Adjustable T-Arm Ful ight Adjustable Flip Back ⁻	II (δ.5" - T-Arm Γ	13.5")_)esk (9 =	i" - 13 5'	')				\$295 \$295
☐ He	ight Adjustable Flip Back								\$295
☐ On	nit								N/C







Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com

Accessories

Pelvic Positioning Belt	Other Accessories
□ 1 1/2" Auto Buckle Pelvic Positioning Belt\$22□ 1 1/2" Padded Auto Buckle Pelvic Positioning Belt (A1)\$170□ 2" Airline Buckle Pelvic Positioning Belt (A1)\$150□ Small Bodypoint Evoflex (16-24") (A1)\$219□ Medium Bodypoint Evoflex (19-29") (A1)\$219□ Large Bodypoint Evoflex (25-37") (A1)\$219□ Belt Mounting HardwareN/C	☐ Tool Kit (A1) \$60 ☐ Removable Underseat Pouch (A1) \$75 ☐ Ki Mobility Backpack (A1) \$90 ☐ Black Neoprene Impact Guards \$95 ☐ Velcro Closing Strap \$25 ☐ Clear Spoke Guards (A1) \$144 Not available with Mag wheel \$144
O2 Holder ☐ O2 Holder - Left Side \$110 ☐ O2 Holder - Right Side \$110 Anti-Tip	Cane and Crutch Holder \$110 Step Tube - Left Side (A1) \$60 Not available with Transit Wheels or Heavy Duty Option Step Tube - Right Side (A1) \$60 Not available with Transit Wheels or Heavy Duty Option Step Tube - Pair (A1) \$120 Not available with Transit Wheels or Heavy Duty Option
□ Rear Anti-Tips \$110 Frame Color □ Black N/C	Gel Pad Cover (A1)\$486
Blue N/C	





CATALYST 4^E

Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com

							Cataly	/st E F	ront S	Seat H	eight I	Matrix							
4" Caster					5" C	aster			6" C	aster		7" Caster				8" Caster			
FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork
13.5	12.5			14.50	13.50	Std		15.5	14.5	Std		n/a	15.5	Std	5"	17.5	17	Std	
14	13	Std		15.50	n/a	3/4 4" 1 1/2 Std	4"	16	n/a	3/4	5"	16.5	15.5			18.5	n/a	3/4	6"
14 ¹	n/a			16	n/a		17	n/a	1 1/2		17	16	Std		19	n/a	1 1/2		
14.5	n/a	3/4	4"	14.5	13.5		15.5	14.5			17	n/a			17.5	16.5			
15	n/a			15	14		16	15	Std		17.5	n/a	3/4	6"	18	17			
15.5	n/a	1 1/2		15.5	n/a		16.5	15.5			18	n/a			18.5	17.5	Std		
14	13	Std		16	n/a	3/4	5"	16.5	n/a			18.5	n/a	1 1/2		19	18		
14.5	13.5	Sta		16	n/a	1 1/2		17	n/a	3/4	6"	17	16			18.5	n/a		
15	n/a	3/4	5"	16.5	n/a	1 1/2		17.5	n/a			17.5	16.5	C+4		19	n/a	3/4	
15.5	n/a	3/4	5	15	14			17	n/a			18	17	Std		20	n/a	3/4	7"
15.5	n/a	1 1/2		15.5	14.5	Std		17.5	n/a	1 1/2		18.5	17.5			n/a	n/a		
16	n/a	1 1/2		16	15			18	n/a			17.5	n/a			19	n/a		
15	14	Std		16	n/a	3/4	6"	16.5	15.5	Std		18	n/a	3/4		19.5	n/a		
15.5	14.5	Siu		16.5	n/a			17	16			18.5	n/a	3/4	7"	20	n/a	1 1/2	
16	n/a	3/4	6"	17	n/a			17.5	16.5			19	n/a			20.5	n/a		
16.5	n/a	3/4	ů	16.5	n/a			18	17			18.5	n/a			21	n/a		
16.5	n/a	1 1/2		17	n/a	1 1/2		17	n/a			19	n/a						
17.0	n/a	1 1/2		17.5	n/a			17.5	n/a	3/4		19.5	n/a	1 1/2					
16.5	15.5	Std		16.5	15.5			18	n/a	""	7"	20	n/a						
17	16	Old		17	16	Std		18.5	n/a			20.5	n/a						
17	n/a	3/4	7"	17.5	16.5			18	n/a										
17.5	n/a	5,7		17	n/a			18.5	n/a										
18	n/a	1 1/2		17.5	n/a	3/4	7"	19	n/a	1 1/2									
18.5	n/a	,		18	n/a			19.5	n/a										
19	n/a			18	n/a			20	n/a										
				18.5	n/a	1 1/2													
				19	n/a	,													
				19.5	n/a														

¹ Not available with 4 x 1.5" Soft Roll Aluminum

Seat heights with "FSH" heading available with Standard Caster Housing. Seat heights with "Super Low" heading available with Super Low Caster Housing. Actual seat height may vary depending upon configuration.